

## **Product Information**

# ISO Class 5 - 8

Cleanroom Class 100 – 100,000 EU Grade A-D USP <797>


# Durx® 570

# 55% Cellulose / 45% Polyester Nonwoven Cleanroom Wiper

Durx® 570 is a light weight cellulose / polyester nonwoven wiper recommended for ISO Class 5 and above environments composed of a hydroentangled nonwoven blend of 55% cellulose and 45% polyester.

This combination of properties provides Durx® 570 with the level of absorbency, abrasion resistance and chemical compatibility required for controlled environments and applications where both cleanliness

and economy are of the most importance.



### Other ISO Class 5 and above nonwoven wipers

- BlueSorb® 750
- Durx® 670
- Durx® 770
- $\bullet \quad \mathsf{MicroFirst}^{\circledR}$
- MicroFirst LP®
- ProjX® 700
- Pro-Wipe® 750
- Pro-Wipe<sup>®</sup> 880
   ValuClean<sup>®</sup> Plus

#### **Key Attributes**

- 55% cellulose / 45% polyester hydroentangled nonwoven blend
- · No binders or other chemical additives
- · Light weight, absorbent wipe

#### Benefits

- Excellent combination of the synthetic polyester strength and cleanliness with the absorbent characteristics of cellulose
- · Smooth, highly absorbent and durable
- Low extractable levels and particle counts
- Chemically compatible with common cleaning and disinfecting solutions
- Autoclavable
- Economical

#### Applications

- Designed for use in ISO Class 5 and higher cleanroom environments and USP <797> applications
- General equipment wrap and wipe downs
- General purpose wiping applications
- · Cleaning of lab equipment
- General wiping in component prep, compounding and wash areas
- Applying and removing cleaning and disinfecting solutions

### Pre-Wetted Option

The same wiper material can be provided in pre-wetted formats for reduced VOC emissions, increased convenience, increased productivity, improved solvent control and cleaning protocol repeatability and reduced costs.

#### **Sterile Validated Option**

For aseptic processing areas, the same wiper material can be provided in a gamma irradiated validated sterile to a 10<sup>-6</sup> sterility assurance level. Dry and pre-wetted versions available.

## www.berkshire.com

**Contact:** Tel 1 800 242 7000 / 1 413 528 2602 info@berkshire.com

| America | Tel 1 413 528 2602      | Fax 1 413 528 2614      | info@berkshire.com         |
|---------|-------------------------|-------------------------|----------------------------|
| Europe  | Tel 44 (0) 870 757 2877 | Fax 44 (0) 870 757 2878 | enquiries@berkshire.uk.com |
| SE Asia | Tel 65 6252 4313        | Fax 65 6252 4312        | enquiries@berkshire.com.sg |
| Japan   | Tel 81 3 5827 2380      | Fax 81 3 5827 2382      | master@berkshire.co.jp     |



#### **Technical Data:**

| Attribute            |                  | Units                  | Value  | Test Method  |
|----------------------|------------------|------------------------|--------|--|
| Basis Weight         |                  | g/m²                   | 57.3   | TAPPI T-410  |
| Caliper              |                  | μm                     | 224    | TAPPI T-411  |
| Fibers               | ≥100µm           | fibers/cm <sup>2</sup> | 200    | IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.2               |
| Particles            | ≥0.5µm           | x10³/cm²               | 13     | IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.1               |
| Sorbency             | Capacity         | mL/m²                  | 275    | IEST-RP.CC004.3, Sec 8.1 modified / Sec 8.2 modified |
|                      | Efficiency       | mL/g                   | 4.8    |  |
|                      | Rate             | seconds                | 2      |  |
| Non-Volatile Residue | DI Water         | g/m²                   | 0.018  | IEST-RP.CC004.3, Sec 7.1.2                           |
|                      | IPA              | g/m²                   | 0.0019 |  |
| lons                 | Na+              | ppm                    | 50     | IEST-RP.CC004.3, Sec 7.2.2                           |
|                      | K <sup>+</sup>   | ppm                    | 1.6    |  |
|                      | Ca <sup>++</sup> | ppm                    | 0.74   |  |
|                      | Mg <sup>++</sup> | ppm                    | 0.24   |  |
|                      | CI-              | ppm                    | 21     |  |

#### Notes

- Technical data represented in this table are typical values at the time of publication. These should not be used as
  product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

#### **Order Information:**

| Product   | Number        | Size             | Shts/pk | Pks/cs | Style   |
|-----------|---------------|------------------|---------|--------|---------|
| Durx® 570 | DR570.0708.36 | 7x8" (18x20cm)   | 300     | 36     | Stacked |
| Durx® 570 | DR570.0909.10 | 9x9" (23x23cm)   | 300     | 10     | Stacked |
| Durx® 570 | DR570.0909.20 | 9x9" (23x23cm)   | 300     | 20     | Stacked |
| Durx® 570 | DR570.1212.10 | 12x12" (30x30cm) | 150     | 10     | Stacked |
| Durx® 570 | DR570.1212.20 | 12x12" (30x30cm) | 150     | 20     | Stacked |

For more information on our other contamination control products or technical consultation, please contact your Berkshire Sales Representative or e-mail: <a href="mailto:info@berkshire.com">info@berkshire.com</a>

## Other Berkshire products

For information on our other products, please click on the relevant text.



**Wipers** 



**Glove Liners** 



**Mop Systems** 



**Documentation Systems** 



Face Masks



<u>Swabs</u>