

Safety Data Sheet**Section 1. CHEMICAL PRODUCT and COMPANY IDENTIFICATION**

Identification: Product Name: Mat & Table Top Cleaner
Product Number: # 6001, 6002

Recommend use: Cleaner for anti-static mats and furniture

Manufacturer: ACL Incorporated
840 West 49th Place
Chicago, IL 60609
PH: (01) 847.981.9212 [U.S.A.]
FAX: (01) 847.981.9278 [U.S.A.]

Emergency telephone: INFOTRAC: (01) 800.535.5053 (day or night)

Section 2. HAZARDOUS IDENTIFICATION

NFPA HAZARD RATING: (0) Fire (1) Health (0) Reactivity

Emergency Overview: May cause skin/eye irritation. May be harmful if swallowed.

Potential Health Effects:

Inhalation: No observable effects of overexposure.

Eyes: Mild irritation.

Skin: Mild irritation.

Ingestion: Nausea and diarrhea are possible.

GHS:

Physical hazard: Not classified under GHS. Non-flammable and non-explosive product

Health hazard: Warning: Category 2A; serious eye damage / eye irritation. Symbol:
H319 Causes serious eye irritation



Environment hazard: Not classified. The product has no environmentally hazardous properties.
P102 Keep out of reach of children

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL | C.A.S. | EINECS | EU Class | Weight % |
|--|------------|-----------|---------------------------------|----------|
| Deionized Water | 7732-18-5 | 231-791-2 | | 93 -98 |
| Benzenesulfonic acid, C10-16-alkyl derives., calcium salts | 68584-23-6 | 271-529-4 | R23, R34, R45, R36/37/38 | 1 - 2 |
| Ethylbis (hydroxyethyl)tallow alkyl, ethoxylated, Et sulfates | 68071-95-4 | | R36/38, R45 | < 1 |
| Ethanol, 2,2'-iminobis- | 111-42-2 | 203-868-0 | Xn: R22, R48/22 Xi: R38, R41 | < 1 |
| Alcohols, C10-14, ethoxylated | 66455-15-0 | | R36, R37 | < 1 |
| Sodium Hydroxide | 1310-73-2 | 215-185-5 | R35 | << 1 |
| 2-Propanol | 67-63-0 | 200-661-0 | R11, R36, R67 | << 1 |

Section 4 FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Section 5 FIRE FIGHTING MEASURES

Flash Point & Method: None

Extinguishing Media: water, foam, dry chemical & carbon dioxide

Fire Fighting Equipment: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

Hazardous Combustion Products: Smoke, fumes and oxides of carbon.

Section 6 ACCIDENTAL RELEASE MEASURES

Avoid runoff into storm sewers and ditches which lead to waterways. Absorb the liquid and scrub the area with detergent and water.

Section 7 HANDLING AND STORAGE

Handling: Wash thoroughly after handling. Use only in a well ventilated area. Store in a cool dry place.

Storage Temperatures: Store in a cool place in original container and protect from sunlight.

Storage Pressure: Store at local atmospheric pressure.

General: Observe good housekeeping practices. Follow all MSD sheet and label warnings even after container is emptied.

This product has a shelf life of three years from the date of manufacturing.

Section 8 EXPOSURE CONTROL / PERSONAL PROTECTION

| OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200) | | | | | |
|--|------|-----------------|------------------------|-----------|------------------------|
| | | Exposure Limits | | | |
| | | OSHA PEL | | ACGIH TLV | |
| Chemical Name | | ppm | Mg/m ³ | ppm | Mg/m ³ |
| 2- Propanol | TWA | 400 ppm | 980 Mg/m ³ | 400 ppm | 983 Mg/m ³ |
| | STEL | 500 ppm | 1225 Mg/m ³ | 500 ppm | 1230 Mg/m ³ |
| Sodium hydroxide | TWA | NE | NE | NE | NE |
| | STEL | NE | NE | NE | NE |
| Ethanol, 2, 2'-iminobis- | TWA | NE | NE | NE | NE |
| | STEL | NE | NE | NE | NE |

Engineering Controls: Local Exhaust ventilation acceptable

Personal Protection:

Respirator If concentrations are over the exposure limit and are known, air purifying respirator with Organic Vapor Cartridges may be acceptable. Refer to cartridges for acceptable levels. If concentrations are over exposure limits and are unknown, use a supplied air respirator.

Hand Protection Gloves Recommended: Solvex, neoprene, viton, butyl, buna, natural latex acceptable.

Eye Protection: For normal conditions, may use without safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

| | |
|------------------|---|
| Section 9 | PHYSICAL AND CHEMICAL PROPERTIES |
|------------------|---|

| | |
|-------------------------------|-------------------------------------|
| pH.....neutral | Boiling Point.....100°C / 212°F |
| Freezing Point.....0°C / 32°F | Solubility in Water.....100 |
| Physical State.....Liquid | VOC (g/L).....< 1.81 g/l |
| Odor.....Pleasant Soapy Odor | VOC as per CARB 310..... 0.181% |
| Specific Gravity..... 1.010 | Appearance: Clear blue liquid |

| | |
|-------------------|---------------------------------|
| Section 10 | STABILITY AND REACTIVITY |
|-------------------|---------------------------------|

General: Stable. Polymerization will not occur.

Incompatible Materials and Conditions to Avoid: May decompose if heated.

Hazardous Decomposition: Forced combustion yields carbon and silicone oxides.

| | |
|-------------------|-------------------------------|
| Section 11 | TOXICOLOGY INFORMATION |
|-------------------|-------------------------------|

Human Experience: OSHA / NTP / DHHS - This product contains residuals of ethylene oxide which is a known carcinogen listed on the 11th Report on Carcinogens (RoC) and NIOSH carcinogen list.

| | |
|-----------------------------------|-----------------------------------|
| LD ₅₀ Rabbit (dermal) | 12,800 mg/kg (Isopropanol) |
| LD ₅₀ Rat (inhalation) | 16,000 ppm: 8 hours (Isopropanol) |
| LD ₅₀ Rabbit (oral) | 6410 mg/kg (Isopropanol) |

| | |
|-------------------|-------------------------------|
| Section 12 | ECOLOGICAL INFORMATION |
|-------------------|-------------------------------|

Isopropyl alcohol has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the microorganisms from activated sludge.

| | |
|-------------------|--------------------------------|
| Section 13 | DISPOSAL CONSIDERATIONS |
|-------------------|--------------------------------|

RCRA 40 CFR 261 Classifications:

As packaged and after use, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D.

Federal, State, and Local laws governing disposal of material can differ.
Ensure proper disposal compliance with proper authorities before disposal.

| | |
|-------------------|-----------------------------------|
| Section 14 | TRANSPORTATION INFORMATION |
|-------------------|-----------------------------------|

U.S. DOT Information: Proper Shipping Name: Non Hazardous Material
 Hazard Class: NA

IATA: Not Dangerous as per IATA regulation or Not classified as dangerous goods

| | |
|-------------------|-------------------------------|
| Section 15 | REGULATORY INFORMATION |
|-------------------|-------------------------------|

US Federal Regulations: MSDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/Superfund, 40 CFR 117.302:
Residual ethylene oxide, RQ 10
Ethanol, 2,2'-iminobis-, RQ 100

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:
Section 302 – Extremely hazardous substances (40 CFR 355): None of the chemicals are Section 302 hazards

Section 311/312 – (40 CFR 370): By our hazard evaluation, this product is non-hazardous.

Section 313 – List of Toxic Chemicals (40CFR 372): This product does not contain chemicals (at level of 1% or greater) found on the 313 list of Toxic Chemicals.

Toxic Substance Control Act (TSCA): **All substances are TSCA listed.**

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13 for RCRA classification.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311), Clean Air Act:
Clean Air Act: Ethanol, 2,2'-iminobis- (CAS 111-42-2) < 1%

STATE REGULATIONS:

California Proposition 65: This product contains a residual component (ethylene oxide, CAS# 75-21-8) known in the state of California to cause cancer.

INTERNATIONAL REGULATIONS:

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

To the best of our ability, this MSDS is written in accordance to REACH Directive EC1907/2006 Annex II and GHS requirements. This product is not subject to REACH restrictions. It does not contain any candidates on the SvHC.

Sections 16

OTHER INFORMATION

REVISION DATES, SECTIONS, REVISED BY:

| | |
|-------------|--|
| 16-OCT-95, | Updated Section 2, B. Riffel |
| 26-FEB-97, | Updated Section 9, B. Riffel |
| 18-SEP-98, | Updated Section 4, B. Riffel |
| 02-APR-01, | Reviewed |
| 07-MAY-02 | Updated Sections 2, 10, & 13 MKB |
| 29-MAY-02 | Updated Section 16 MKB |
| 04-MAY-04 | New Format, updated sections 2, 9 & 15 mkb |
| 07-MAR-07 | Updated sections, 5, 11, 15 mkb |
| 14- MAY-08 | Updated section 7, mkb |
| 04-MAR -09 | Updated and reviewed all sections, mkb |
| 07-DEC-09 | Section 3 correction, mkb |
| 25-JUNE-10 | Section 1, address correction, mkb |
| 3-Mar-11 | Section 9 revision, mkb |
| 1-Nov-12 | Added GHS elements, mkb |
| 28-April-14 | Added GHS elements, mkb |

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)
The Sigma-Aldrich Library of Regulatory and Safety Data
Chemical Guide and OSHA Hazardous Communication Standard

The Environmental Protection Agency (www.epa.gov)
ANSI Standard: ANSI Z400.1-1998
Merck Index

To the best of our knowledge, the information contained herein is accurate. **However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.