

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

FLEX-ADD Product Name: Stock No.: 15940

Manufacturer Name: ITW Polymers Adhesives, North America

Address: 30 Endicott Street

Danvers, MA 01923 (978) 777-1100

General Phone Number: Emergency Phone

(800) 424-9300

CHEMTREC: For emergencies in the US, call CHEMTREC: 800-424-

MSDS Revision Date: December 30, 2012

(M)SDS Format:

HMIS		
Health Hazard	1	
Fire Hazard	1	
Reactivity	1	
Personal Protection	x	

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent
Dipropylene glycol monobenzoate	32686-95-6	1 - 5 by weight
Propenyl propyl benzoate	197178-94-2	1 - 5 by weight
Dipropylene glycol dibenzoate	27138-31-4	60 - 100 by weight
Propylene glycol dibenzoate	19224-26-1	1 - 5 by weight

SECTION 3: HAZARDS IDENTIFICATION

CAUTION! Harmful, Irritant. Emergency Overview:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Potential Health Effects:

Eye: May cause irritation. Skin: May cause irritation.

Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting.

Chronic Health Effects: Prolonged or repeated contact may cause skin irritation. Signs/Symptoms: Overexposure may cause headaches and dizziness. Target Organs: Eyes. Skin. Respiratory system. Digestive system.

Aggravation of Pre-Existing None generally recognized.

Conditions:

Eye Contact: Immediately flush eyes with plenty of waterfor at least 15 to 20

minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.

Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Skin Contact:

Get medical attention if irritation develops or persists.

If inhaled, remove to fresh air. If not breathing, give artificial Inhalation:

respiration or give oxygen by trained personnel. Seek immediate

medical attention.

If swallowed, do NOT induce vomiting. Call a physician or poison control Ingestion:

centerimmediately. Nevergive anything by mouth to an unconscious

person.

SECTION 5: FIRE FIGHTING MEASURES

SECTION 4: FIRST AID MEASURES

Flammable Properties: Combustible. Flash Point: >500°F (260°C) Flash Point Method: Closed Cup.

Limit:

Upper Flammable/Explosive

Not determined.

Fire Fighting Instructions:

Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire

Extinguishing Media: Use carbon dioxide (CO2) or dry chemical when fighting fires involving

this material.

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA),

MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill Cleanup Measures: Absorb spill with inert material (e,g., dry sand or earth), then place in a

chemical waste container. Provide ventilation. Clean up spills immediately observing precautions in the protective equipment section.

Non hazardous material. Follow local procedures.

Other Precautions: Pump or shovel to storage/salvage vessels.

SECTION 7: HANDLING and STORAGE

Handling: Use with adequate ventilation. Avoid breathing vapor, aerosol or mist.

Storage: Store in a cool, dry, well ventilated area away from sources of heat and

incompatible materials. Keep container tightly closed when not in use.

Hygiene Practices: Wash thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne Engineering Controls:

levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and

maintenance of the personal protective equipment.

Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the Eye/Face Protection:

European standard EN 166.

Skin Protection Description: Wear appropriate protective gloves and other protective apparel to

prevent skin contact. Consult manufacturer's data for permeability

Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor

cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate

protection.

Facilities storing or utilizing this material should be equipped with an Other Protective:

eyewash and a deluge shower safety station.

EXPOSURE GUIDELINES

Notes: Only established PEL and TLV values for the ingredients are listed.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Liquid.

Color: off-white.

Odor: aromatic ester. >400°F (204.4°C) Boiling Point:

Melting Point: Not determined.

Specific Gravity: 1.12

So lubility: Very slightly soluble.

11.8 (air = 1)Vapor Density: Vapor Pressure: <<1 mmHg @68°F

Percent Volatile: Not determined.

Evaporation Rate <1 (butvl acetate = 1) Molecular Follilula MIXLUIE Molecular Weight: Mixture

Flash Point: >500°F (260°C) Flash Point Method: Closed Cup. Auto Ignition Temperature: Not determined.

VOC Content: 5.9 q/L Percent Solids by Weight >93

SECTION 10: STABILITY and REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.

Hazardous Polymerization: Not reported. Conditions to Avoid: None known.

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11: TOXICOLOGICAL INFORMATION

SECTION 12: ECOLOGICAL INFORMATION

Eco to xicity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

RCRA Number: None.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Non regulated. DOT UN Number: Not applicable. DOT Hazard Class: Not applicable. DOT Packing Group: Not applicable.

SECTION 15: REGULATORY INFORMATION

Dipropylene glycol dibenzoate:

TSCA Inventory Status: Listed Canada DSL: Listed

Propylene glycol dibenzoate:

TSCA Inventory Status: Listed Canada DSL: Listed

Canadian Regulations. WHMIS Hazard Class(es): None.

All components of this product are on the Canadian Domestic Substances

List.

SECTION 16: ADDITIONAL INFORMATION

MSDS Revision Date: December 30, 2012 MSDS Author: Actio Corporation

Copyright© 1996-2013 Actio Corporation. All Rights Reserved.

