

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing Date 06/19/2013

Revision Number 1

Revision Date 06/19/2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name: Double Bubble Silicone (04030)

- · Relevant identified uses of the substance or mixture and uses advised against Sealant
- · Application of the substance / the preparation Sealant

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Royal Adhesives And Sealants, LLC
2001 W. Washington Street
South Bend IN 46628-2023
Information Phone Number: 574-246-5000

• Information department: Environment protection department. • Emergency telephone number: ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

2 Hazards identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 1	Fire = 1
PHYSICAL HAZARD 0	Physical Hazard = 0

· Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Job-Size Double-Bubble® Packages

Silicone Adhesive/Sealant (Brown and White Package)

(Contd. on page 2)

USA

Printing Date 06/19/2013

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

	(Contd. of page 1)
	s components: Secret information refer to 29 CFR 1910.120.	
	Silicone	50-100%
	Amorphous Fumed Silica	2.5-10%
4253-34-3	methylsilanetriyl triacetate	2.5-10%

4 First aid measures

· Description of first aid measures

· After inhalation:

Remove to fresh air. If not breathing, administer artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.

• After skin contact:

Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for 15 minutes under running water. If eye becomes irritated, obtain medical treatment. • *After swallowing:*

Call a doctor immediately.

Seek medical treatment.

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use water fog, dry chemical, foam, Carbon Dioxide.

- Use fire fighting measures that suit the environment.
- Advice for firefighters

· Protective equipment: Protective clothing and respiratory protective device.

· Additional information

During a fire product may release carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide and formaldehyde.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.*

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

• **Reference to other sections** Contaminated areas, even with small amounts of material, may present a slip hazard. Product evolves acetic acid when exposed to water or humid air.

(Contd. on page 3)

US /

Printing Date 06/19/2013

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

(Contd. of page 2)

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- *Information about storage in one common storage facility: Keep away from open flames and high temperatures. Store away from water.*
- Further information about storage conditions: Store in a cool place.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Acetic Acid is formed upon contact with water or humid air. Provide adequate ventilation to control exposures within established guidelines. OSHA PEL: TWA 10 ppm and ACGIH TLV: TWA 10 ppm, STEL 15 ppm.
 Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing Date 06/19/2013

*

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

(Contd. of page 3)

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Paste
Color:	Whitish
Odor: Odour threshold:	Characteristic Not determined.
	Not determined.
pH-value:	ivoi determinea.
Change in condition	Undetermined.
Melting point:	Undetermined.
Boiling point:	
Flash point:	> 121 °C (> 250 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Flammable limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Specific gravity at 20 $^{\circ}C$ (68 $^{\circ}F$):	1.05 g/cm ³ (8.762 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	0.00/
Organic solvents:	0.0 %
VOC (Per EPA 24)	82.68 GMS/L
Solids content:	100.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Strong oxidizing agents.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing Date 06/19/2013

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products:

Acetic Acid on exposure to moisture or air, Silicon Dioxide, Carbon Oxides. Formaldehyde will form from thermal degradation.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Skin irritant.
- · on the eye: Moderate eye irritant.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- Vapors may be irritating to eyes, nose and throat.

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Disposal must be made according Federal, State and local regulations.*

(Contd. on page 6)

USA

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing Date 06/19/2013

*

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	DOT, ADR, IMDG, IATA - Not regulated in transport. Not dangerous according to the above specifications.
UN ''Model Regulation'':	<u>-</u>

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

(Contd. on page 7)

USA

Printing Date 06/19/2013

Revision Number 1

Revision Date 06/19/2013

Trade name: Double Bubble Silicone (04030)

(Contd. of page 6)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

· Department issuing MSDS: Environment protection department.

- · Creation Date: 06/19/2013
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

USA ·