

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PERMATEX® Bearing Mount for Close Fits - 50 ml bottle Product Name:

Product Code: Stock No.: 60950 Manufacturer Name: Permatex, Inc. 10 Columbus Blvd. Address: Hartford, CT 06106

USA

General Phone Number:

1-87-Permatex, (877) 376-2839 800-255-3924

Emergency Phone Number:

For emergencies in the US, call CHEMTREC: 800-424-

MSDS Creation Date: August 12, 2010 MSDS Revision Date: December 30, 2012

(M)SDS Format:

CHEMTREC:



х

Personal

Protection

NFPA

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | Ingredient Percent |
|---|------------|--------------------|
| Cumene hydroperoxide | 80-15-9 | < 5 by weight |
| Metha cry late | 868-77-9 | 15 - 35 by weight |
| Coumarone-Indene Resin Mixture | Mixture | < 10 by weight |
| 2-Methy -2-propenoic acid ethy ester homopolymer | 9003-42-3 | < 5 by weight |
| Polyethylene glycol dimethacrylate | 25852-47-5 | 55 - 75 by weight |
| | | |

SECTION 3: HAZARDS IDENTIFICATION

CAUTION! Harmful, Irritant, Emergency Overview: Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Potential Health Effects:

Signs/Symptoms:

Inhalation:

Can cause moderate irritation, burning sensation, tearing, redness, Eye: and swelling. Overexposure may cause lacrimation, conjunctivitis,

corneal damage and permanent injury.

Skin: ${\tt Can\ cause\ skin\ irritation;\ itching,\ redness,\ rashes,\ hives,\ burning,\ and}$

swelling.

Inhalation: Respiratory tract irritant. High concentration may cause dizziness, headache, and anesthetic effects.

Causes irritation, a burning sensation of the mouth, throat and Indestion: gastrointestinal tract and abdominal pain.

Prolonged skin contact may lead to burning associated with severe

Chronic Health Effects: reddening, swelling, and possible tissue destruction.

Overexposure can cause headaches, dizziness, nausea, and vomiting.

Target Organs: Eves. Skin. Respiratory system. Digestive system.

Individuals with pre-existing skin disorders, asthma, allergies or known Aggravation of Pre-Existing

sensitization may be more susceptible to the effects of this product.

SECTION 4: FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the

eyelids with fingers. Get immediate medical attention.

Skin Contact: Immediately wash skin with plenty of soap and water for 15 to 20

minutes, while removing contaminated clothing and shoes.

Get medical attention if irritation develops or persists.

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate

medical attention.

Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control

center immediately. Never give anything by mouth to an unconscious

person.

>200°F (93.3°C) Flash Point:

Flash Point Method: **PMCC**

Auto Ignition Temperature: Not determined. Lower Flammable/Explosive Not determined.

Lim it:

Upper Flammable/Explosive

Not determined.

Fire Fighting Instructions: Evacuate area of unprotected personnel. Use cold water spray to cool

fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire

run-off water

Extinguishing Media: Use carbon dioxide (CO2) or dry chemical when fighting fires involving

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA),

MSHA/NIOSH (approved or equivalent) and full protective gear.

Unusual Fire Hazards: Sealed containers at elevated temperatures may rupture explosively

and spread fire due to polymerization.

Hazardous Combustion

Byproducts:

Oxides of carbon and other unknown organic compounds. Irritating fumes and gases may be released upon thermal processing or during

combustion.

NFPA Ratings:

NFPA Health: 2 NFPA Flammability: 1 NFPA Reactivity:

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Evacuate area and keep unnecessary and unprotected personnel from

entering the spill area.

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

Absorb spill with inert material (e,g., dry sand or earth), then place in a chemical waste container. Provide ventilation. Clean up spills Spill Cleanup Measures:

immediately observing precautions in the protective equipment section. After removal, flush spill area with soap and water to remove trace

Avoid personal contact and breathing vapors or mists. Ventilate area. Use proper personal protective equipment as listed in section 8.

Other Precautions: Pump or shovel to storage/salvage vessels. Add inhibitor to prevent

polymerization.

SECTION 7: HANDLING and STORAGE

Handling: Use with adequate ventilation. Avoid breathing vapor, aerosol or mist.

Store in a cool, dry, well ventilated area away from sources of heat and Storage: incompatible materials. Keep container tightly closed when not in use.

Special Handling Procedures: Provide appropriate ventilation/respiratory protection against

decomposition products (see Section 10) during welding/flame cutting operations and to protect against dust during sanding/grinding of cured

p ro d uct

Hygiene Practices: Wash thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and

maintenance of the personal protective equipment.

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by

29 CFR 1910.133, OSHA eye and face protection regulation, or the

European standard EN 166.

Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult manufacturer's data for permeability Skin Protection Description:

Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor

cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.

circum stances where air purifying respirators may not provide adequate

protection

Other Protective: Facilities storing or utilizing this material should be equipped with an

eyewash and a deluge shower safety station

EXPOSURE GUIDELINES

Notes: Only established PEL and TLV values for the ingredients are listed.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Liquid.

Color: Green

Odor: irritating

Boiling Point: Not determined.

Melting Point: Not determined.

Specific Gravity: 1.05 -1.15 Solubility:

Insoluble

Vapor Density: Heavier than air.

Vapor Pressure: 5 mmHg @25°C Evaporation Rate: Not determined.

pH: Not determined.

Molecular Formula: Mixture

Molecular Weight: Mixture

Flash Point: >200°F (93.3°C)

Flash Point Method: PMCC

Auto Ignition Temperature: Not determined.

VOC Content: <2% by weight

SECTION 10: STABILITY and REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Extreme heat, sparks, and open flame. Incompatible materials,

oxidizers and oxidizing conditions. Oxygen-free atmospheres or inert gas blanketing. Freezing conditions. Material can soften paint and

Incompatible Materials: Active metal ions, heat, strong light

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Cumene hydroperoxide</u>:

RTECS Number: MX2450000

Eye - Rabbit Standard Draize test.: 1 mg Eye: Eye - Rabbit Standard Draize test.: 70%

Administration onto the skin - Rat : 500 mg/kg [Behavioral Skin:

Convulsions or effect on seizure threshold Kidney/Ureter/Bladder -

Hematuria 1

Administration onto the skin - Rabbit : 1200 mg/kg [Cardiac - Pulse rate increase, without fall in BP Blood - changes in erythrocyte (RBC) count Nutritional and Gross Metabolic - Body temperature decrease] Administration onto the skin - Mouse : 490 mg/kg [Details of toxic

effects not reported other than lethal dose value]

Administration onto the skin - Mouse: 1200 mg/kg [Biochemical Enzyme inhibition, induction, or change in blood or tissue levels Catalases Biochemical - Enzyme inhibition, induction, or change in
blood or tissue levels - Other oxidoreductases Biochemical - Enzym Ĕnzyme inhibition, induction, or change in blood or tissue levels - Other transferases]

Administration onto the skin - Rat : 250 mg/kg [Vascular - Structural

changes in vessels Biochemical - Metabolism (Intermediary) - Effect on inflammation or mediation of inflammation]

Administration onto the skin - Mouse : 300 mg/kg [Biochemical - Metabolism (Intermediary) - Effect on inflammation or mediation of inflammation]

Administration onto the skin - Mouse : 2012 mg/kg/2W (Intermittent) [Skin and Appendages - Tumors Biochemical - Metabolism

Product: PERMATEX® Bearing Mount for Close Fits - 50 ml bottle | Manufacturer: | Revison:12/30/2012, Version:0

(Intermediary) - Other proteins]

Administration onto the skin - Mouse: 20.1 gm/kg/20W (Intermittent)

[Skin and Appendages - Tumors Tumorigenic - Facilitates action of known carcinogen Biochemical - Metabolism (Intermediary) - Effect on inflammation or mediation of inflammation]

Page 3 of 5

Administration onto the skin - Mouse : 100 mg/kg Administration onto the skin - Rabbit : 500 mg Administration onto the skin - Rabbit : 500 mg Administration onto the skin - Rabbit : 500 mg Administration onto the skin - Mouse : 18000 ug/kg/18W (Intermittent) [Tumorigenic - carcinogenic by RTECS criteria Skin and Appendages - Tumors Tumorigenic - Facilitates action of known

carcinogen]

Inhalation: Inhalation - Rat LC50: 220 ppm/4H [Lungs, Thorax, or Respiration -

Dyspnea] Inhalation Mouse LC50: 200 ppm/4H [Lungs, Thorax, or Respiration -

Dyspnea]

Ingestion: Oral - Rat LD50: 382 mg/kg [Kidney/Ureter/Bladder - Hematuria]

Oral - Mouse LD50: 342 mg/kg [Details of toxic effects not reported other than lethal dose value]

Oral - Rat LD50: 800 mg/kg [Details of toxic effects not reported other

than lethal dose value]

<u>Methacrylate</u>:

Oral - Rat LD50: 11200 mg/kg [Lungs, Thorax, or Respiration - Acute pulmonary edema Lungs, Thorax, or Respiration - Dyspnea Ingestion:

Gastrointestinal - Other changes] [RTECS]

SECTION 12: ECOLOGICAL INFORMATION

Eco to x icity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

RCRA Number: None.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not Regulated. DOT UN Number: Not applicable. DOT Hazard Class: Not applicable. DOT Packing Group: Not applicable.

SECTION 15: REGULATORY INFORMATION

Cumene hydroperoxide:

TSCA Inventory Status: Listed

SARA: EPCRA - 40 CFR Part 372 - (SARA Title III) Section 313 Listed

Chemical.

New Jersey: Listed: NJ Hazardous List; Substance Number: 0543

Massachusetts: Listed: Massachusetts Oil and Hazardous List

Pennsylvania: Listed Canada DSL: Listed

<u>Methacrylate</u>:

TSCA Inventory Status: Listed

2-Methyl-2-propenoic acid ethyl ester homopolymer:

TSCA Inventory Status: Listed Canada DSI: Listed Polyethylene glycol dimethacrylate:

TSCA Inventory Status: Canada DSL: Listed

Canadian Regulations. WHMIS Hazard Class(es): D2B

All components of this product are on the Canadian Domestic Substances

WHMIS Pictograms:



MSDS Creation Date: August 12, 2010 MSDS Revision Date: December 30, 2012 MSDS Author: Actio Corporation

Dis claimer:

This Health and Safety Information is correct to the best of our knowledge and belief at the date of its publication but we cannot accept liability for any loss, injury or damage which may result from its use. The information given in the Data Sheet is designed only as a guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment.

controlled environment.

 $Copyright @ \ 1996-2013 \ Actio \ Corporation. \ All \ Rights \ Reserved.$