

FogShield XP™

MATERIAL SAFETY DATA SHEET

Effective Date: 3/19/12 Supersedes: 8/23/05

Page 1 of 7

**Section 1: IDENTIFICATION**

**PRODUCT:**

**Product Name:** FogShield XP™  
**Product Description:** Dilute solvent and surfactant solution  
**Product Code(s):** 77, 8577  
**Intended Use:** Cleaning agent for glass and plastic lenses

**COMPANY IDENTIFICATION:**

Bausch & Lomb, Incorporated  
 1400 N. Goodman Street  
 Rochester, New York 14609

**For Information:** 1-800-553-5340

**EMERGENCY TELEPHONE NUMBER:**

**24-Hour Emergency:** 1-800-535-5053

**Section 2: HAZARD(S) IDENTIFICATION**

**CLASSIFICATION:** Flammable liquid; Category 3  
 Eye irritation; Category 2A

**LABELING:**



**Pictograms:**

**Signal Word:** Warning

**Hazard Statements:** Flammable liquid and vapor  
 Causes serious eye irritation

**Precautionary Statements:** Keep away from ignition sources such as heat/sparks/open flames – No smoking  
**Not For Use on Contact Lenses**  
 Store in a cool, well-ventilated place  
 Use only in accordance with label instructions.  
 Avoid release to the environment.  
**Keep Out of Reach of Children**

This product is intended to be used as a lens cleaning agent for eyeglasses, safety glasses, face shields or other similar glass and plastic lens materials. If you are sensitive to any of its components, do not use. Use only in accordance with label instructions.

<b>Section 2: HAZARD(S) IDENTIFICATION (cont.)</b>
----------------------------------------------------

**POTENTIAL HEALTH EFFECTS****EYE:**

Avoid contact with the eye. May cause severe eye irritation.

**SKIN:**

Frequent or prolonged contact with skin or mucous membranes may cause irritation or dryness.

**INGESTION:**

Not expected to be an exposure route. However, may cause gastric and intestinal irritation if ingested.

**INHALATION:**

Not expected to be a significant exposure route. Vapor or mist may be irritating to mucous membranes and upper respiratory tract.

**CHRONIC HEALTH EFFECTS**

None identified.

**CARCINOGENICITY:**

**NTP:** NA

**IARC:** (CAS# 67-63-0) Group 3, not classifiable for human.

**OSHA:** NA

<b>Section 3: COMPOSITION / INFORMATION ON INGREDIENTS</b>
------------------------------------------------------------

CAS #	Chemical Identity	Concentration, % W/W	EINECS / ELINCS #
67-63-0	Isopropyl Alcohol	11	200-661-7
067674673	Silicone	Proprietary	NA
68937-55-3	Silicone Polyether Copolymer	Proprietary	NA
126-92-1	2-Ethylhexyl Sodium Sulfate Solution	Proprietary	204-812-8
7732-18-5	Water	Proprietary	231-791-2

<b>Section 4: FIRST AID MEASURES</b>
--------------------------------------

**INHALATION:**

Normal use of this product does not pose an inhalation hazard. However, should respiratory tract irritation develop, discontinue use and remove to fresh air. Get medical attention if irritation or other symptoms develop or persist.

**Section 4: FIRST AID MEASURES (cont.)**

**SKIN CONTACT:**

Should irritation develop, discontinue use. Wash affected skin thoroughly with soap and water. Get medical attention if irritation or other symptoms develop or persist.

**EYE CONTACT:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

**INGESTION:**

If swallowed, DO NOT induce vomiting. Seek medical attention immediately.

**NOTE TO PHYSICIAN:**

Material if ingested may be aspirated into the lungs and can cause chemical pneumonitis. Treat appropriately.

**Section 5: FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:**

Carbon dioxide, dry chemical powder, appropriate foam or water fog.

**HAZARDOUS COMBUSTION PRODUCTS:**

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**SPECIAL FIRE FIGHTING INSTRUCTIONS:**

As in any fire, wear self-contained breathing apparatus and full protective gear to prevent contact with skin and eyes.

**Section 6: ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS:**

Wear suitable protective eyewear, clothing, respiratory protection, rubber boots and rubber gloves. Shut off all sources of ignition. Evacuate immediate area. Ensure adequate ventilation. Refer to Sections 7 and 8.

**ENVIRONMENTAL PRECAUTIONS:**

Prevent spilled material from entering storm sewers or drains, waterways, and contact with soil.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:**

Isolate hazard area. Prevent from entering drains and sewers. Cover with vermiculite or other suitable inert material, pick up and place in closed containers. Transport outdoors and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

Refer to Section 13 for appropriate disposal procedures.

# FogShield XP™

## MATERIAL SAFETY DATA SHEET

### Section 7: HANDLING AND STORAGE

#### HANDLING:

Avoid contact with eyes. Avoid prolonged or repeated exposure to skin or mucous membranes, and breathing mists/vapors. Use in a well ventilated area, away from all ignition sources. Wash thoroughly with soap and water after handling.

#### STORAGE:

Store product at room temperature, in a well ventilated place. Discard appropriately if package integrity is compromised.

### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### CONTROL PARAMETERS:

CAS #	COMPONENT NAME	OCCUPATIONAL EXPOSURE LIMITS / GUIDELINES										
		OSHA PEL		ACGIH TLV		NIOSH REL		IRELAND		HSE		UNITS
		TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	TWA /STEL	
67-63-0	Isopropyl Alcohol	400	NE	200	400	400	500	400	500	400	500	ppm
067674673	Silicone	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
68937-55-3	Silicone Polyether Copolymer	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
126-92-1	2-Ethylhexyl Sodium Sulfate Solution	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
7732-18-5	Water	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA

N/E: Not Established

TWA: 8-Hour Time-Weighted Average

N/A: Not Applicable

ACGIH: American Conference of Governmental Industrial Hygienists

NIOSH: National Institute for Occupational Safety & Health

OSHA: Occupational Safety & Health Administration

PPM: Parts Per Million

STEL: Short-Term Exposure Limit

C: Ceiling Limit

REL: Recommended Exposure Limit

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

#### ENGINEERING CONTROLS:

Use with good general ventilation. No special controls required.

#### RESPIRATORY PROTECTION:

No special controls or personal protection required under conditions of intended use.

In the event of a spill, a NIOSH-certified air-purifying respirator with organic vapor cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits and when adequate oxygen is present. Use a positive pressure air-supplied respirator if there is any potential for an uncontrolled release or any other circumstances where air purifying respirators may not provide adequate protection.

#### EYE PROTECTION:

Avoid contact with the eye. No special controls or personal protection required under conditions of intended use.

In the event of a spill, appropriate eye protection should be worn.

**Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (cont.)****SKIN PROTECTION:**

No special controls or personal protection required under conditions of intended use.

In the event of a spill, use rubber gloves.

**ADDITIONAL PROTECTIVE CLOTHING & EQUIPMENT:**

NA

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Liquid
<b>Color:</b>	Clear
<b>Odor:</b>	Slight alcohol odor
<b>Odor Threshold:</b>	Not determined
<b>pH-Value:</b>	5-9
<b>Melting Point:</b>	Not applicable
<b>Freezing Point:</b>	Not determined
<b>Initial Boiling Point:</b>	Not determined
<b>Flash Point:</b>	42.2°C (108°F) ASTM Method D3828-98
<b>Evaporation Rate:</b>	Not determined
<b>Flammability (solid,gas):</b>	Flammable
<b>Explosion Limits:</b>	Not determined
<b>Vapor Pressure:</b>	Not determined
<b>Vapor Density:</b>	Not determined
<b>Specific Gravity (H<sub>2</sub>O=1):</b>	0.987
<b>Solubility:</b>	Soluble in water
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-Ignition Temperature:</b>	Not determined
<b>Decomposition Temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined

**Section 10: STABILITY AND REACTIVITY****REACTIVITY:**

No known hazards.

**CHEMICAL STABILITY:**

Stable under normal conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS:**

None are known.

**CONDITIONS TO AVOID:**

Heat, sources of ignition.

# FogShield XP™

## MATERIAL SAFETY DATA SHEET

Page 6 of 7

### Section 10: STABILITY AND REACTIVITY (cont.)

#### INCOMPATIBLE MATERIALS:

Keep away from heat, sparks, and flames.

#### HAZARDOUS DECOMPOSITION:

None known

### Section 11: TOXICOLOGICAL INFORMATION

RTECS No.: NT8050000

#### Isopropyl Alcohol

**Toxicity Data:** ORL-RAT LD50: 5045 MG/KG  
IHL-RAT LC50: 16000 PPM/8H  
SKN-RBT LD50: 12800 MG/KG

**Irritation Data:** EYE-RBT 100 MG SEV  
SKN-RBT 500 MG (MILD)

RTECS No.: MP0700000

#### 2-Ethylhexyl Sodium Sulfate

**Toxicity Data:** ORL-RAT LD50: 4 GM/KG

**NOTE:** Only selected Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information.

### Section 12: ECOLOGICAL INFORMATION

No specific ecological data are available for this product.

### Section 13: DISPOSAL CONSIDERATIONS

All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator.

### Section 14: TRANSPORT INFORMATION

	US DOT	IATA	IMO	RID/ADR	Canadian TDG
<b>Shipping Name:</b>	Consumer Commodity	Consumer Commodity	No information available	No information available	No information available
<b>Hazard Class:</b>	9	9			
<b>UN Number:</b>	ID8000	ID8000			
<b>Package Group:</b>	III	III			

# FogShield XP™

## MATERIAL SAFETY DATA SHEET

Page 7 of 7

### Section 15: REGULATORY INFORMATION

#### OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200):

FogShield XP™ is considered hazardous under the Occupational Safety & Health Administration Hazard Communication Standard.

#### REACH:

This product is exempt from REACH requirements.

#### TOXIC SUBSTANCE CONTROL ACT (TSCA):

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### SARA TITLE III (Superfund Amendments and Reauthorization Act):

SECTION 302 (Extremely Hazardous Substances): No Components Listed  
SECTION 311, 312 (Hazard Categories): Acute, Chronic  
SECTION 313 (Toxic Chemicals): No Components Listed

#### CALIFORNIA PROPOSITION 65:

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

### Section 16: OTHER INFORMATION

*To the best of our knowledge, the information contained herein is accurate. However, neither Bausch & Lomb Incorporated nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE IS MADE. In no event shall Bausch & Lomb Incorporated or any of its subsidiaries be liable for any special, incidental or consequential damages.*