

# SAFETY DATA SHEET

# 1. Identification

**Product identifier** LPS® Electra-X 2.0

Other means of identification

**Part Number** 07316

Recommended use An aggressive non-flammable solvent blend for the removal of dirt, moisture, dust, flux and oxides

from the internal components of electronic or precision equipment such as circuit boards, and the

Compressed gas

Category 4

internal components of electronic devices used in factories and other industrial settings.

**Recommended restrictions** 

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer

ITW Pro Brands Company name

**Address** 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

1-800-424-9300 (inside U.S.) In Case of Emergency

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com

# 2. Hazard(s) identification

Physical hazards Gases under pressure

Acute toxicity, inhalation

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

Health hazards



Signal word

**Hazard statement** Contains gas under pressure; may explode if heated. Harmful if inhaled.

**Precautionary statement** 

Prevention Avoid breathing gas. Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Response

Call a POISON CENTER or doctor/physician if you feel unwell.

Protect from sunlight. Store in a well-ventilated place. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
1,2-trans-Dichloroethylene		156-60-5	50 - 60

Material name: LPS® Electra-X 2.0 SDS US 1/8

Chemical name	Common name and synonyms	CAS number	%
Ethane, 1,1,1,2-Tetrafluoro-(HFC 134a)		811-97-2	30 - 40
2,3-Dihydroperfluoropentane (HFC-43-10mee)		138495-42-8	10 - 20

All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (I).

#### 4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Not likely, due to the form of the product. In the unlikely event of swallowing contact a physician or

poison control center.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye

tearing, redness, and discomfort.

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Some of these materials, if spilled, may evaporate leaving a flammable residue. In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers

should be cooled with water to prevent vapor pressure build up.

In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Use water spray to reduce vapors or divert vapor cloud drift. Scoop up used absorbent into drums or other appropriate container. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Store locked up. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

# 8. Exposure controls/personal protection

Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

ComponentsTypeValue1,2-TRANS-DICHLOROET<br/>HYLENE (CAS 156-60-5)TWA200 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components Type Value Form

Ethane, TWA 1000 ppm 8 hour

1,1,1,2-Tetrafluoro-(HFC 134a) (CAS 811-97-2)

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Gas.
Form Aerosol.
Color Colorless.
Odor Mild.

Odor threshold

PH

Not available.

Not applicable.

Melting point/freezing point

Initial boiling point and boiling

Not available.

118 °F (47.78 °C)

range

Flash point None. (Tag Closed Cup)

Evaporation rate < 1 (BuAc)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Material name: LPS® Electra-X 2.0

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure > 300 mm Hg @ 25°C

Vapor density > 1 (air = 1) Relative density 1.319

Solubility(ies)

Solubility (water) < 0.14 g/l @ 68°F

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not applicable.

Other information

Density 11.00 Percent volatile 100 %

**VOC (Weight %)** 59.5 % per US Federal Consumer Product Regulations

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon oxides. Hydrogen fluoride. Hydrogen chloride.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Harmful if inhaled.

**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation,

redness, or discomfort.

## Information on toxicological effects

Acute toxicity Harmful if inhaled.

Components Species Test Results

1,2-trans-Dichloroethylene (CAS 156-60-5)

Acute Inhalation

LC50 Mouse 21723 ppm, 6 Hours

Oral

LD50 Rat 1235 mg/kg

**Skin corrosion/irritation**Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

 **Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

**Chronic effects** None known. **Further information** None known.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

1,2-trans-Dichloroethylene 2.06

Ethane, 1,1,1,2-Tetrafluoro-(HFC 134a) 1.06

Mobility in soilNo data available.Other adverse effectsNot available.

13. Disposal considerations

**Disposal instructions**Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code D001: Waste Flammable material with a flash point <140 F

D003: Waste Reactive material

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

## 14. Transport information

DOT

UN number UN1950

**UN proper shipping name** Aerosols, non-flammable, (each not exceeding 1 L capacity)

Transport hazard class(es)

Class 2.2 Subsidiary risk -Label(s) 2.2

Packing group Not applicable. Special precautions for user Not available.

Packaging exceptions306Packaging non bulkNonePackaging bulkNone

IATA

UN number UN1950

**UN proper shipping name** Aerosols, non-flammable

Material name: LPS® Electra-X 2.0

Transport hazard class(es)

Class 2.2 Subsidiary risk -

Packing group Not applicable.

**Environmental hazards** No. **ERG Code** 2L

Special precautions for user Not available.

Other information

Passenger and cargo

Allowed.

aircraft

Cargo aircraft only Allowed.

**IMDG** 

UN number UN1950

UN proper shipping name AEROSOLS, non-flammable

Transport hazard class(es)

Class 2.2 Subsidiary risk -Label(s) 2.2

Packing group Not applicable.

**Environmental hazards** 

Marine pollutant No.

EmS F-D, S-U

Special precautions for user Not available.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

#### DOT



IATA; IMDG



# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2,3-Dihydroperfluoropentane (HFC-43-10mee) (CAS 1.0 % One-Time Export Notification only.

138495-42-8)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

1,2-trans-Dichloroethylene (CAS 156-60-5) Listed.

SARA 304 Emergency release notification

Not regulated.

Material name: LPS® Electra-X 2.0

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

# SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

1,2-trans-Dichloroethylene (CAS 156-60-5)

#### **US. Massachusetts RTK - Substance List**

1,2-trans-Dichloroethylene (CAS 156-60-5)

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

1,2-trans-Dichloroethylene (CAS 156-60-5)

## **US. Rhode Island RTK**

1,2-trans-Dichloroethylene (CAS 156-60-5)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 04-01-2015

 Revision date
 01-05-2016

Version # 02

Disclaimer ITW Pro Brands cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Revision Information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Hazard statement

Hazard(s) identification: Disposal Hazard(s) identification: Response Hazard(s) identification: Storage

Composition/information on ingredients: Component information Exposure controls/personal protection: General hygiene considerations

Physical & Chemical Properties: Multiple Properties Toxicological information: Further information

GHS: Classification

Material name: LPS® Electra-X 2.0 sps us