# **SAFETY DATA SHEET**



#### Dadas Product # 1660 Series

# SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: 1660 Series Anti-Static Tape

Supplier: All-Spec, 5228 US Hwy 421 N, Wilmington, NC 28401

 Telephone:
 800-537-0351

 Fax:
 800-379-9903

**Issue Date:** 8/24/2015

**SECTION 2: COMPOSITION** 

Description:Pressure sensitive adhesive tapeIngredients/Formula:Backing: Cellophane film

Adhesive: Proprietary

# SECTION 3: HAZARDS IDENTIFICATION

This product is not dangerous for human health and environment according to EU criteria.

## SECTION 4: FIRST AID MEASURES

**General Indications:** Special measures are not required

Eye Contact: N/A
Skin Contact: N/A
Inhaled: N/A
Ingested: N/A

### SECTION 5: FIRE-FIGHTING MEASURES

**Extinguishing media** CO<sub>2</sub>, extinguishing powder, water jet or synthetic foam

Special risks May produce smoke when burning containing carbon dioxide (CO<sub>2</sub>), carbon

monoxide(CO) or other vapors.

Protective equipment No special measures are required

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Not applicable

# SECTION 7: HANDLING AND STORAGE

Handling The products are considered an article, which do not release hazardous chemicals

under normal application conditions. No special measures are required.

Storage No special measures are required. It is recommended to store rolls inside original

packaging. Avoid high humidity to prevent dimensional changes. Avoid direct sun

light and high temperatures.

5228 US Hwy 421 N, Wilmington, NC 28401 • (800) 537-0351 • FAX (800) 379-9903 • sales@all-spec.com • www.all-spec.com 1 of 3

# **SAFETY DATA SHEET**



#### Dadas Product # 1660 Series

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposition limit controlNot applicableEye protection:Not applicableSkin Protection:Not applicableRespiration Protection:Not applicableOther particular measuresNot applicable

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

General Physical Form Solid

Odor Little or no odor Color Transparent

Auto Ignition Point N/A
Flash Point N/A
Flammable Limits N/A

Boiling PointNot determinedMelting PointNot determinedDensityNot determined

**Self-inflammability** The product is not self igniting **Danger of explosion** The product is not explosive

Organic solvent content <0,1%
Solids content 100%
Solubility in Water Insoluble

## **SECTION 10: STABILITY AND REACTIVITY**

**General considerations** When handled and stored under normal conditions, the product does not have any

harmful effects. Storage in warm places must be avoided.

**Thermal decomposition** The decomposition begins above 100°C.

Dangerous products of decomposition None.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity See section 8

**Irritant effect on eyes**No irritant effect known.

**Irritant effect on skin**No irritant effect known.

Additional Toxicological information The product fulfills the European Packaging Waste Regulation 94/62/CE which

requires that the total amount of heavy metals (Cadmium, Mercury, Lead, and

Chromium VI) contained must be below 100 p.p.m. in weight.

# SAFETY DATA SHEET



**Dadas Product # 1660 Series** 

# SECTION 12: ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** Not known to be hazardous to water. Non-soluble in water.

Non biodegradable product. Not hazardous for the environment.

Product may be recycled if separated mechanically during the carton and

paper fiber recycling process.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Recommendation:** Dispose of waste product in a sanitary landfill, or incinerate the waste product in a

commercial or municipal incinerator.

The product fulfills the European Packaging Waste Regulation 94/62/CE.

## **SECTION 14: TRANSPORTATION INFORMATION**

#### No special requirements are needed

The shipper is responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. All-Spec does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original All-Spec package is certified for U.S. ground shipment only. If you are shipping by air or sea, the package may not meet applicable regulatory requirements.

### SECTION 15: REGULATORY INFORMATION

**Designation according to EC guidelines** 

The product is not subject to identification regulations according to EC regulations.

# **SECTION 16: OTHER INFORMATION**

DISCLAIMER: The information on this data sheet is based on data that All-Spec believes to be reliable as of the date issued. Since conditions of use are outside of our control, we make no warranties, expressed or implied, including but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. All-Spec assumes no liability in connection with any use of this information. User is responsible for determining whether All-Spec Dadas Tapes product is fit for a particular purpose and suitable for user's method of use or application. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. Therefore, this Safety Data Sheet can not be considered as technical specification and shall not establish a legally valid contractual relationship.

This safety data sheet(SDS), formerly called material safety data sheet (MSDS) is provided as a courtesy in response to customer request. This product is considered an article as defined in 29 CFR 1910.1200 Section C. Therefore, is not regulated under, and a SDS is not required for this product by the referred standard because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

This Safety Data Sheet (SDS) has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.