

Fine Braid Super Wick 400 Series Technical Data Sheet

400 Series

Description

Cleaned and manufactured utilizing the latest technology in environmentally friendly chemicals and processes.

Benefits

- Oxide-free clean copper
- More strands of copper (more surface area) per square inch
- Packaged in 5, 10, 25, 100 and 500 foot lengths
- Uses pure type 'R' resin flux conforming to all the requirements of MIL-F-14256F, Type 'RMA' and ANSI/J-STD-004
- Static free dissipative spools in compliance with the ESD
- Association Standard (Mil. Standard 2000 and DOD Standard 1686)
- Manufactured under SPC guidelines

Fine Braid Super Wick					
Length	0.025" #1 White	0.05" #2 Yellow	0.075" #3 Green	0.1'' #4 Blue	0.125'' #5 Brown
5 ft	423	424	425	426	427
25 ft	-	442	443	444	-
50 ft	-	452	453	454	-
100 ft	-	462	463	464	-
500 ft	-	472	473	474	-

Technical Support

Fax:

Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at www.mgchemicals.com.

Email: support@mgchemicals.com

Phone: 1-800-340-0772 Ext. 30 (Canada, Mexico & USA)

1-905-331-1396 Ext. 30 (International) 1-905-331-2862 or 1-800-340-0773

Mailing address: Manufacturing & Support Head Office

1210 Corporate Drive 9347–193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6 V4N 4E7

Rev. Date: 12 May 2014 / Ver. 1.00



Fine Braid Super Wick 400 Series Technical Data Sheet

400 Series

Warranty

M.G. Chemicals Ltd. warranties this product for 12 months from the date of purchase by the end user. M.G. Chemicals Ltd. makes no claims as to shelf life of this product for the warranty. The liability of M.G. Chemicals Ltd. whether based on its warranty, contracts, or otherwise shall in no case include incidental or consequential damage.

Disclaimer

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. M.G. Chemicals Ltd. does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

Rev. Date: 12 May 2014 / Ver. 1.00