

SAFETY DATA SHEET BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

Product number MCC-BN2G, MCC-BN2G, MCC-BN2D, MCC-BN2GL, MCC-BN2GG

Recommended use of the chemical and restrictions on use

Application Cleaning agent.

Details of the supplier of the safety data sheet

Supplier MicroCare Corporation

Manufacturer MICROCARE CORPORATION

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: +1 860-827-0626 Fax: +1 860-827-8105 techsupport@microcare.com

Emergency telephone number

Emergency telephone CHEMTREC (800) 424-9300

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Carc. 2 - H351 Repr. 1B - H360FD STOT SE 3 - H335,

H336 STOT RE 2 - H373

Human health See Section 11 for additional information on health hazards.

Label elements

Pictogram





Signal word

Danger

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P261 Avoid breathing vapor/ spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

Safety data sheet available on request. For use in industrial installations only.

Contains 1-BROMOPROPANE, 2-METHYLPROPAN-2-OL, 1,2-EPOXYBUTANE

Other hazards

This product contains a substance classified as PBT.

3. Composition/information on ingredients

Mixtures

1-BROMOPROPANE	60-100%
CAS number: 106-94-5	
Classification	
Flam. Liq. 2 - H225	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Repr. 1B - H360FD	
STOT SE 3 - H335	
STOT RE 2 - H373	

DIMETHOXYMETHANE	1-5%
CAS number: 109-87-5	
Classification	
Not Classified	

1-5% 2-METHYLPROPAN-2-OL CAS number: 75-65-0 Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2A - H319

STOT SE 3 - H335

1,2-EPOXYBUTANE <1%

CAS number: 106-88-7

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Carc. 2 - H351 STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

Composition comments

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA Inventory.

Composition

Not relevant.

4. First-aid measures

Description of first aid measures

General information Colorless to pale yellow liquid. The product is strongly irritating to eyes and skin. Prolonged

contact may cause burns. Repeated exposure may cause chronic upper respiratory irritation.

Harmful if swallowed. Keep out of the reach of children.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

> breathing. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel. If breathing stops, provide artificial respiration. When breathing is difficult, properly trained personnel may assist affected person by administering

oxygen. Consult a physician for specific advice.

Ingestion Get medical attention.

Skin Contact Remove contaminated clothing immediately and wash skin with soap and water. Remove

contaminated clothing. Rinse with water.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use water to keep fire exposed containers cool and disperse vapors.

Special hazards arising from the substance or mixture

Specific hazards

The product is not flammable. Containers can burst violently or explode when heated, due to excessive pressure build-up. Vapors are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

Advice for firefighters

Protective actions during firefighting

ııg

Warn everybody of potential hazards and evacuate if necessary. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Containers close to fire should be removed or cooled with water. Closed containers can burst violently when heated, due to excess pressure build-up. Take precautionary measures against static discharges. Ground container and transfer equipment to eliminate sparks from static electricity.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Warn everybody of potential hazards and evacuate if necessary. Follow precautions for safe handling described in this safety data sheet. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors and spray/mists.

Conditions for safe storage, including any incompatibilities

Storage precautions

Do not store near heat sources or expose to high temperatures. Store in closed original container at temperatures between 8°C and 28°C. Keep container tightly closed.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Reference to other sections. Store away from incompatible materials (see Section 10).

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

Manufacturer's recommended exposure limit: 10 ppm

1-BROMOPROPANE

Long-term exposure limit (8-hour TWA): ACGIH 0.1 ppm 0.5 mg/m³

A3

DIMETHOXYMETHANE

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 3100 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 1000 ppm 3110 mg/m³

2-METHYLPROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 100 ppm 300 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 100 ppm 303 mg/m³

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

A4 = Not Classifiable as a Human Carcinogen.

Additional Occupational

Exposure Limits

Exposure controls

Protective equipment





Appropriate engineering

controls

This product must not be handled in a confined space without adequate ventilation. Provide adequate ventilation. Avoid inhalation of vapors. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Promptly remove any clothing that becomes wet or contaminated. Eating, smoking and water fountains prohibited in immediate work area.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Color Yellowish.

Odor Strong. Characteristic.

BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

Odor threshold
 PH
 No information available.
 Melting point
 No information available.

Initial boiling point and range 70.9°C/159.6°F @ 101.3 kPa

Flash point Does not flash

Evaporation rate 6.05 (butyl acetate = 1)

Evaporation factor No information available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: 7.5 %(V) Lower flammable/explosive limit: 3.8 %(V)

Other flammability No information available.

Vapor pressure 148 hPa @ 20°C

Vapor density 4.25

Relative density (Specific Gravity H2O=1) 1.3 @ 20°C

Bulk density No information available.

Solubility(ies) .25g/100 ml @ 20°C Slightly soluble in water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity 0.57 mPa s @ 20°C/68°F Kinematic viscosity, no data available

Explosive properties No information available.

Refractive index No information available.

Particle size Not applicable.

Molecular weight Not applicable.

Volatility 100%

Saturation concentration No information available.

Critical temperature No information available.

Volatile organic compound No information available.

Flammability The product is not flammable.

10. Stability and reactivity

Reactivity The following materials may react with the product: Water

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize.

BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

Conditions to avoid The following materials may react strongly with the product: Strong acids. Strong alkalis.

Organic compounds. Some metals. Avoid contact with the following materials: Acid

anhydrides. Aluminum. Strong oxidizing agents. Strong acids.

Materials to avoid Strong acids. Strong alkalis. Other halogenated organics.

Hazardous decomposition

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Acute toxicity oral (LD₅o

5,708.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

ATE inhalation (gases ppm) 225,000.0

ATE inhalation (vapours mg/l) 550.0

ATE inhalation (dusts/mists

mg/l)

75.0

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Respiratory sensitization

Respiratory sensitization No information available.

Skin sensitization

Skin sensitization No information available.

Germ cell mutagenicity

Genotoxicity - in vitro

No information available.

Genotoxicity - in vivo

No information available.

Carcinogenicity

Carcinogenicity Suspected of causing cancer.

Reproductive toxicity

Reproductive toxicity - fertility May damage fertility.

Inhalation Vapor from this product may be hazardous by inhalation. Vapors may irritate throat/respiratory

system. Symptoms following overexposure may include the following: Headache. Dizziness.

Drowsiness.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed. May cause

nausea, headache, dizziness and intoxication.

Skin Contact Product has a defatting effect on skin. May cause allergic contact eczema.

Eye contact May cause severe eye irritation.

Toxicological information on ingredients.

1-BROMOPROPANE

Acute toxicity - oral

Acute toxicity oral (LD₅o

٠..,

5,708.0

mg/kg)
Species

Rabbit

ATE oral (mg/kg)

5,708.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

40.0

Species

Rabbit

ATE inhalation (vapours

mg/l)

40.0

Carcinogenicity

NTP carcinogenicity

Reasonably anticipated to be a human carcinogen.

1,2-EPOXYBUTANE

Acute toxicity - oral

Acute toxicity oral (LD₅o

900.0

Rat

mg/kg)

Species

ATE oral (mg/kg) 900.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 1,469.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 1,469.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

6.3

Species Rat

ATE inhalation (vapours

mg/l)

6.3

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

12. Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product.

Toxicity

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

BN - BROMOTHANE S, SPECIALTY DEGREASING FLUID

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

1-BROMOPROPANE

Partition coefficient Pow: 2.1

Mobility in soil

Mobility Avoid the spillage or runoff entering drains, sewers or watercourses.

Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product contains a substance classified as PBT.

Other adverse effects

Other adverse effects The product contains a substance which has a photochemical ozone creation potential.

13. Disposal considerations

Waste treatment methods

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DoT).

UN Number

Not applicable. No information required.

UN proper shipping name

Not applicable. No information required.

Transport hazard class(es)

Transport labels

Packing group

Not applicable. No information required.

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

Not applicable. No information required.

Transport in bulk according to Not applicable. No information required.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

International Regulations

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

1,2-EPOXYBUTANE

Final CERCLA RQ: 100(45.4) pounds (Kilograms)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

2-METHYLPROPAN-2-OL

1.0 %

1,2-EPOXYBUTANE

0.1 %

CAA Accidental Release Prevention

Not listed.

OSHA Highly Hazardous Chemicals

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

1-BROMOPROPANE

Known to the State of California to cause cancer, developmental, female and male reproductive toxicity.

California Air Toxics "Hot Spots" (A-I)

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

California Air Toxics "Hot Spots" (A-II)

Not listed.

California Directors List of Hazardous Substances

2-METHYLPROPAN-2-OL

Present.

DIMETHOXYMETHANE

Present.

Massachusetts "Right To Know" List

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

1-BROMOPROPANE

Present.

Rhode Island "Right To Know" List

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

Minnesota "Right To Know" List

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

New Jersey "Right To Know" List

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

1-BROMOPROPANE

Present.

Pennsylvania "Right To Know" List

2-METHYLPROPAN-2-OL

Present.

1,2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

1-BROMOPROPANE

Present.

Inventories

Canada - DSL/NDSL

2-METHYLPROPAN-2-OL

DSL

1.2-EPOXYBUTANE

DSL

DIMETHOXYMETHANE

DSL

1-BROMOPROPANE

DSL

US - TSCA

2-METHYLPROPAN-2-OL

Present.

1.2-EPOXYBUTANE

Present.

DIMETHOXYMETHANE

Present.

1-BROMOPROPANE

Present.

16. Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 10/24/2016

Revision 12

Supersedes date 8/8/2016
SDS No. BULK - BN
SDS status Approved.

Hazard statements in full H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

NFPA - health hazard Temporary incapacitation, injury. (2)

NFPA - flammability hazard Burns only if pre-heated. (1)

NFPA - instability hazard Normally stable. (0)

NFPA - special hazard N/A

ACA HMIS Health rating. Moderate Hazard. (2)

ACA HMIS Flammability

rating.

Burns only if pre-heated. (1)

ACA HMIS Physical hazard

rating.

Normally stable. (0)

ACA HMIS Personal

protection rating.

X Ask your supervisor for guidance

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.