

SDS: 0059124

**Date Prepared:** 11/24/2017

# **SAFETY DATA SHEET**

\_\_\_\_\_

## 1. IDENTIFICATION

Product Name: Butyl Tape

Synonyms: None
Chemical Family: Butyl Tape
Molecular Formula: Not available
Molecular Weight: Not available
Intended/Recommended Use: Product

**Other Product Names:** SM5126, SM5127, SM5130, SM5144, SM5153, SM5160, SM5227, SM5601,

SM5700, UCS180, HTS195, BT100, HTS9000, LTS90TACKY, RS200, SM5190,

SM9151, SM7191.

This SDS covers multiple products. For industrial exposure and emergency response purposes, all listed products above have similar physical, chemical and

hazard properties.

CYTEC INDUSTRIES INC., 504 CARNEGIE CENTER, PRINCETON, NEW JERSEY 08540, USA For Product and all Non-Emergency Information call 1-800/652-6013. Outside the USA and Canada call 1-973/357-

# EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call: Asia Pacific:

Australia - +61 2 8014 4558 (Carechem24)

China (PRC) - +86 0532 83889090 (NRCC) +86 512 8090 3042 (Carechem24)

New Guinea - +61 2 8014 4558 (Carechem24)

New Zealand - +64 9 929 1483 (Carechem24)

India, Japan, Korea, Malaysia, Thailand - +65 3158 1074 (Carechem24 Singapore)

India (Hindi Speaking Only) - +65 3158 1198 or 000800 100 7479 (Carechem24 Singapore)

Canada: 800 424 9300 (Within US, Canada) +1 (703) 527-3887 (International) (CHEMTREC)

#### Europe/Africa/Middle East (Carechem24 UK):

Europe, Middle East, Africa, Israel - +44 1235 239 670

(Arabic speaking countries) - +44 1235 239 671

#### Latin America:

Brazil - +55 11 3197 5891 (Carechem24)

Chile - +56 2 2582 9336 (Carechem24)

All Others - +44 1235 239 670 (Carechem24 UK)

**USA:** 800 424 9300 (Within US, Canada) +1 (703) 527-3887 (International) (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not Classified

#### **LABEL ELEMENTS**

Not Applicable

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 2 of 9

#### **Hazard Statements**

Not Applicable

## **Precautionary Statements**

Not Applicable

# Hazards Not Otherwise Classified (HNOC), Other Hazards

Not applicable

\_\_\_\_\_\_

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance, Mixture or Article? Article

#### **HAZARDOUS INGREDIENTS**

Component / CAS No.	%	GHS Classification	Carcinogen
Talc 14807-96-6	0-100	Not Classified	IARC 2B(as Perineal use of talc (non-asbestiform)-based body powder)
Ceramic materials and wares, chemicals 66402-68-4	0-100	Not classified	-
Limestone (calcium carbonate) 1317-65-3	30-60	Not classified	-

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

# 4. FIRST AID MEASURES

# **DESCRIPTION OF FIRST AID MEASURES**

# **Eye Contact:**

Not an expected route of exposure.

#### **Skin Contact:**

Material is not expected to be harmful by skin contact. In case of skin contact, wash affected areas of skin with soap and water.

#### Ingestion:

Not an expected route of exposure.

#### Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 3 of 9

None known

#### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDS

Not applicable

# 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media:

Use water spray or fog, carbon dioxide or dry chemical.

## **Extinguishing Media to Avoid:**

full water jet

#### **Protective Equipment:**

Firefighters, and others exposed, wear self-contained breathing apparatus.

#### **Special Hazards:**

None known

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions:

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. Refer to Section 8 (Exposure Controls/Personal Protection) for appropriate personal protective equipment.

# Methods For Cleaning Up:

Sweep up into containers for disposal. Flush spill area with water.

## References to other sections:

See Sections 8 and 13 for additional information.

# 7. HANDLING AND STORAGE

#### **HANDLING**

Precautions: None

Special Handling Statements: None

#### **STORAGE**

Store in accordance with local, state, and federal regulations.

Storage Temperature: Ambient temperature

Reason: Quality.

10000m Quamy.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering Measures:**

Engineering controls are not usually necessary if good hygiene practices are followed.

#### **Respiratory Protection:**

Where exposures are below the established exposure limit, no respiratory protection is required. Where exposures exceed the established exposure limit, use respiratory protection recommended for the material and level of exposure.

#### **Eye Protection:**

Wear eye/face protection.

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 4 of 9

#### **Skin Protection:**

Avoid skin contact. Wear impermeable gloves.

#### **Hand Protection:**

Wear impermeable gloves. Consider the porosity and elasticity data of the glove manufacturer and the specific conditions in the work place.

#### **Additional Advice:**

Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

## **Exposure Limit(s)**

The below constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

## 1317-65-3 Limestone (calcium carbonate)

OSHA (PEL): 15 mg/m<sup>3</sup> total dust (TWA)

5 mg/m<sup>3</sup> respirable fraction (TWA)

ACGIH (TLV): Not established
Other Value: Not established

14807-96-6 Talc

OSHA (PEL): if 1% Quartz or more use Quartz limit

20 mppcf (TWA)

ACGIH (TLV): 2 mg/m³ (TWA) Other Value: Not established

66402-68-4 Ceramic materials and wares, chemicals

OSHA (PEL): 5 mg/m³ (TWA)(as Zirconium compounds)

ACGIH (TLV): 0.2 f/cc respirable fibers (TWA)

Other Value: Not established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Color:** color varies **Appearance:** solid

Odor: none

Boiling Point:

Melting Point:

Vapor Pressure:

Specific Gravity/Density:

Vapor Density:

Percent Volatile (% by wt.):

pH:

Not available

Not available

Not available

Not available

Not applicable

**Saturation In Air (% By Vol.):** Not available **Evaporation Rate:** Not available Solubility In Water: Insoluble **Volatile Organic Content:** Not available Flash Point: Not applicable Not available Flammability (solid, gas): Flammable Limits (% By Vol): Not available Autoignition (Self) Temperature: Not applicable Not available **Decomposition Temperature:** Not available Partition coefficient (n-

octanol/water):

Odor Threshold: Not available Viscosity (Kinematic): Not available

#### **DUST HAZARD INFORMATION**

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 5 of 9

Not available Particle Size (microns): Kst (bar-m/sec): Not available **Maximum Explosion Pressure (Pmax):** Not available Not available **Dust Class:** Minimum Ignition Energy (MIE) (mJ): Not available Minimum Ignition Temperature (MIT) (°C): Not available Minimum Explosive Concentration (MEC) (g/m<sup>3</sup>): Not available Limiting Oxygen Concentration (LOC) (%): Not available

# 10. STABILITY AND REACTIVITY

Reactivity: No information available

Stability: Stable

Conditions To Avoid: None known

Polymerization: Will not occur

Materials To Avoid: Strong oxidizing agents.

Strong acids Strong bases fluorine Nitric Acid Chlorine

**Hazardous Decomposition** 

hydrogen chloride

**Products:** 

sulfides

Carbon monoxide and carbon dioxide

# 11. TOXICOLOGICAL INFORMATION

## PRODUCT TOXICITY INFORMATION

Likely Routes of Exposure: Skin.

**ACUTE TOXICITY DATA** 

oral rat Acute LD50 Not an expected route of

exposure

dermal rabbit Acute LD50 No data

inhalation rat Acute LC50 4 hr Not an expected route of

exposure

**LOCAL EFFECTS ON SKIN AND EYE** 

Acute Irritation skin Not irritating

Acute Irritation eye Not an expected route of

exposure

**ALLERGIC SENSITIZATION** 

Sensitization skin Not sensitizing

Sensitization respiratory Not an expected route of

exposure

**GENOTOXICITY** 

**Assays for Gene Mutations** 

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 6 of 9

Ames Salmonella Assay

No data

#### OTHER INFORMATION

The product toxicity information above has been estimated.

#### HAZARDOUS INGREDIENT TOXICITY DATA

No significant adverse effects were observed in epidemiology studies on talc. Acute inhalation exposure to talc is not likely to cause adverse effects. Epidemiological studies showed that repeated exposure in the workplace produced no significant adverse effects in workers. Rats repeatedly exposed by inhalation to talc at 11 mg/m³ for up to a year showed equivocal lung injury. The LC50 in the rat after a 4-hour exposure is greater than 22 mg/L.

Ceramic materials and wares, chemicals ingestion may lead to gastrointestinal irritation which may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Direct exposure to the eye and skin may lead to mechanical irritation due the abrasive nature of the powder. Overexposure of the dust via inhalation may produce respiratory tract irritation characterized by coughing, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Calcium carbonate is expected to have low oral and dermal toxicity. Dust may cause mechanical irritation of the eyes. Prolonged or repeated contact may have a drying effect on the skin and may also cause irritation (skin abrasion). Exposure to dust generated during handling or use may irritate the nose, throat and upper respiratory tract. Calcium carbonate is not expected to produce dermal sensitization. Chronic exposure to dust at concentrations exceeding the occupational exposure limits may cause pneumoconiosis (lung disease). Calcium carbonate may contain trace amounts of crystalline silica as an impurity. Chronic exposure to crystalline silica dust at concentrations above the occupational exposure limits may cause silicosis. Crystalline silica is considered a known human carcinogen by NTP.

\_\_\_\_\_\_\_

## 12. ECOLOGICAL INFORMATION

# TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

This material is not classified as dangerous for the environment.

The ecological assessment for this material is based on an evaluation of its components.

## RESULTS OF PBT AND vPvB ASSESSMENT

Not determined

#### HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Algae	Toxicity to Fish	Toxicity to Water Flea
Talc	Not available	LC50 > 100 g/L - Brachydanio	Not available
14807-96-6		rerio (96h) semi-static	

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 7 of 9

Component / CAS No.	Toxicity to Algae	Toxicity to Fish	Toxicity to Water Flea
Ceramic materials and wares,	Not available	Not available	Not available
chemicals			
66402-68-4			
Limestone (calcium carbonate)	Not available	Not available	Not available
1317-65-3			

\_\_\_\_\_

# 13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seq) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this MSDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this MSDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

\_\_\_\_\_

# 14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

#### **US DOT**

Dangerous Goods? Not applicable/Not regulated

#### TRANSPORT CANADA

Dangerous Goods? Not applicable/Not regulated

#### ICAO / IATA

Dangerous Goods? Not applicable/Not regulated

## IMO

Dangerous Goods? Not applicable/Not regulated

\_\_\_\_\_

# 15. REGULATORY INFORMATION

## **Inventory Information**

**United States (USA):** All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 8 of 9

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

**European Economic Area (including EU):** This product is an article that does not intentionally release substances under normal conditions of use and is therefore exempt from the registration requirements under the REACH Regulation (EC) No. 1907/2006.

**Australia:** All components of this product are included in the Australian Inventory of Chemical Substances (AICS) or are not required to be listed on AICS.

**China:** All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese inventory.

**Japan:** All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

**Korea:** All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory.

**Philippines:** All components of this product are included on the Philippine (PICCS) inventory or are not required to be listed on the Philippine inventory.

**Taiwan:** All components of this product are included on the Taiwan Chemical Substance Inventory (TCSI) or are not required to be listed on the Taiwan inventory.

#### OTHER ENVIRONMENTAL INFORMATION

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

Component / CAS No.	%	TPQ (lbs)	RQ(lbs)	S313	TSCA 12B
Ceramic materials and wares, chemicals	0-100	None		Yes(as Barium	No
66402-68-4				compounds)	
				Yes(as Zinc	
				compounds)	

#### PRODUCT HAZARD CLASSIFICATION UNDER SECTION 311 OF SARA

Not applicable

# 16. OTHER INFORMATION

## NFPA Hazard Rating (National Fire Protection Association)

Health: 1 - Materials that, under emergency conditions, can cause significant irritation.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 0 - Materials that in themselves are normally stable, even under fire exposure conditions.

Reasons For Issue: Revised Section 1

**Date Prepared:** 11/24/2017 **Date of last significant revision:** 01/18/2017

Prepared By: Legal & Compliance Services; E-mail: custinfo@solvay.com

Butyl Tape SDS: 0059124 Date Prepared: 11/24/2017 Page 9 of 9