# alpha

Safety Data Sheet

## Safety Data Sheet

## Section 1. Identification

Product name

: Solder Alloy SAC305

Bar, Solid Wire, Ribbon, Preforms, Spheres

Vaculoy, Hi-Flo, SMG, HAL, JetFlo, Fry-Lo, Exactalloy, Copperflo, Flo-Temp, Cleanwave

Product code

: 137482

Product type

: Solid.

Date of issue/Date of

: May 14 2015.

revision

Manufacturer - Supplier	Telephone no.:	Fax no.	Emergency phone:
ALPHA Global Headquarters 300 Afrium Drive Somerset, New Jersey 08873	Toll Free: (800) 367-5460 Main Phone: (908) 791-3000	(908) 791-3090	UNITED STATES AND CANADA Tel: 800-424-9300 INTERNATIONAL, CALL Tel: +1 703-527-3887 (collect calls accepted) Alpha Chemtrec #5591
ALPHA METALS MEXICO SA DE CV Ave Nafta 800, Parque Industrial STIVA Apodaca NL 66600 Mexico	Tel: +52 81 1156-6602	Fax: +52 81 1156-6655	Tel: 01 800 022 1400 Tel: +52 55 5559-1588
Alent Brasil Soldas Ltda. Rio Jaguarão, 1540 - Vila Buriti Manaus Amazonas 69072-055 Brasil	Tel: 55 92 3614-7400	Fax: 55 92 3614-7400	Tel: 55 92 3614-7423

## Section 2. Hazards identification

OSHA/HCS status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the

substance or mixture

: Not classified.

GHS Jabel elements

Signal word

: No signal word.

Hazard statements

: No known significant effects or critical hazards.

Precautionary statements

Prevention

: Do not eat, drink or smoke when using this product.

Response

: Get medical attention if you feel unwell.

Storage

: Store in cool/well-ventilated place. Keep container tightly closed.

Disposal

: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

: None known.

Continued on next page

Alpha is an Alent plc Company	Solder Alloy SAC305	Page: 2/10

## Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
tin	80-100	7440-31-5
silver	1-10	7440-22-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

## Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. Skin contact Ingestion : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eve contact : No specific data. Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Alpha Is an Alent plc Company Solder Alloy SAC305 Page: 3/10

## Section 5. Fire-fighting measures

Extin**q**uishing media

Sultable extinguishing media

: Use an extinguishing agent sultable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

metal oxide/oxides

Special protective actions for fire-flahters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information

in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal

contractor

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene

measures.

Continued on next page

Alpha is an Alent plc Company	Solder Alloy SAC305	Page: 4/10

### Section 7. Handling and storage

Conditions for safe storage, including any Incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational arposure limits

Ingredient name	Exposure limits
tin	OSHA PEL (United States, 9/2005).
	TWA: 2 mg/m³ 8 hours.
	ACGIH TLV (United States, 4/2014).
	TWA: 2 mg/m³, (as Sn) 8 hours.
	NIOSH REL (United States, 10/2013).
	TWA: 2 mg/m³, (as Sn) 10 hours.
silver	ACGIH TLV (United States, 4/2014). Notes: Substances for which
	the TLV is higher than the OSHA Permissible Exposure Limit
	(PEL) and/or the NIOSH Recommended Exposure Limit (REL).
	See CFR 58(124) :36338-33351, June 30, 1993, for revised OSHA
	TWA: 0.1 mg/m <sup>2</sup> 8 hours. Form: Dust and fumes
	NIOSH REL (United States, 10/2013), Notes; as Aq
	TWA: 0.01 mg/m², (as Ag) 10 hours. Form: METAL DUST AND
	SOLUBLE
	OSHA PEL (United States, 2/2013). Notes: as Ag
	TWA: 0.01 mg/m³, (as Ag) 8 hours.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Alpha is an Alent pic Company

Solder Alloy SAC305

Page: 5/10

## Section 8. Exposure controls/personal protection

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product,

Respiratory protection

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

### Appenrance

Odor

Physical state Color

: Solid. : Gray. : None.

Odorthreshold pН

: Not available. : Not available. : Not available.

Melting point Boiling point Flast point

: Not available. : Not available. : Not available

Evaporation rate Flammability (solid, gas) Lower and upper explosive

: Not available. : Not available.

(flammable) limits Vapor pressure

: Not available : Not available. : Not available

Vapor density Relative density Solubility

: Insoluble in the following materials: cold water and hot water.

voc

: 0 g/l

Partition coefficient: noctagol/water

: Not available.

Autolignition temperature Decomposition temperature : Not available

: Not available.

Viscosity

: Not available

## Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

incompatibility with various :

Reactive or incompatible with the following materials: oxidizing materials, reducing materials, acids and alkalis.

substances

Chlorine, peroxides

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Other Hazardous

: metal oxides, toxic, fumes

decomposition products

Haza dous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Continued on next page

Alpha is an Alent plc Company

Solder Alloy SAC305

Page: 6/10

## Section 11. Toxicological information

Routes of entry

: Inhalation, Ingestion.

**Acute toxicity** 

Product/ingredient name	Result	Species	Dose	Exposure
tin	LD50 Oral	Rat	>2000 mg/kg	·
silver	LD Oral	Guinea pig	>5 g/kg	-
	LD Orel .	Mouse	>10 g/kg	
	LD50 Oral	Mouse	100 mg/kg	<b>-</b>
	LD50 Oral	Rat	>2000 mg/kg	-

#### Irritation/Corrosion

Not available.

#### Sensitization

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

No applicable toxicity data

#### Additional information:

#### Reproductive toxicity

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Not available.

#### Potential acute health offects

: No known significant effects or critical hazards. Eye contact Inhalation : No known significant effects or critical hazards.

: No known significant effects or critical hazards. Skin contact

ingestion : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data. : No specific data. Inhalation Skin contact : No specific data. Ingestion : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Alpha is an Alent pic Company

Solder Allov SAC305

Page: 7/10

## Section 11. Toxicological information

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

offects

Potential delayed effects : Not available.

Potential chronic health effects

Geheral : No known significant effects or critical hazards. Carcinogenicity

: No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards.

Developmental effects Fertility effects

: No known significant effects or critical hazards. : No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Notavailable.

## Section 12. Ecological information

### <u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
silver	Acute EC50 1.4 µg/l Marine water Acute EC50 0.0092 mg/l Acute EC50 0.24 µg/l Fresh water Acute LC50 4500 ppb Fresh water	Algae - Chroomonas sp. Daphnia Daphnia - Daphnia magna Crustaceans - Gammarus oseudolimnaeus	4 days 48 hours 48 hours 48 hours
	Acute LC50 0.00213 mg/l Acute LC50 0.00238 mg/l Acute LC50 0.00276 mg/l Acute LC50 0.00312 mg/l Acute LC50 0.00342 mg/l Chronic NOEC 5 mg/l Marine water	Fish Fish Fish Fish Fish Algae - Glenodinium halli	96 hours 96 hours 96 hours 96 hours 98 hours 72 hours

### Persistence and degradability

Not available.

## Bloadcumulative potential

Product/ingredient name	LogP <sub>om</sub>	BCF	Potential
silver	•		low

Mobility in soil

Soilwater partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards

## Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a

Continued on next page

Alpha is an Alent plc Company

Solder Alloy SAC305

Page: 8/10

## Section 13. Disposal considerations

safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

## Section 14. Transport information

	DOT Classification	TDG . Classification	Mexico Classification	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name		-	•	-	-	-
Transport hazard class(es)	-	-	-			-
Packing group	•		- -	  -	-	
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : Transport within user's premises; always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory information

U.S. Federal regulations

: TSCA 5(a)2 proposed significant new use rule (SNUR): No products were found.

TSCA 5(a)2 final significant new use rule (SNUR); No products were found.

TSCA 12(b) one-time export notification: No products were found. TSCA 12(b) annual export notification: No products were found.

United States inventory : All components are listed or exempted.

(TSCA 8b)

SARA 302/304

Composition/information on ingredients

No products were found.

**SARA 311/312** 

Classification : Not applicable

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	silver	7440-22-4	1-10
Supplier notification	silver	7440-22-4	1-10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### Canada

Alpha is an Alent plc Company

Solder Alloy SAC305

Page: 9/10

## Section 15. Regulatory information

WHMIS (Canada)

: Not controlled under WHMIS (Canada).

Canada inventory

: All components are listed or exempted.

International lists

National inventory

Australia

All components are listed or exempted.
 All components are listed or exempted.

China Europe

: All components are listed or exempted.

Japan

: All components are listed or exempted.

New Zealand

: All components are listed or exempted.

Philippines

: All components are listed or exempted : All components are listed or exempted.

Republic of Korea

: All components are listed or exempted.

## Section 16. Other information

## Hazardous Material Information System (U.S.A.)

Flammability	
Physical hazards	

### Procedure used to derive the classification

Classification	Justification
Not classified.	

## History

Date of issue/Date of

: May 14 2015.

revision

Date of previous issue

: No previous validation.

Version

:

Prepared by

: Regulatory Affairs Department

Enthone Inc

350 Frontage Road West Haven, CT 06516 Phone: (203) 934-8611 Fax: (203) 799-8179

enthonemsds@enthone.com www.enthone.com

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

Continued on next page

Alpha is an Alent plc Company

Solder Alloy SAC305

Page: 10/10

### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

4.5b3271

Alpha SDS GHS Americas



. .1.