

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version 1.02

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

BNPNS1-BTC12	PURE NI SPL 12/1#BT NSBT16N
BNPNS1-FTC12	PURE NI SPL 12/1#FT NSN165
BNPNS425D1	PURE NI SPL 425#D NSN425B
BNPNS42PS1	PURE NI SPL 42#PS NSN42B
BNPNS8-FTC4	PURE NI SPL 4/8#FT NSN8
BNPNS8BTC12	PURE NI SPL 12/8OZ BT NSBT8N

HMIS Health Hazards 2* Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	21-Apr-2017
Revision Note	SDS sections updated, 1, 4, 6, 7, 8, 16.
Training Advice	No information available
Additional information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version 1.02

Nickel 7440-02-0	EC50 72 h = 0.18 mg/L (Pseudokirchneriella subcapitata) EC50 96 h 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h > 100 mg/L (Brachydanio rerio) LC50 96 h = 1.3 mg/L (Cyprinus carpio semi-static) LC50 96 h = 10.4 mg/L (Cyprinus carpio static)	EC50 48 h > 100 mg/L (Daphnia magna) EC50 48 h = 1 mg/L (Daphnia magna Static)
---------------------	---	--	--

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

DOT

UN/ID No	UN3077
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Nickel), Marine Pollutant
Hazard Class	9
Packing Group	III
Special Provisions	146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III, Marine Pollutant
Emergency Response Guide Number	171

ATA

UN/ID No	UN3077
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Nickel)
Hazard Class	9
Packing Group	III
ERG Code	9L
Special Provisions	A158, A179, A97, A197
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III

IMDG

UN/ID No	UN3077
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Nickel), Marine Pollutant

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version 1.02

Hazard Class	9
Packing Group	III
EmS-No	F-A, S-F
Special Provisions	274, 335, 966, 967, 969
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III, Marine Pollutant

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials



United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.
Nickel	7440-02-0
Aluminum	7429-90-5

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No.
Nickel	7440-02-0

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date: 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version: 1.02

Melting Point/Freezing Point	No information available
Boiling Point	No information available
Flash Point	246.1 °C / 475 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	No information available
Relative Density	No information available
Water Solubility	No information available
Solubility in Other Solvents	
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Kinematic Viscosity	No information available

Dynamic Viscosity: No information available

Explosive Properties: No information available
Oxidizing Properties: No information available

9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	100.0
Density	1.280 g/cm³
VOC	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date: 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version: 1.02

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product Information	No Data Available
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel 7440-02-0	> 9000 mg/kg (Rat)	-	-
Aluminum 7429-90-5	LD50 >10,000 mg/Kg (Rat)(OECD Guideline 401)	-	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms	No information available.
Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Chronic Toxicity	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Target Organ Effects	Central Vascular System (CVS), Eyes, Lungs, Nasal Cavities, Respiratory system, Skin.
Aspiration Hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel 7440-02-0	-	Group 2B	Reasonably Anticipated	X

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
---------------	----------------------	------	----------------------------	-----------

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version 1.02

protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for Cleaning up Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections
Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections
Section 13: DISPOSAL CONSIDERATIONS
Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version 1.02

8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Graphite 7782-42-5	TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers	IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ natural respirable dust	TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural	TWA: 2 mg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³ inhalable particulate matter	IDLH: 10 mg/m ³ IDLH: 10 mg/m ³ Ni TWA: 0.015 mg/m ³ TWA: 0.015 mg/m ³ except Nickel carbonyl Ni	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Aluminum 7429-90-5	TWA: 1 mg/m ³ respirable particulate matter	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust TWA: 5 mg/m ³ Al	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ TWA: 5 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Graphite 7782-42-5	TWA: 2 mg/m ³	-	TWA: 1.6 mg/m ³	TWA: 2 mg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³	-	TWA: 0.8 mg/m ³	TWA: 1.5 mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-	TWA: 8 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³

8.2. Exposure Controls

Engineering Controls
Showers
Eyewash stations
Ventilation systems.

Personal protective equipment [PPE]

Eye/Face Protection Tight sealing safety goggles.
Skin and Body Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid
Appearance Paste
Color Grey
Odor Petroleum
Odor Threshold No information available

Property Values
pH No information available

Remarks • Method

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date: 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version: 1.02



Appearance: Paste Physical State: Solid Odor: Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see first aid measures on this label)
IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown acute toxicity

3.03% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

Mixtures

Chemical Name	CAS No.	Weight-%
Graphite	7782-42-5	10 - 30
Nickel	7440-02-0	10 - 30
Aluminum	7429-90-5	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

Safety Data Sheet

BNPNS
Never-Seez Pure Nickel Special

Revision Date: 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version: 1.02

4.1. Description of First Aid Measures

General Advice	If medical advice is needed, have product container or label at hand.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. May cause sensitization by skin contact.
Inhalation	Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If not breathing, give artificial respiration. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the First Aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms	No information available.
----------	---------------------------

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians	May cause sensitization of susceptible persons.
--------------------	---

4.4. Reference to Other Sections

Reference to Other Sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION
-----------------------------	--

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media
CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical
In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full



CHEMPOINT- RINCHEM
3800 MARSHALL LN
19020 BENSLEM
USA

Bostik, Inc.
BOSTIK US Wauwatosa
1301 N 113th St
53226 WAUWATOSA
Tel No.:
Fax No.:

To :
Customer
Email: supplychainNA@chempoint.com

Certificate of Analysis

NEVER SEEZ PURE NI SPL
BRUSH TOP CANS 8 OZ/C12

Customer code	: 97357	Bostik order No.	: 2110002756
Product code	: 30803818	Customer order	: PO00070066
Customer Ref.	: 0130704	Delivery No.	: 2140005409
		Delivered Qty	: 224 COL
Batch Number	: 2051988	Delivery date	: 08/04/2017
Manufact. date	: 07/15/2017		
Expiration date	: 07/09/2022		

Method	Property	Unit	Result	Specifications
00700457	HEGMAN	mm	1.1800	0.0000 - 2.5000
00700167	PENETROMETER	mm	260.0000	260.0000 - 310.0000
00700458	POUNDS PER GALLON (NS)	lb	10.9000	10.3500 - 10.9000

Certified by our quality control laboratory:

Forwards E. Jones

UNIVERSITY ASSOCIATES BOSTIK
Bostik, Inc.

We certify that goods delivered comply with required specifications or have been derogated in agreement with our research centre and our sales office.



BNPNS
Never-Seez Pure Nickel Special

Revision Date: 21-Apr-2017
Supersedes Date: 06-Jan-2016
Version: 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name: Never-Seez Pure Nickel Special
Product Code: BNPNS

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use: Lubricants, greases, release products.
Uses Advised Against: No information available

1.3. Details of the Supplier of the Safety Data Sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075

E-mail: msds@bostik-us.com

1.4. Emergency Telephone Number

Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

May cause an allergic skin reaction
Suspected of causing cancer
Causes damage to organs through prolonged or repeated exposure