

## Safety Data Sheet DIESTONE DLS - P28280-NA

Safety Data Sheet dated 9/14/2015, version 1

### 1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: DIESTONE DLS

Other means of identification:

MSDS code: P28280-NA

Recommended use of the chemical and restrictions on use

Recommended use:

Solvent

Cleaner

Industrial uses

Restrictions on use:

No uses advised against are identified.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

Dysol Inc. - 2901 Shamrock Ave. - Forth Worth, TX 76107 / Phone: 1-817-335-1826 /  
csr-na@socomore.com/ Fax Number: 817-335-2405

Distributor : SOCOMORE S.A.S.

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 20 26

Distributor: Socomore Ltd - 5, Coe Avenue - Loughborough - Leicestershire - LE11 4SE - UK

- Tel: +44 1509 262040 - Fax: +44 1509 262046

Distributor: Socomore Iberia - Calle Diputació, 260 - 08007 Barcelona - Espana - Tel: +34 917 693 962 - Fax: +34 902 908 966

Distributor: MagChem Inc. 1271, rue Ampère, suite 101, Boucherville, QC, J4B 5Z5 Canada -  
Tel: 1-450 641 8500 - Fax: 1-450 655 1717

Distributor: Socomore GmbH - c/o MAZARS GmbH - Bernhard-Wicki-Straße 7 - 80636

München - Deutschland - Tel: +49 (0)89 20 70 28 83 - Fax: +49 (0) 89 88 91 98 16

Distributor: Socomore Trading Shanghai - 355 East Kang Qiao Road - Kang Qiao Industrial

Zone - Pudong - 201315 Shanghai - Tel: 862158131133 - Fax: 862158131933

Dystrybutor : SOCOMORE SPzoo - Ul. Piekna 18, 00-549 Warszawa Polska - Tel : +48 (22) 486 084 41 14 - Fax : +48 (22) 621 61 09

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com


Emergency phone number

CHEMTEL: 1-800-255-3924 (USA) / CANUTEC: 1-613-996-6666 (CANADA)

### 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

 Warning, Flam. Liq. 3, Flammable liquid and vapour.

 Warning, STOT SE 3, May cause drowsiness or dizziness.

Label elements

Symbols:



## Safety Data Sheet

### DIESTONE DLS - P28280-NA

#### Warning

#### Hazard statements:

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

#### Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER if you feel unwell.

P370+P378 In case of fire, use a CO2 fire extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Special Provisions:

None

#### Hazards not otherwise classified identified during the classification process:


None

#### Ingredient(s) with unknown acute toxicity:

None.

#### Additional classification information

#### NFPA rating:



#### HMIS rating:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0
PERSONAL PROTECTION		
<input type="checkbox"/>		

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

N.A.

## Safety Data Sheet DIESTONE DLS - P28280-NA

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:


>= 70% - < 80% 1-methoxy-2-propanol; monopropylene glycol methyl ether  
REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC:  
203-539-1

 B.6/3 Flam. Liq. 3 H226

 A.8/3 STOT SE 3 H336

>= 7% - < 10% HYDROTREATED HEAVY PETROLEUM NAPHTA  
CAS: 64742-48-9

 B.6/3 Flam. Liq. 3 H226

 A.10/1 Asp. Tox. 1 H304

 A.8/3 STOT SE 3 H336

## 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire, use... (indicate in the space the precise type of fire-fighting equipment. If water increases risk, add - 'Never use water')

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

## Safety Data Sheet

### DIESTONE DLS - P28280-NA

Oxidizing properties: N.A.  
 Special protective equipment and precautions for fire-fighters  
 Use suitable breathing apparatus .  
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Move undamaged containers from immediate hazard area if it can be done safely.

---

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures  
 Wear personal protection equipment.  
 Remove all sources of ignition.  
 Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
 Provide adequate ventilation.  
 Remove persons to safety.  
 Use appropriate respiratory protection.  
 See protective measures under point 7 and 8.  
 Methods and materials for containment and cleaning up  
 Wash with plenty of water.

---

#### 7. HANDLING AND STORAGE

Precautions for safe handling  
 Avoid contact with skin and eyes, inhalation of vapours and mists.  
 Do not use on extensive surface areas in premises where there are occupants.  
 Don't use empty container before they have been cleaned.  
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
 Contaminated clothing should be changed before entering eating areas.  
 Do not eat or drink while working.  
 See also section 8 for recommended protective equipment.  
 Conditions for safe storage, including any incompatibilities  
 Always keep in a well ventilated place.  
 Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.  
 Avoid accumulating electrostatic charge.  
 Keep away from food, drink and feed.  
 Incompatible materials:  
 None in particular.  
 Instructions as regards storage premises:  
 Cool and adequately ventilated.  
 Safety electric system.  
 Storage temperature:  
 Store at ambient temperature.

---

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters  
 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2  
 - OEL Type: EU - LTE(8h): 375 mg/m<sup>3</sup>, 100 ppm - STE: 568 mg/m<sup>3</sup>, 150 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)  
 - OEL Type: ACGIH, 50 ppm, 100 ppm - Notes: A4 - Eye and URT irr  
 - OEL Type: National - LTE(8h): 188 mg/m<sup>3</sup>, 50 ppm - STE: 375 mg/m<sup>3</sup>, 100 ppm - Notes: FRENCH-INRS- TMP N°84  
 - OEL Type: National - LTE: 370 mg/m<sup>3</sup>, 100 ppm - Notes: GERMAN

## Safety Data Sheet DIESTONE DLS - P28280-NA

DNEL Exposure Limit Values  
N.A.

PNEC Exposure Limit Values  
N.A.

Appropriate engineering controls:  
None

Individual protection measures  
Eye protection:  
Safety goggles (EN 166)

Protection for skin:  
Chemical protection clothing.

Protection for hands:  
PVA (Polyvinyl alcohol).  
Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:  
Use adequate protective respiratory equipment.  
Mask with filter "A1" , brown colour (NF EN14387)

Thermal Hazards:  
None

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	CLEAR COLOURLESS LIQUID	Method:	N.A.
Odour:	N.A.		
Odour threshold:	N.A.		
pH:	Not Relevant	Reason:	N.A.
Melting point / freezing point:	Not Relevant	Reason:	liquid
Initial boiling point and boiling range:	120 127 174°C/248 262 346°F		
	120 127 174°C/248 262 346°F		
	Method:	N.A.	
Flash point:	30 °C	Method:	NF EN ISO 13736
Evaporation rate:	0.6	Method:	NFT 3030
Solid/gas flammability:	N.A.	Method:	N.A.
Upper/lower flammability or explosive limits:	7.6	Method:	N.A.
Vapour pressure:	8 mmHg (20°C)	Method:	N.A.
Vapour density:	3.4	Method:	N.A.
Relative density:	0,9	Method:	ISO 649, ASTM D1298
Solubility in water:	N.A.	Method:	N.A.
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	<1	Method:	N.A.
Auto-ignition temperature:	276 °C	Method:	N.A.
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	Not Relevant	Reason:	N.A.
Oxidizing properties:	Not Relevant	Reason:	N.A.
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		

### 10. STABILITY AND REACTIVITY

Reactivity  
It may generate dangerous reactions (See subsections below)

Chemical stability  
It may generate dangerous reactions (See subsections below)

## Safety Data Sheet

### DIESTONE DLS - P28280-NA

Possibility of hazardous reactions

None

Conditions to avoid

Avoid accumulating electrostatic charge.

Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

HYDROTREATED HEAVY PETROLEUM NAPHTA - CAS: 64742-48-9

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m3

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

---

## 12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

HYDROTREATED HEAVY PETROLEUM NAPHTA - CAS: 64742-48-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes:

Pseudokirchnerella subcapitata

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

---

## 13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

## Safety Data Sheet DIESTONE DLS - P28280-NA

### 14. TRANSPORT INFORMATION



UN number	
ADR-UN Number:	1993
DOT number:	UN1993
IATA-UN Number:	1993
IMDG-UN Number:	1993
UN proper shipping name	
ADR-Shipping Name:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol; monopropylene glycol methyl ether, 2-methoxy-1-methylethyl acetate)
DOT-Shipping Name:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol; monopropylene glycol methyl ether, 2-methoxy-1-methylethyl acetate)
IATA-Shipping Name:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol; monopropylene glycol methyl ether, 2-methoxy-1-methylethyl acetate)
IMDG-Shipping Name:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol; monopropylene glycol methyl ether, 2-methoxy-1-methylethyl acetate)
Transport hazard class(es)	
ADR-Class:	3
DOT Hazard Class:	3
ADR - Hazard identification number:	30
IATA-Class:	3
IATA-Label:	3
IMDG-Class:	3
Packing group	
ADR-Packing Group:	III
DOT Packing group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
Environmental hazards	
ADR-Environmental Pollutant:	No
IMDG-Marine pollutant:	No
Most important toxic component:	DIESTONE DLS
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)	
N.A.	
Special precautions	
DOT Special provisions:	B1, B52, IB3, T4, TP1, TP29
DOT Labels:	3
ADR-Subsidiary risks:	-
ADR-S.P.:	274 601 640E
ADR-Tunnel Restriction Code:	(D/E)
IATA-Passenger Aircraft:	355
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	366
IATA-S.P.:	A3
IATA-ERG:	3L

## Safety Data Sheet

### DIESTONE DLS - P28280-NA

IMDG-EmS:	F-E , S-E
IMDG-Subsidiary risks:	-
IMDG-Storage category:	Category A
IMDG-Storage notes:	-

#### 15. REGULATORY INFORMATION

##### USA - Federal regulations

##### TSCA - Toxic Substances Control Act

List of substances not included in the TSCA inventory: 1-methoxy-2-propanol; monopropylene glycol methyl ether, HYDROTREATED HEAVY PETROLEUM NAPHTA.

TSCA listed substances:  
None.

##### SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: no substances listed.

##### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

##### CAA - Clean Air Act

CAA listed substances:  
None.

##### CWA - Clean Water Act

CWA listed substances:  
None.

##### USA - State specific regulations

##### California Proposition 65

Substance(s) listed under California Proposition 65:  
None.

##### Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:  
No substances listed.

##### New Jersey Right to know

Substance(s) listed under New Jersey Right to know:  
No substances listed.

##### Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:  
No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:  
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2%  
AROMATICS (CAS: 64742-48-9)

#### 16. OTHER INFORMATION

##### Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

Safety Data Sheet dated 9/14/2015, version 1



**Safety Data Sheet**  
**DIESTONE DLS - P28280-NA**

**Disclaimer:**

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

