

Safety Data Sheet

Issue Date: 15-Jan-2015 Revision Date: n/a Version 1

1. IDENTIFICATION

Product Identifier

Product Name GlobalTech® Isopropyl Alcohol, 99% Saturated Wipes/Refills

Other means of identification

SDS # JNJ-006-WIPES

Product Code IPA-Wipes UN/ID No UN3175

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Details of the supplier of the safety data sheet

Supplier Address

JNJ Industries 290 Beaver Street Franklin, MA 02038

Emergency Telephone Number

Company Phone Number Phone: 800-554-9994 / 508-553-0529

Fax: 508-553-9973

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Liquid saturated on wipe Physical State Solid Odor Characteristic

Classification

The classification below is for the liquid which is absorbed onto the wipe.

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful if inhaled

Signal Word

Danger

Hazard Statements

Causes serious eye irritation May cause respiratory irritation. May cause drowsiness or dizziness Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Keep cool

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Date: 15-Jan-2015

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	99

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash off immediately with plenty of water. Take off contaminated clothing. Wash

contaminated clothing before reuse. Call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Immediately drink 1-2 glasses of milk or water. Get medical attention.

Most important symptoms and effects

Symptoms May cause severe eye irritation with reddening and watering. Repeated exposure may

cause skin dryness or cracking. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause irritation of the gastrointestinal tract, cramps,

Date: 15-Jan-2015

vomiting or diarrhea. Drowsiness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapors are heavier than air and may travel along ground to ignition sources and flash back.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be ineffective on direct flame, but it can be used to flush spills from ignition or to disperse vapors. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Use personal protective equipment as required. Use non-

sparking tools. Suppress vapors with water fog.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Place in an appropriate container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid

breathing vapors or mists. Use only in well-ventilated areas. Keep away from

heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary

measures against static discharges. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and

out of reach of children.

Incompatible Materials Concentrated nitric and sulfuric acids. Oxidizers. Aldehydes.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Date: 15-Jan-2015

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	Isopropyl alcohol STEL: 400 ppm		IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	!

Appropriate engineering controls

Engineering Controls Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Chemical resistant protective gloves. Vinyl not recommended.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid

AppearanceLiquid saturated on wipeOdorCharacteristicColorClearOdor ThresholdNot determined

<u>Property</u> <u>The information below is for the Remarks • Method</u>

liquid absorbed onto the wipe

pH 7

Melting Point/Freezing Point -88.5 °C / -127.3 °F

Boiling Point/Boiling Range 82 °C / 179 °F Flash Point 11.7 °C / 53 °F

Flash Point 11.7 °C / 53 °F Tag Closed Cup **Evaporation Rate** Slower than ether

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure

Slower trian ethic Solid Harretting
Not determined
Not available
33 mm Hg

Vapor Density2.0(Air=1)Specific Gravity0.786(1=Water)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Will not occur **Decomposition Temperature** Not determined Not available **Kinematic Viscosity Dynamic Viscosity** Not available **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

JNJ-006-WIPES - GlobalTech® Isopropyl Alcohol, 99% Saturated Wipes/Refills

Date: 15-Jan-2015

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Ignition sources.

Incompatible Materials

Concentrated nitric and sulfuric acids. Oxidizers. Aldehydes.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Avoid contact with skin.

Inhalation May be harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Isopropyl alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h	
67-63-0		mg/kg (Rabbit)		

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X
67-63-0				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Date: 15-Jan-2015

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Partition Coefficient
0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

NoteThe shipping description is specific to the container and mode of shipment. Please refer to

the shipping papers for the most up to date shipping information.

NOTE: packages with inner packagings not over 1 liter/1 kg may be reclassified as a

Limited Quantity/ Consumer Commodity ORM-D.

NOTE: ORM-D Designation (Shipments by highway, rail and vessel only valid until

December 31, 2020).

NOTE: Consumer Commodity (ORM-D) classification is for domestic surface/ground

shipments only. Air shipments remain regulated.

DOT

UN/ID No UN3175

Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol)

Hazard Class 4.1 Packing Group

JNJ-006-WIPES - GlobalTech® Isopropyl Alcohol, 99% Saturated Wipes/Refills

Date: 15-Jan-2015

<u>IATA</u>

UN/ID No UN3175

Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol)

Hazard Class 4.
Packing Group II

<u>IMDG</u>

UN/ID No UN3175

Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol)

Hazard Class 4.1 Packing Group II

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl alcohol	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNo

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	99	1.0

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol	X	X	X
67-63-0			

16. OTHER INFORMATION

Date: 15-Jan-2015

NFPAHealth Hazards
1Flammability
3Instability
0Special Hazards
Not determinedHMISHealth Hazards
1Flammability
3Physical Hazards
0Personal Protection
B

Issue Date: 15-Jan-2015

Revision Date: n/a **Revision Note:** n/a

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet