



Revision Number: 004.0

Issue date: 08/05/2014

**1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Product name:</b>	<b>BONDERITE C-AK C NVT AERO ALKALINE CLEANER known as TURCO C NVT</b>	<b>IDH number:</b>	595475
<b>Product type:</b>	Alkaline Cleaner for Industrial Application	<b>Item number:</b>	595475
<b>Restriction of Use:</b>	None identified	<b>Region:</b>	United States
<b>Company address:</b>	Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067	<b>Contact information:</b>	Telephone: (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER:** MAY BE CORROSIVE TO METALS.  
CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

HAZARD CLASS	HAZARD CATEGORY
CORROSIVE TO METALS	1
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1

**PICTOGRAM(S)**



**Precautionary Statements**

<b>Prevention:</b>	Keep only in original container. Do not breathe dust or fumes. Wash thoroughly after handling. Wear protective gloves, eye protection, and face protection.
<b>Response:</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.
<b>Storage:</b>	Store locked up. Store in corrosive resistant container with a resistant inner liner.
<b>Disposal:</b>	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Component(s)	CAS Number	Percentage*
Sodium hydroxide	1310-73-2	10 - 30
Sodium metasilicate	6834-92-0	10 - 30
Sodium phosphate, dibasic	7558-79-4	10 - 30
Surfactant	Proprietary	1 - 5
Diethylene glycol monobutyl ether	112-34-5	1 - 5

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	If inhaled, immediately remove the affected person to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Remove contaminated clothing and footwear. For skin contact, flush with large amounts of water. Seek immediate medical attention.
<b>Eye contact:</b>	In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.
<b>Ingestion:</b>	Get medical attention. DO NOT induce vomiting unless directed to do so by medical personnel. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is unconscious or is having convulsions.
<b>Symptoms:</b>	See Section 11.
<b>Notes to physician:</b>	This material, if aspirated into the lungs, may cause chemical pneumonitis; treat the affected person appropriately.

#### 5. FIRE FIGHTING MEASURES

<b>Extinguishing media:</b>	Use media appropriate for surrounding material.
<b>Special firefighting procedures:</b>	Wear full protective clothing. Wear self-contained breathing apparatus.
<b>Unusual fire or explosion hazards:</b>	Not a fire hazard.
<b>Hazardous combustion products:</b>	Irritating and toxic gases or fumes may be released during a fire.

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

<b>Environmental precautions:</b>	Prevent further leakage or spillage if safe to do so. Wear appropriate personal protective equipment. Do not allow product to enter sewer or waterways.
<b>Clean-up methods:</b>	Sweep up or gather material and place in appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.

## 7. HANDLING AND STORAGE

- Handling:** Avoid contact with eyes, skin and clothing. Considerable heat is generated when water or acid is added, therefore when making solutions always add the caustic to the water or acid with constant stirring. If caustic substance or solution becomes concentrated in one area, or if added too rapidly or if added to hot or cold water a rapid temperature increase can result in dangerous boiling water and/or splashing or may cause immediate violent eruption. Wash thoroughly after handling. Do not breathe dust. For industrial use only. Provide adequate ventilation.
- Storage:** Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium hydroxide	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> PEL	None	None
Sodium metasilicate	None	None	None	None
Sodium phosphate, dibasic	None	None	None	None
Surfactant	None	None	None	None
Diethylene glycol monobutyl ether	10 ppm TWA Inhalable fraction and vapor.	None	None	50 ppm TWA 75 ppm STEL

- Engineering controls:** Ventilation should effectively remove and prevent buildup of any dust generated from the handling of this product.
- Respiratory protection:** If ventilation is not sufficient to effectively prevent buildup of dust, appropriate NIOSH/MSHA respiratory protection must be provided.
- Eye/face protection:** Wear chemical goggles or a full face shield.
- Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- |                                                 |                    |
|-------------------------------------------------|--------------------|
| <b>Physical state:</b>                          | Powder             |
| <b>Color:</b>                                   | Tan                |
| <b>Odor:</b>                                    | Mild surfactant    |
| <b>Odor threshold:</b>                          | Not available.     |
| <b>pH:</b>                                      | 12.9 (1% solution) |
| <b>Vapor pressure:</b>                          | Not applicable     |
| <b>Boiling point/range:</b>                     | Not applicable     |
| <b>Melting point/ range:</b>                    | Not determined     |
| <b>Specific gravity:</b>                        | 1.03               |
| <b>Vapor density:</b>                           | Not applicable     |
| <b>Flash point:</b>                             | Not applicable     |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.     |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.     |
| <b>Autoignition temperature:</b>                | Not applicable     |
| <b>Evaporation rate:</b>                        | Not applicable     |
| <b>Solubility in water:</b>                     | Appreciable        |
| <b>Partition coefficient (n-octanol/water):</b> | Not determined     |
| <b>VOC content:</b>                             | Not applicable     |
| <b>Viscosity:</b>                               | Not available.     |
| <b>Decomposition temperature:</b>               | Not available.     |

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable at normal conditions.
<b>Hazardous reactions:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Incompatible materials:</b>	This product reacts with acids. This product may react with oxidizing agents. Reaction with reducing agents. Adding water to this product may cause localized overheating and splattering.
<b>Reactivity:</b>	Not available.
<b>Conditions to avoid:</b>	Keep away from heat, ignition sources and incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes

### Potential Health Effects/Symptoms

<b>Inhalation:</b>	Mists, vapors or liquid may cause severe irritation or burns.
<b>Skin contact:</b>	Corrosive to the skin. Contact with the skin or mucous membranes may cause severe irritation and burns.
<b>Eye contact:</b>	This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness.
<b>Ingestion:</b>	This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Sodium hydroxide	None	Irritant, Corrosive, Eyes
Sodium metasilicate	Oral LD50 (RAT) = 1,280 mg/kg	Irritant, Corrosive, Eyes
Sodium phosphate, dibasic	Oral LD50 (RAT) = 17 g/kg	Irritant, Corrosive
Surfactant	None	No Records
Diethylene glycol monobutyl ether	Oral LD50 (RABBIT) = 2,200 mg/kg Oral LD50 (RAT) = 4,500 mg/kg Oral LD50 (RAT) = 5,660 mg/kg Oral LD50 (RAT) = 7,292 mg/kg Oral LD50 (RAT) = 6,600 mg/kg Oral LD50 (RAT) = 6,560 mg/kg Dermal LD50 (RABBIT) = 2,700 mg/kg Dermal LD50 (RABBIT) = 4,120 mg/kg	Blood, Central nervous system, Irritant, Kidney

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Sodium hydroxide	No	No	No
Sodium metasilicate	No	No	No
Sodium phosphate, dibasic	No	No	No
Surfactant	No	No	No
Diethylene glycol monobutyl ether	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecological information:** No data available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

<b>Recommended method of disposal:</b>	Follow all local, state, federal and provincial regulations for disposal. This product contains a chelating agent. This chemical contains phosphates.
<b>Hazardous waste number:</b>	Material, if discarded, is not expected to be a characteristic hazardous waste under RCRA.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

<b>Proper shipping name:</b>	Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodium metasilicate)
<b>Hazard class or division:</b>	8
<b>Identification number:</b>	UN 3262
<b>Packing group:</b>	II
<b>DOT Hazardous Substance(s):</b>	Sodium hydroxide, Sodium phosphate, dibasic

### International Air Transportation (ICAO/IATA)

<b>Proper shipping name:</b>	Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodium metasilicate)
<b>Hazard class or division:</b>	8
<b>Identification number:</b>	UN 3262
<b>Packing group:</b>	II

### Water Transportation (IMO/IMDG)

<b>Proper shipping name:</b>	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, Sodium metasilicate)
<b>Hazard class or division:</b>	8
<b>Identification number:</b>	UN 3262
<b>Packing group:</b>	II

## 15. REGULATORY INFORMATION

### United States Regulatory Information

<b>TSCA 8 (b) Inventory Status:</b>	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
<b>TSCA 12 (b) Export Notification:</b>	None above reporting de minimis
<b>CERCLA/SARA Section 302 EHS:</b>	None above reporting de minimis
<b>CERCLA/SARA Section 311/312:</b>	Immediate Health, Reactive
<b>CERCLA/SARA Section 313:</b>	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Diethylene glycol monobutyl ether (CAS# 112-34-5). Sodium hydroxide (CAS# 1310-73-2) 1,000 lbs. (454 kg) Sodium phosphate, dibasic (CAS# 7558-79-4) 5,000 lbs. (2,270 kg)
<b>CERCLA Reportable quantity:</b>	
<b>California Proposition 65:</b>	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### Canada Regulatory Information

<b>CEPA DSL/NDSL Status:</b>	Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details.
------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** New Material Safety Data Sheet format.

**Prepared by:** Regulatory Affairs

**Issue date:** 08/05/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.