

Safety Data Sheet

Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Propylene glycol Industrial

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

Manufacturer or supplier's details

Company : Nexeo Solutions, LLC.
Address : 3 Waterway Square Place Suite 1000
 The Woodlands, TX. 77380
 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648)
 Health International: 1-855-NEXEO4U (1-855-639-3648)
 Transport North America: CHEMTREC (1-800-424-9300)

Additional Information: : Responsible Party: Product Safety Group
 E-Mail: msds@nexeosolutions.com
 SDS Requests: 1-855-429-2661
 SDS Requests Fax: 1-281-500-2370
 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Weight %
57-55-6	Propylene glycol	90 - 100

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical advice.
 If symptoms persist, call a physician.

Safety Data Sheet
Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

- In case of skin contact : Wash off with soap and water.
Wash contaminated clothing before reuse.
Get medical attention if irritation develops and persists.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO2)
Foam
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-

Safety Data Sheet

Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

- plication area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
57-55-6	Propylene glycol	TWA	10 mg/m ³	US WEEL

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Eye protection : Safety glasses
- Skin and body protection : Protective suit
- Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : Clear, Colorless
- Odour : odourless, mild
- Odour Threshold : No data available
- pH : 7 @ 20 - 25 °C (68 - 77 °F)
- Freezing Point (Melting point/freezing point) : -60 - -20 °C (-76 - -4 °F)
- Boiling Point (Boiling) : 184 - 188 °C (363 - 370 °F)

Safety Data Sheet

Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

point/boiling range)

Flash point	: 103 °C (217 °F)
Evaporation rate	: < 0.02 (Butyl Acetate = 1)
Flammability (solid, gas)	: No data available
Upper explosion limit	: 17.4 %(V)
Lower explosion limit	: 2.4 %(V)
Vapour pressure	: < 0.225 mmHg @ 25 °C (77 °F)
Relative vapour density	: < 2.62 @ 15 - 32 °C (59 - 90 °F) (Air = 1.0)
Relative density	: 1.03 - 1.04 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1)
Density	: 1.03 - 1.04 g/cm ³ @ 20 - 25 °C (68 - 77 °F)
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: -1.07 - -0.92
Auto-ignition temperature	: 371 - 400 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 43 - 56 mPa.s @ 20 - 25 °C (68 - 77 °F)
Viscosity, kinematic	: 42.1 mm ² /s @ 25 °C (77 °F) < 20 mm ² /s @ 40 °C (104 °F)
Surface tension	: 71.6 mN/m, 21.5 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.

Safety Data Sheet
Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Exposure to light.
Incompatible materials	: Amines isocyanates mercaptans Reducing agents Strong oxidizing agents Acids Bases
Hazardous decomposition products	: Aldehydes Alcohols ethers Organic acids Carbon oxides toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Carcinogenicity

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Product:

Remarks: No data available

Safety Data Sheet
Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

Safety Data Sheet
Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : : Not controlled.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

57-55-6 Propylene glycol

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

57-55-6 Propylene glycol 90 - 100 %

New Jersey Right To Know

57-55-6 Propylene glycol 90 - 100 %

Safety Data Sheet
Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

California Prop 65


This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PHIL : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Revision Date : 04/03/2017

Legacy SDS: : R0001099

Safety Data Sheet

Propylene glycol Industrial

Version 1.4

Revision Date: 04/03/2017

Material number:

16117093, 16098634, 16056587, 16063761, 16056593, 16056591, 16056590, 16056589, 16056588, 16043949, 16022504, 16019678, 16007436, 16004870, 16004164, 16003701, 16002316, 732692, 708878, 707122, 706609, 686369, 684080, 670322, 652122, 643524, 643523, 643513, 587634, 541219, 508483, 103938, 54799, 54594, 87351, 56279, 103733, 89037, 58343, 104793, 54901, 105725, 72031, 87659, 89343, 89366, 55654, 87662, 105726, 105744, 89347, 56608, 72035, 87663, 158868, 173039, 504375, 500039, 500083, 29993, 29992, 20248, 20247, 20246

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%