

Trident 286

DESCRIPTION AND GENERAL PROPERTIES

- **Material** Natural latex
- **Length (inches)** 18"
- **Thickness (inches)** 0.040 (40 mil)
- **Wrist** Rolled cuff
- **Colour/Color** Black
- **Interior finish** Chlorinated
- **Exterior finish** Smooth
- **Size / EAN** 9 10 11
- **Packaging** 1 pair/bag - 24 pairs/carton
- **Complementary information** Guaranteed without Silicone



PERFORMANCE RESULTS

Certification category 3

CE 0334



ABKL




2131

Legends



MECHANICAL HAZARDS EN 388

PERFORMANCE LEVELS



LOW CHEMICAL PROTECTION EN 374



MICRO-ORGANISMS EN 374



RADIOACTIVE CONTAMINATION EN 421




SPECIFIC CHEMICAL PROTECTION EN 374

Letter Code	Chemical product
A	Methanol
B	Acetone
C	Acetonitrile
D	Dichloromethane
E	Carbon Disulfide
F	Toluene
G	Diethylamine
H	Tetrahydrofurane
I	Ethyl acetate
J	n-Heptane
K	Sodium hydroxide 40%
L	Sulphuric acid 96%




COLD HAZARDS EN 511

PERFORMANCE LEVELS



HEAT AND FIRE EN 407

PERFORMANCE LEVELS



For more details: www.mapa-pro.com

MAPA[®]
PROFESSIONAL

www.mapa-pro.com

SPECIFIC ADVANTAGES

- Longer service life and good impact protection, due to the thickness of the material
- Forearm protection. Length: 18"

MAIN FIELDS OF USE

Other industries

- Cleaning and general maintenance in wet environments

Chemical industry

- Chemical product blending
- Cleaning tanks

Petroleum industry

- Handling

INSTRUCTIONS FOR USE

Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at the workplace may differ from the "CE"-type tests.
- It is not recommended for persons sensitized to natural latex, dithiocarbamates and thiazoles to use these gloves.
- Put the gloves on dry, clean hands.
- Do not use the gloves in contact with a chemical for a duration in excess of the measured breakthrough time. Refer to the website www.mapa-pro.com or contact the Technical Customer Service - MAPA PROFESSIONAL (mapa@jardensafety.com) in order to know breakthrough time. Use 2 pairs alternatively when in long duration contact with a solvent.
- Turn the cuff end down in order to prevent a hazardous chemical from dripping onto the arm.
- Inspect the gloves for cracks or snags before reusing them.

Storage conditions

- Store the gloves in their original packaging protected from direct sunlight, far from heat sources or electric equipment.

Laundering conditions

- Before taking off the gloves, clean them as appropriate :
- in use with a solvent (alcohol, etc...) : rub over with a dry cloth
- in use with detergents, acids or alkalies : thoroughly rinse the gloves under running water, and rub over with a dry cloth
- Caution : improper use of the gloves or submitting them to a cleaning or laundering process, which is not specifically recommended, can alter their performance levels.

Drying conditions

- Ensure the inside of the gloves is dry before putting them on again.

Food contact US

- FDA 21CFR 177.2600

LEGISLATION

This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council.

This product does not contain any substances of very high concern according to the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

- **UE type certificate or CE type examination certificate** : 0072/014/162/02/98/0041
- **Issued by the notified body nr** : 0072
I.F.T.H. – Av. guy de Collongue - F-69134 ECULLY CEDEX