

Material:	60083366

WACKER® SILICONE PASTE P 250

Version: 2.3 (US)

Date of print: 05/25/2022

Date of last alteration: 07/28/2021

1. Product and company identification 1.1 Identification of the substance or preparation: **Commercial product name:** WACKER® SILICONE PASTE P 250 Use of substance / preparation Industrial. Auxiliary agent for: elastomer products 1.2 Company/undertaking identification: Manufacturer/distributor: **DRAWIN Vertriebs-GmbH** Rudolf-Diesel-Straße 15 85521 Riemerling Germany Customer information: Wacker Chemical Corporation 3301 Sutton Road Adrian, Michigan 49221-9397 USA InfoLine: Tel (517) 264-8240 Hours of operation: Monday - Friday, 8 am to 5 pm (eastern standard time) Corporate website: www.wacker.com Emergency telephone no. (24h): (517) 264-8500 (800) 424-9300 (CHEMTREC, USA) Transportation emergency: (703) 527-3887 (CHEMTREC, international)

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (GHS):

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (GHS):

No labeling according to GHS required.

2.3 Other hazards

No data available.

3. Composition/information on ingredients

3.1	Chemical characterization (preparation)
	Chemical characteristics
	Polydimethylsiloxane and auxiliary

3.2 Information on ingredients:

This material does not contain any ingredients above the permitted limit(s).



Material: 60083366

WACKER® SILICONE PASTE P 250

Version: 2.3 (US)

Date of print: 05/25/2022

Date of last alteration: 07/28/2021

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

4. First-aid measures

4.1 General information:

Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

4.2 After inhalation

Material cannot be inhaled under normal conditions. No special treatment required.

4.3 After contact with the skin

After skin contact wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

4.4 After contact with the eyes

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

4.5 After swallowing

No special measures are required after swallowing.

5. Fire-fighting measures

5.1 Flammable properties:

Property:	Value:	Method:
Flash point	> 250 °C (> 482 °F)	(ISO 2592)
Boiling point / boiling range	not applicable	
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL)	not applicable	
Ignition temperature	444 °C (831 °F)	(EN 14522)

5.2 Fire and explosion hazards:

This material does not present any unusual fire or explosion hazards.

5.3 Recommended extinguishing media:

water-spray, dry chemical, alcohol-resistant foam, carbon dioxide, sand.

5.4 Unsuitable extinguishing media:

water jet

5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Hazardous decomposition products: carbon dioxide , carbon monoxide , formaldehyde , silicon dioxide and incompletely burnt hydrocarbons .

5.6 Fire fighting procedures:

Fire fighters should wear full protective clothing including a self-contained breathing apparatus. Cool endangered containers with water.



Material: 60083366

WACKER® SILICONE PASTE P 250

Version: 2.3 (US)

Date of print: 05/25/2022

Date of last alteration: 07/28/2021

6. Accidental release measures

6.1 Precautions:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

HAZWOPER PPE Level: D

6.2 Containment:

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

6.3 Methods for cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

7. Handling and storage

7.1 Handling

Precautions for safe handling:

Observe information in section 8.

Precautions against fire and explosion:

Observe the general rules for fire prevention.

7.2 Storage

Conditions for storage rooms and vessels: Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place.

8. Exposure controls and personal protection

8.1 Engineering controls

Ventilation:

- Use with adequate ventilation.
- Local exhaust:
- not necessary
- 8.2 Associate substances with specific control parameters such as limit values

8.3 Personal protection equipment (PPE)

Respiratory protection:

Respiratory protection is not normally required.

Hand protection:

Recommendation: Any liquid-tight rubber or vinyl gloves.

Eye protection:

Recommendation: Safety glasses with side shields.



	n: 2.3 (US) Other protective clothing or eq	Date of print: 05/25/2022	Date of last alteration: 07/28/202
	Other protective clothing or eq		
		ipment: uipment is not normally required. Provide eye bath and sa	afety shower.
8.4	General hygiene and protection	measures:	
	When handling do not eat, drink,	moke or apply cosmetics. Wash thoroughly after handling.	
9.	Physical and chemical pro	perties	
9.1	Appearance		
	Physical state Form Colour Odour	paste colourless dark	
9.2	Safety parameters		
	Property: Melting point / melting range Boiling point / boiling range		Method:
		444 °C (831 °F) not applicable	(ISO 2592) (EN 14522)
	Vapour pressure Vapour pressure Vapour pressure	: 0.0004 hPa / 20 °C (68 °F) : 0.0007 hPa / 30 °C (86 °F) : 0.0011 hPa / 40 °C (104 °F)	(EU-GL.A.4) (EU-GL.A.4) (EU-GL.A.4)
	Water solubility / miscibility	: 0.98 g/cm ³ at 25 °C (77 °F), at 1013 hF practically insoluble Not applicable. Insoluble in water. not applicable	Pa (ISO 1183-1 A)
9.3	Further information		
		: no data available : > 250 °C (> 482 °F)	
10.	Stability and reactivity		
10.1	General information:		
	If stored and handled in accordan	e with standard industrial practices no hazardous reaction	is are known.
10.2	Conditions to avoid		
	None known.		
10.3	Materials to avoid		
	None known.		
10.4	Hazardous decomposition proc	ucts	
	If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.		
10.5	Further information:		
	Hazardous polymerization cannot	occur.	
11.	Toxicological information		

11.1 Information on toxicological effects

11.1.1 Acute toxicity



Material: 60083366

WACKER® SILICONE PASTE P 250

Version: 2.3 (US)

Date of print: 05/25/2022

Date of last alteration: 07/28/2021

Product details:

Route of exp	posure Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	Rat	Conclusion by analogy
dermal	LD50: > 2000 mg/kg	Rat	Conclusion by analogy

11.1.2 Skin corrosion/irritation

Product details:

Result/Effect	Species/Test system	Source
No skin irritation	Rabbit	Conclusion by
		analogy

11.1.3 Serious eye damage / eye irritation

Product details:

Result/Effect	Species/Test system	Source
No eye irritation	Rabbit	Conclusion by
		analogy

11.1.4 Respiratory or skin sensitization

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	Does not cause skin sensitisation.	Guinea pig; Buehler Test	Conclusion by analogy OECD 406

11.1.5 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

11.1.11 Further toxicological information

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by



Material: 60083366

WACKER® SILICONE PASTE P 250

Version: 2.3 (US)

Date of print: 05/25/2022

Date of last alteration: 07/28/2021

NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

12. Ecological information

12.1 Toxicity

Assessment:

Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

12.2 Persistence and degradability

Assessment:

Polymer component: biologically not degradable. Elimination by adsorption to activated sludge.

12.3 Bioaccumulative potential

Assessment:

Polymer component: No adverse effects expected.

12.4 Mobility in soil

Assessment:

Polymer component: insoluble in water.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

none known

13. Disposal considerations

13.1 Product disposal

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.2 Packaging disposal

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

14. Transport information

14.1 US DOT & CANADA TDG SURFACE

 Valuation
 Not regulated for transport

 14.2 Transport by sea IMDG-Code

 Valuation
 Not regulated for transport

14.3 Air transport ICAO-TI/IATA-DGR

Valuation Not regulated for transport

15. Regulatory information



Safety Data Sheet

Mate	rial: 60083366	WACKER	® SILICONE PASTE P 250	
/ersi	on: 2.3 (US)		Date of print: 05/25/2022	Date of last alteration: 07/28/202
15.1	U.S. Federal reg	gulations		
	TSCA inventory status and TSCA information: This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory. This material is in compliance under the 2% Polymer Rule.			
	TSCA 12(b) Export Notification: This material does not contain reportable amounts of any TSCA 12(b) listed chemicals.			
	CERCLA Regulated Chemicals: This material does not contain any CERCLA regulated chemicals.			
	SARA 302 EHS This material doe		tremely hazardous substances.	
	SARA 311/312 H No SARA Hazaro			
	SARA 313 Chen This material doe		3 chemicals above de minimus levels.	
		us Air Pollutants):		
	CAS No.	Chemical		Upper limit wt. %
	108-88-3	Toluene		<=0.0350
5.2	U.S. State regul	ations		
	California Propo	osition 65 (Safe Drinking V	Nater and Toxic Enforcement Act of 19	986):
	This material doe	es not contain any chemical	s known to the State of California to caus	se cancer.
	California Propos	sition 65 Reproductive Toxir	NS:	
	108-88-3	Toluene		
		Substance List: Silica, amorphous, fume	4	
		ht-to-Know Hazardous Su Silica, amorphous, fume	bstance List:	
		ight-to-Know Hazardous Silica, amorphous, fume	Substance List:	
15.3		ational registration status		
		-	nce inventories, where available, is giver	a balow
			ENCS (Handbook of Existing and New	
	Australia		This product is listed in, or complies wi AIIC (Australian Inventory of Industrial This product is listed in, or complies wi	Chemicals):
	Canada	:	DSL (Domestic Substance List):	-
	Philippines		This product is listed in, or complies wi PICCS (Philippine Inventory of Chemic This product is not listed or in compliar	cals and Chemical Substances):
	United States of	America (USA)	TSCA (Toxic Substance Control Act C All components of this product are liste	
	Taiwan		This product is listed in, or complies wi The Taiwanese chemicals regulation re or TCSI-compliant substances if impor exceed the trigger quantity of 100 kg/a	ventory): ith, the substance inventory. General note: equires a phase 1 registration for TCSI-liste ts to Taiwan or manufacturing in Taiwan (for mixtures to be calculated per each ng/manufacturing legal entity to take care of



Material: 60083366	WACKER® SILICONE PASTE P 250	
Version: 2.3 (US)	Date of print: 05/25/2022	Date of last alteration: 07/28/2021
	manufactured within the EEA by the s	ons for substances imported into the EEA or upplier mentioned in section 1 are fulfilled by gations for substances imported into the EEA sers must be fulfilled by the latter. ation of Chemicals; "K-REACH"):

16. Other information

16.1 Additional information:

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Glossary of Terms:

ACGIH - American Conference of Governmental Industrial	ppm - Parts per Million
Hygienists	SARA - Superfund Amendments and Reauthorization Act
DOT - Department of Transportation	STEL - Short Term Exposure Limit
hPa - Hectopascals	TSCA - Toxic Substances Control Act
mPa*s - Milli Pascal-Seconds	TWA - Time Weighted Average
OSHA - Occupational Safety and Health Administration	WHMIS - Canadian Workplace Hazardous Materials
PEL - Permissible Exposure Limit	Identification System
Flash point determination methods ASTM D56. ASTM D92, DIN 51376, ISO 2592 ASTM D93, DIN 51758, ISO 2719 ASTM D3278, DIN 55680, ISO 3679 DIN 51755	Tagliabue (Tag) closed cup Cleveland open cup Pensky-Martens closed cup Setaflash or Rapid closed cup

16.3 Conversion table:

Pressure:	1 hPa * 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa
Viscosity:	1 mPa*s = 1 centipoise (cP)