# **Safety Data Sheet**



Revision Number: 013.0

Issue date: 05/24/2018

### **1. PRODUCT AND COMPANY IDENTIFICATION**

IDH number:

Product name:

Ероху Product type: **Restriction of Use:** Company address: Henkel Canada Corporation Meadowpine Boulevard 2515 Mississauga, Ontario L5N 6C3

LOCTITE PE 3162 EPOXY HARDENER known as Loctite® Encap® 3162 Epoxy Hardener None identified

Item number: 39960 Region: Canada Contact information: Telephone: +1 (905) 814-6511 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT ENERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

233557

## 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
DANGER:	HARMFUL IF SWALLOWED.
	TOXIC IN CONTACT WITH SKIN.
	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
	MAY CAUSE AN ALLERGIC SKIN REACTION.

HAZARD CLASS	HAZARD CATEGORY	
ACUTE TOXICITY ORAL	4	
ACUTE TOXICITY DERMAL	3	
SKIN CORROSION	1B	
SERIOUS EYE DAMAGE	1	
SKIN SENSITIZATION	1	

### PICTOGRAM(S)



#### **Precautionary Statements**

Prevention:	Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing, eye and face protection.
Response:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing.
Storage: Disposal:	Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.
IDH number: 233557	Product name: LOCTITE PE 3162 EPOXY HARDENER known as Loctite® Encap® 3162 Epoxy
	Page 1 of 5

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015) and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
N-Aminoethylpiperazine	140-31-8	50 - 60
4-Nonylphenol, branched	84852-15-3	40 - 50

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

	4. FIRST AID MEASURES
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	Remove contaminated clothing and footwear. Immediately flush skin with plenty of water (using soap, if available). Get medical attention. Wash clothin before reuse. Thoroughly clean shoes before reuse.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Symptoms:	See Section 11.
5.	FIRE FIGHTING MEASURES
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean- up. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal.

## 7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do not taste or swallow. Use only with adequate ventilation. Keep container closed.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Keep away from heat, spark and flame. Store in original container until ready to use.

Shelf Life Statement: Not available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
N-Aminoethylpiperazine	None	None	None	None
4-Nonylphenol, branched	None	None	None	None
Engineering controls:			otential for airborne ex	
Respiratory protection:	Use a NIOSH a	approved respirator if	ventilation is inadequa	te.
Eye/face protection:Safety goggles or safety glasses with side shields. Ful be used if the potential for splashing or spraying of pro showers and eye wash stations should be available.		or spraying of product		
Skin protection:		esistant, impermeabl suit to prevent skin co	e clothing including glo ontact.	ves and either an

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: . Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:** Viscosity: Decomposition temperature:

Liquid Amber Ammoniacal Not available. Alkaline 0.2 mm hg Not determined Not available. 1.0 < 1 118.33 °C (244.99 °F) Closed cup Not available. Not available. Not determined Not applicable < 0.1 Soluble Not available. 0 %; 0 g/l Estimated Not available. Not available.

# **10. STABILITY AND REACTIVITY**

Relevant routes of exposure:	Skin, Inhalation, Eyes, Ingestion	
	11. TOXICOLOGICAL INFORMATION	
Conditions to avoid:	Keep away from heat, ignition sources and incompatible materials.	
Reactivity:	Not available.	
Incompatible materials:	Strong acids and oxidizing agents. This product slowly corrodes copper, aluminum, zinc and galvanized surfaces.	
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Ammonia. Toxic fumes. Irritating vapors.	
Hazardous reactions:	None under normal processing.	
Stability:	Stable under normal conditions of storage and use.	

Potential Health Effects/Symptoms

Inhalation:	Mists, vapors or liquid may cause severe irritation or burns.
Skin contact:	Causes skin burns. May cause allergic skin reaction. Toxic in contact with skin.
Eye contact:	Causes serious eye damage. Contact can cause pain, burns, necrosis, permanent injury, blindness.
Ingestion:	If ingested, severe burns of the mouth and throat may occur, as well as perforation of the esophagus and the stomach. Aspiration may occur during swallowing or vomiting, resulting in lung damage. Harmful if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
N-Aminoethylpiperazine	None	Irritant, Corrosive, Allergen	
4-Nonylphenol, branched	None	Irritant, Corrosive	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
N-Aminoethylpiperazine	No	No	No
4-Nonylphenol, branched	No	No	No

# **12. ECOLOGICAL INFORMATION**

**Ecological information:** 

Not available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

#### **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration. Canada Transportation of Dangerous Goods - Ground Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Aminoethylpiperazine, Nonylphenol) Hazard class or division: 8 Identification number: UN 3267 Packing group: ш International Air Transportation (ICAO/IATA) Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (Aminoethylpiperazine, Nonylphenol) Hazard class or division: 8 Identification number: UN 3267 Packing group: Ш Water Transportation (IMO/IMDG) Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Aminoethylpiperazine, Nonylphenol) Hazard class or division: 8 Identification number: UN 3267 Packing group: Ш Marine pollutant: Nonylphenol **15. REGULATORY INFORMATION** 

#### **Canada Regulatory Information**

oundua regulatory information			
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.		
United States Regulatory Information			
TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.		
16. OTHER INFORMATION			

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Product Safety and Regulatory Affairs

Issue date: 05/24/2018

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.