



## SAFETY DATA SHEET

### SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

**Product number** SWXP0GL, SWXP0GG, SWXP0P, SWXP0D, SWXP0L, SWXP0G

##### Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

##### Details of the supplier of the safety data sheet

**Supplier** MICROCARE LLC

**Manufacturer** MICROCARE LLC  
595 John Downey Drive  
New Britain, CT 06051  
United States of America  
CAGE: OATV9  
Tel: + 1 800 638 0125, +1 860-827-0626  
Fax: +1 860-893-1930  
techsupport@microcare.com

##### Emergency telephone number

**Emergency telephone** CHEMTREC 1-800-424-9300 (within the U.S.)  
+1 703-741-5970 (from anywhere in the world)

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H332 STOT SE 1 - H370


**Human health** The liquid is strongly irritating to eyes and skin. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Environmental** The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**Physicochemical** Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. Gas or vapor displaces oxygen available for breathing (asphyxiant).

##### Label elements

##### Hazard symbols



**Signal word** Danger

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

<b>Hazard statements</b>	H332 Harmful if inhaled. H370 Causes damage to organs .
<b>Precautionary statements</b>	P261 Avoid breathing vapor/ spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell. P501 Dispose of contents/ container in accordance with national regulations.
<b>Supplemental label information</b>	Safety data sheet available on request. For use in industrial installations only.
<b>Contains</b>	trans-1,2-DICHLOROETHYLENE, METHANOL

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Mixtures

<b>trans-1,2-DICHLOROETHYLENE</b>	<b>60-100%</b>
CAS number: 156-60-5	
<b>Classification</b> Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT SE 3 - H336 Not relevant.	
<b>1,1,1,2,2,3,4,5,5,5-decafluoropentane</b>	<b>10-30%</b>
CAS number: 138495-42-8	
<b>Classification</b> Not relevant.	
<b>1,1,2,2,3,3,4-HEPTAFLUOROCYCLOPENTANE</b>	<b>10-30%</b>
CAS number: 15290-77-4	
<b>Classification</b> Not relevant.	
<b>METHANOL</b>	<b>1-5%</b>
CAS number: 67-56-1	
<b>Classification</b> Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370	

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

The full text for all hazard statements is displayed in Section 16.

**Composition comments** TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA Inventory.

### Composition

#### 4. First-aid measures

##### Description of first aid measures

**General information** Never give anything by mouth to an unconscious person. Do not induce vomiting. Place unconscious person on the side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration. Consult a physician for specific advice.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

**Ingestion** Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Consult a physician for specific advice.

**Skin Contact** Remove contaminated clothing immediately and wash skin with soap and water.

**Eye contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

##### Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** May cause an asthma-like shortness of breath. Vapors may cause headache, fatigue, dizziness and nausea. Arrhythmia (deviation from normal heart beat).

**Ingestion** Pulmonary edema, frothy sputum.

**Skin contact** Skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** May cause temporary eye irritation. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

##### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

#### 5. Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Water spray, fog or mist. Dry chemicals. Carbon dioxide (CO<sub>2</sub>).

##### Special hazards arising from the substance or mixture

**Flammability Class** The product is not flammable. Tag closed cup.

**Specific hazards** Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Closed containers can burst violently when heated, due to excess pressure build-up.

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

**Hazardous combustion products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Fire creates: Carbonyl compounds. Chlorides.

### Advice for firefighters

**Protective actions during firefighting** Containers close to fire should be removed or cooled with water.

**Special protective equipment for firefighters** Wear chemical protective suit. Use air-supplied respirator, gloves and protective goggles.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. No smoking, sparks, flames or other sources of ignition near spillage. Follow precautions for safe handling described in this safety data sheet. For personal protection, see Section 8.

### Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Good personal hygiene procedures should be implemented. Avoid spilling. Avoid contact with skin and eyes. Read and follow manufacturer's recommendations.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

**Storage class** Unspecified storage. The product is not flammable.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

**Reference to other sections.** Store away from incompatible materials (see Section 10).

## 8. Exposure controls/Personal protection

### Control parameters

#### Occupational exposure limits

#### **trans-1,2-DICHLOROETHYLENE**

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m<sup>3</sup>

#### **1,1,1,2,2,3,4,5,5,5-decafluoropentane**

No information available that would effect occupational exposure limit values.

#### **METHANOL**

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 262 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 250 ppm 328 mg/m<sup>3</sup>

Sk

Long-term exposure limit (8-hour TWA): OSHA 200 ppm 260 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

Sk = Danger of cutaneous absorption.

OSHA = Occupational Safety and Health Administration.

### Ingredient comments

ACGIH = US Standard. Threshold Limit Values (2005), ACGIH, by the American Conference on Governmental Industrial Hygienists. WEL = Workplace Exposure Limits

### METHANOL (CAS: 67-56-1)

Biological limit values 15 mg/l

### Exposure controls

#### Protective equipment



#### Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). Viton rubber (fluoro rubber).

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Wear apron or protective clothing in case of contact.

#### Hygiene measures

Provide eyewash station.

#### Respiratory protection

Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Wear self-contained breathing apparatus with full facepiece.

#### Thermal hazards

Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear liquid.
Color	Colorless.
Odor	Characteristic. Ether.
Odor threshold	No information available.
pH	No information available.
Melting point	No information available.

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

<b>Initial boiling point and range</b>	41°C/106°F @ 101.3 kPa
<b>Flash point</b>	The product is not flammable.
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Upper flammable/explosive limit: 15.0 % Lower flammable/explosive limit: 7.0 %
<b>Other flammability</b>	Not applicable.
<b>Vapor pressure</b>	8.4 psia @ 25°C
<b>Vapor density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density</b>	1.28 g/cm <sup>3</sup> @ 25 C
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Global Warming Potential (GWP)</b>	
<b>Refractive index</b>	No information available.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	100%
<b>Saturation concentration</b>	No information available.
<b>Critical temperature</b>	No information available.

### 10. Stability and reactivity

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors.
<b>Materials to avoid</b>	Alkali metals. Alkaline earth metals. Powdered metal.
<b>Hazardous decomposition products</b>	Heating may generate the following products: Toxic and corrosive gases or vapors. Halogenated hydrocarbons. Hydrogen fluoride (HF). Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).

### 11. Toxicological information

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

### Information on toxicological effects

#### Acute toxicity - oral

ATE oral (mg/kg) 3,571.43

#### Acute toxicity - dermal

ATE dermal (mg/kg) 10,714.29

#### Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 14.24

<b>Inhalation</b>	Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
<b>Skin Contact</b>	Product has a defatting effect on skin. May cause allergic contact eczema.
<b>Eye contact</b>	May cause temporary eye irritation.
<b>Medical Symptoms</b>	Gas or vapor in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.

### Toxicological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - oral</u></b>	
Acute toxicity oral (LD <sub>50</sub> mg/kg)	7,902.0
Species	Rat
ATE oral (mg/kg)	7,902.0
<b><u>Acute toxicity - dermal</u></b>	
Acute toxicity dermal (LD <sub>50</sub> mg/kg)	5,000.0
Species	Rat
ATE dermal (mg/kg)	5,000.0
<b><u>Acute toxicity - inhalation</u></b>	
ATE inhalation (vapours mg/l)	11.0
<b><u>Skin corrosion/irritation</u></b>	
Skin corrosion/irritation	Prolonged and frequent contact may cause redness and irritation.
Animal data	Slightly irritating. Rabbit
<b><u>Serious eye damage/irritation</u></b>	
Serious eye damage/irritation	Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.
<b><u>Respiratory sensitization</u></b>	

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

<b>Respiratory sensitization</b>	No specific test data are available.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	No specific test data are available.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	This substance has no evidence of mutagenic properties.
<b>Genotoxicity - in vivo</b>	This substance has no evidence of mutagenic properties.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No specific test data are available.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	NOAEL Not available.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	NOAEL 16 mg/l, 90 days
<b>Target organs</b>	Endocrine system Liver Kidneys Bladder Respiratory tract
<b><u>1,1,1,2,2,3,4,5,5,5-decafluoropentane</u></b>	
<b><u>Acute toxicity - oral</u></b>	
<b>Acute toxicity oral (LD<sub>50</sub> mg/kg)</b>	5,000.0
<b>Species</b>	Rat
<b>ATE oral (mg/kg)</b>	5,000.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Acute toxicity dermal (LD<sub>50</sub> mg/kg)</b>	5,000.0
<b>Species</b>	Rat
<b>ATE dermal (mg/kg)</b>	5,000.0
<b><u>Acute toxicity - inhalation</u></b>	
<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	114.0
<b>Species</b>	Rat
<b>ATE inhalation (vapours mg/l)</b>	114.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Not irritating. Rabbit
<b>Human skin model test</b>	Data lacking.
<b>Extreme pH</b>	Not applicable. Not corrosive to skin.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Not irritating. Rabbit



## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

### Respiratory sensitization

**Respiratory sensitization** Data lacking.

### Skin sensitization

**Skin sensitization** Not sensitizing. - Guinea pig: Not sensitizing.

### Germ cell mutagenicity

**Genotoxicity - in vitro** This substance has no evidence of mutagenic properties.

**Genotoxicity - in vivo** This substance has no evidence of mutagenic properties.

### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

**IARC carcinogenicity** Not listed.

**NTP carcinogenicity** Not listed.

**OSHA Carcinogenicity** Not listed.

### Reproductive toxicity

**Reproductive toxicity - fertility** No evidence of reproductive toxicity in animal studies.

### **Skin Contact**

Skin irritation should not occur when used as recommended. May cause defatting of the skin but is not an irritant.

### **Eye contact**

May cause eye irritation.

### **Acute and chronic health hazards**

There is no evidence that the product can cause cancer.

## METHANOL

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Acute Tox. 3 - H301 Toxic if swallowed.

**ATE oral (mg/kg)** 100.0

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Acute Tox. 3 - H311 Toxic in contact with skin.

**ATE dermal (mg/kg)** 300.0

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Acute Tox. 3 - H331 Toxic if inhaled.

**ATE inhalation (vapours mg/l)** 3.0

**ATE inhalation (dusts/mists mg/l)** 0.5

### Skin corrosion/irritation

**Animal data** Based on available data the classification criteria are not met.

### Serious eye damage/irritation

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitization</u></b>	
<b>Respiratory sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	None of the ingredients are listed or exempt.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	STOT SE 1 - H370 Causes damage to organs .
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b><u>General information</u></b>	
<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo. Unconsciousness. High concentrations may be fatal.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause severe internal injury.
<b>Skin Contact</b>	A single exposure may cause the following adverse effects: Pain.
<b>Eye contact</b>	No specific symptoms known.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target Organs</b>	No specific target organs known.

### 12. Ecological information

**Ecotoxicity**                      The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

#### Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

**Ecotoxicity** Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

**Ecotoxicity** It is unlikely that the substance will dissolve in water in amounts big enough to have a toxic effect on fish and daphnies.

### METHANOL

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 135 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 220 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** LC<sub>50</sub>, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata

##### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 48 hours: 110,000 mg/l, Daphnia magna

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 13.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

**Acute toxicity - aquatic invertebrates** LC<sub>50</sub>, 48 hours: 11.7 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: >120 mg/l, Algae

### METHANOL

**Toxicity** Based on available data the classification criteria are not met.

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: >10000 mg/l, Daphnia magna

### Persistence and degradability

**Persistence and degradability** No data available.

**Phototransformation** Not available.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

**SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT**

**Biodegradation** Not readily biodegradable.  
Method: OECD Test Guideline 301D

**METHANOL**

**Persistence and degradability** The degradability of the product is not known.

**Bioaccumulative potential**

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

**Ecological information on ingredients.****trans-1,2-DICHLOROETHYLENE**

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** log Pow: 2.06

**1,1,1,2,2,3,4,5,5,5-decafluoropentane**

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** Pow: 2.7

**METHANOL**

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** : -0.77

**Mobility in soil**

**Mobility** No data available.

**Ecological information on ingredients.****trans-1,2-DICHLOROETHYLENE**

**Mobility** The product has poor water-solubility.

**METHANOL**

**Mobility** No data available.

**Other adverse effects**

**Other adverse effects** The product contains a substance or substances that will contribute to global warming (greenhouse effect).

**Ecological information on ingredients.****METHANOL**

**Other adverse effects** None known.

**13. Disposal considerations**

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

### Waste treatment methods

**General information** Refer to manufacturer/supplier for information on recovery/recycling. Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

### 14. Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

### UN proper shipping name

**Proper shipping name (International)** Not applicable.

### Transport hazard class(es)

**Transport Labels (International)** No transport warning sign required.

### **Transport labels**

No transport warning sign required.

### **DOT transport labels**

No transport warning sign required.

### Packing group

**Packing group (International)** Not applicable.

### Environmental hazards

#### **Environmentally Hazardous Substance**

No.

### Special precautions for user

Not applicable.

**DOT TIH Zone** Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

Not listed.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

###### *METHANOL*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

###### *trans-1,2-DICHLOROETHYLENE*

Final CERCLA RQ: 1000(454) pounds (Kilograms)

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

### SARA 313 Emission Reporting

*METHANOL*

1.0 %

### CAA Accidental Release Prevention

Not listed.

### SARA (311/312) Hazard Categories

Acute

Chronic

### OSHA Highly Hazardous Chemicals

Not listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins



WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

*METHANOL*

Developmental toxin.

#### California Air Toxics "Hot Spots" (A-I)

*METHANOL*

Present.

#### California Air Toxics "Hot Spots" (A-II)

Not listed.

#### California Directors List of Hazardous Substances

*METHANOL*

Present.

*trans-1,2-DICHLOROETHYLENE*

Present.

#### Massachusetts "Right To Know" List

*METHANOL*

Present.

*trans-1,2-DICHLOROETHYLENE*

Present.

#### Rhode Island "Right To Know" List

*METHANOL*

Present.

#### Minnesota "Right To Know" List

## SWXP - SWELLEX-P POLYURETHANE SWELLING AGENT

### METHANOL

Present.

### New Jersey "Right To Know" List

### METHANOL

Present.

### Pennsylvania "Right To Know" List

### METHANOL

Present.

### *trans*-1,2-DICHLOROETHYLENE

Present.

### Inventories

#### Canada - DSL/NDSL

Some of the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed.

### 16. Other information

<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	1/18/2019
<b>Revision</b>	20
<b>Supersedes date</b>	7/19/2018
<b>SDS No.</b>	BULK - SWXP
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H360 May damage fertility or the unborn child. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.