

Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

SAFETY DATA SHEET

1. Identification

Product identifier: RTV133 12C-Crtrg (0.833LBS-0.383KG)

Other means of identification

Synonyms:

SILICONE SEALANT

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: Not known.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials LLC

260 Hudson River Road

Waterford NY 12188

Contact person

commercial.services@momentive.com

Telephone

General information

+1-800-295-2392

Emergency telephone

number

Supplier

CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol:

No symbol

Signal Word:

No signal word.

Hazard Statement:

Not applicable

Precautionary Statements Not applicable

Other hazards which do not result in GHS classification:

None.



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Substance(s) formed under the conditions of use:

Generates methanol during cure.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) QUARTZ	14808-60-7	20 - <50%	# This substance has workplace exposure limit(s).
Vinyltrimethoxysilane	2768-02-7	1 - <5%	No data available.
Titanium, Bis(ethyl acetoacetato)-diispropoxy	27858-32-8	1 - <5%	No data available.
(1) Carbon Black	1333-86-4	0.1 - <1%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel,

before washing with detergent and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: Treatment is symptomatic and supportive.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

SDS_US 2/13

⁽¹⁾ The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Treatment:

This product reacts with moisture in the acid contents of the stomach to

form methanol. Treat symptomatically

5. Fire-fighting measures

General Fire Hazards:

Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering

streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Reacts with water liberating small amounts of methanol. This material is reactive with water, but the reaction will not significantly

increase the fire severity.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

Move container from fire area if it can be done without risk. Cool fire-

endangered containers with water.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep container closed. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases methanol during application and curing. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning Wipe, scrape or soak up in an inert material and put in a container for disposal. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected.

SDS_US 3/13

Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks and open flame. Keep container tightly closed.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
(1) QUARTZ - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
(1) QUARTZ - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
(1) QUARTZ - Particulate.	STESL	14 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
	AN ESL	0.27 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
(1) QUARTZ - Respirable dust.	TWA PEL	0.05 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (10 2016)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
(1) QUARTZ	IDLH	50 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
(1) Carbon Black - Inhalable fraction.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
(1) Carbon Black	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	REL	3.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	3.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	3.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Carbon Black - Inhalable fraction.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
(1) Carbon Black	REL	3.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
(1) Carbon Black - as PAHs	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
(1) Carbon Black	PEL	3.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

			amended (02 2006)
	TWA	3.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000),
			as amended (1989)
1	TWA	3.5 mg/m3	US. Tennessee. OELs. Occupational Exposure
			Limits, Table Z1A, as amended (06 2008)
(1) Carbon Black -	AN ESL	3.5 µg/m3	US. Texas. Effects Screening Levels (Texas
Particulate.			Commission on Environmental Quality), as
			amended (11 2016)
	STESL	35 µg/m3	US. Texas. Effects Screening Levels (Texas
			Commission on Environmental Quality), as
			amended (11 2016)
(1) Carbon Black	TWA PEL	3.5 mg/m3	US. California Code of Regulations, Title 8,
			Section 5155. Airborne Contaminants, as
			amended (01 2015)
	IDLH	1,750 mg/m3	US. NIOSH. Immediately Dangerous to Life or
	<u> </u>		Health (IDLH) Values, as amended (10 2017)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when handling this product. Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Individual protection measures, such as personal protective equipment

General information:

No data available.

Eye/face protection:

Safety glasses with side shields

Skin Protection

Hand Protection:

Rubber gloves are recommended.

Other:

Wear suitable protective clothing and eye/face protection.

Respiratory Protection:

If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for nonroutine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures:

Provide adequate ventilation. Observe good industrial hygiene practices. Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state:

solid

Form: Color: Paste

Odor:

Black

SDS_US

Sweet



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Odor threshold:

No data available.

:Ha

No data available.

Melting point/freezing point:

No data available.

Initial boiling point and boiling range:

No data available.

Flash Point:

No data available.

Evaporation rate:

No data available.

Flammability (solid, gas):

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

No data available.

Flammability limit - lower (%):

No data available.

Explosive limit - upper:

No data available.

Explosive limit - lower:

No data available.

Heat of combustion:

No data available.

Vapor pressure:

Not applicable

Vapor density:

No data available.

Density:

ca. 1,230 g/cm3

Relative density:

ca. 1.23

Solubility(ies)

Solubility in water:

Insoluble

Solubility (other):

Alcohols.: 50 g/l (23 °C) DispersibleInsoluble

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

No data available.

Auto-ignition temperature:
Decomposition temperature:

No decomposition if stored and applied as directed.

SADT:

No data available.

Viscosity, dynamic:

No data available.

Viscosity, kinematic:

> 20.5 mm2/s (40 °C)

VOC:

60 g/l;

10. Stability and reactivity

Reactivity:

No dangerous reaction if used as recommended.

Chemical Stability:

Material is stable under normal conditions.

Possibility of hazardous

reactions:

Under normal conditions of storage and use, hazardous polymerization will

not occur.

Conditions to avoid:

Keep away from moisture. Keep away from heat, sparks and open flame.

Incompatible Materials:

Strong Acids, Strong Bases Contact with water.



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Hazardous Decomposition

Products:

Carbon dioxide Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. Generates methanol during cure.

11. Toxicological information

Information on likely routes of exposure

Ingestion:

No data available.

Inhalation:

No data available.

Skin Contact:

No data available.

Eye contact:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics

ingestion:

No data available.

Inhalation:

No data available.

Skin Contact:

No data available.

Eye contact:

No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

Not classified for acute toxicity based on available data.

Dermal

Product:

ATEmix: 86,176.84 mg/kg

Specified substance(s):

Vinyltrimethoxysilane

LD 50 (Rabbit): > 3,460 - 4,000 mg/kg

Inhalation

Product:

ATEmix: 418.18 mg/l

Specified substance(s):

Vinyltrimethoxysilane

LC 50 (Rat): 16.79 mg/l

Repeated dose toxicity

Product:

No data available.

Skin Corrosion/Irritation

SDS_US



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Product:

No data available.

Serious Eye Damage/Eye Irritation

Product:

No data available.

Specified substance(s):

Vinyltrimethoxysilane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): No eye

irritation

Respiratory or Skin Sensitization

Product:

No data available.

Carcinogenicity

Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified US. National Toxicology Program (NTP) Report on Carcinogens:

(1) QUARTZ

Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

No data available.

SDS_US 8/13



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Other effects: None.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

Vinyltrimethoxysilane

EC50 (Daphnia magna, 48 h): > 100 mg/l

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Aquatic Invertebrates

Product:

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Specified substance(s):

Vinyltrimethoxysilane

EC50 (Desmodesmus subspicatus (green algae), 72 h): > 100 mg/l

Persistence and Degradability

Biodegradation

Product:

No data available.

Specified substance(s):

Vinyltrimethoxysilane

(28 d, OECD-Guideline 301 F (Manometric Respirometry Test)) The product

is not readily biodegradable.

BOD/COD Ratio

Product:

No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product:

No data available.

Partition Coefficient n-octanol / water (log Kow)

Product:

No data available.

SDS_US



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

(1) QUARTZ Vinyltrimethoxysilane No data available. No data available.

Titanium, Bis(ethyl

acetoacetato)-diispropoxy

No data available.

(1) Carbon Black

No data available.

Other adverse effects:

No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

Disposal instructions:

Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging:

Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user:

This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive

materials

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

10/13 SDS_US

Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity

Threshold Planning Quantity

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Siloxanes and Silicones, di-Me hydroxy terminated

(1) QUARTZ

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl) -, reaction products with

ammonia, octamethylcyclotetrasiloxane and silica

Siloxanes and Silicones, di-Me, di-Ph, vinyl group-terminated

Vinyltrimethoxysilane

US. Massachusetts RTK - Substance List

Chemical Identity

(1) QUARTZ

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) QUARTZ

Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

US. Rhode Island RTK


No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

iveniory status.		
Australia AICS:	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing	y (positive listing)	Remarks: None.
Chemical Substances:		
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
New Zealand Inventory of	y (positive listing)	Remarks: None.
Chemicals:		
Taiwan Chemical Substance	y (positive listing)	Remarks: None.
Inventory:	C1 V35 X2004	
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date:

04/28/2020

Revision Date:

No data available.

SDS_US



Revision Date: 04/28/2020

RTV133 12C-Crtrg (0.833LBS-0.383KG)

Version #: 4.1

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 13/13