

# SAFETY DATA SHEET

# THE DOW CHEMICAL COMPANY

Product name: XIAMETER™ PMX-200 Silicone Fluid 5 cSt

Issue Date: 02/24/2022 Print Date: 02/25/2022

THE DOW CHEMICAL COMPANY encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

# 1. IDENTIFICATION

Product name: XIAMETER™ PMX-200 Silicone Fluid 5 cSt

Recommended use of the chemical and restrictions on use

Identified uses: Intermediate Solvent Process regulators, other than polymerization or vulcanization

processes Cosmetics

COMPANY IDENTIFICATION
THE DOW CHEMICAL COMPANY
2211 H.H. DOW WAY
MIDLAND MI 48674
UNITED STATES

**Customer Information Number:** 

800-258-2436

SDSQuestion@dow.com

**EMERGENCY TELEPHONE NUMBER** 

24-Hour Emergency Contact: CHEMTREC +1 800-424-9300

Local Emergency Contact: 800-424-9300

# 2. HAZARDS IDENTIFICATION

### Hazard classification

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

No data available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms:** Siloxane, dimethyl This product is a substance.

Substance name: Siloxanes and silicones, dimethyl

**CASRN**: 63148-62-9

严重政策的 医多种病 一门的 医脑沟 

1. 19 (10) (1) (1) (1)

- 1926BA (1916

一名,但我们就是我们的一个对话的。 医肾髓 医髓膜髓管 化氯苯酚 电电路

en State Tolombie (Till 1977) de la lieu galende plane de la transfer de la Maria de Propieto de la lieu de la La lace de la alemanta de la Constantina de la companio de la lace ရေရန် ရေးမှာ မေရှင် မှန်းသည်။ လို့ရာ အသည်သည် အသည် သည် မေရှင်သည်။ သည်မြောင်မြောက် မြောင်း မြောင်းမြောင်းမြောက်မ in physical actions a

and the second control of the second control 

Company of the state of the sta

our range constitution of the constitution of the constitution with the said before the control of the second of อกสานอย์ใน ของหลังผัสส

> पर एक अंदर्ग वेदनी हैं के अपने के सिर्म vojekėd HB - mi WYSSE ISLANGEDIER STRATE OFFICE

and and the second of the seco

Tablikis, or belonging a second Part Control of the C

Authorities in terment

e a cultivat est est est est est est along a préside de l'étanglier de l'étanglier de l'étanglier de l'étangli 49001.0000

្នាក់ សម្រាប់ សម្រាប់ ។ **អូច**ហើយ**ស្រែប្រជាជា**វិធី នេះ ប្រើ

Cobsession of the Charles as more of the

. १८६५ वर्षा अस्तरिक <sup>भ</sup>रकोत्रकृष्ट्रमा वर्षे

ा प्रदान्त्रकेला ठ-क राज्यतंत्रक *राज्य*ी

je bario osa od je om deno od**iš**ob<mark>ačnici se o</mark>votišo. Po<mark>ristinja</mark> i produkti

Contains no hazardous ingredients according to GHS

# 4. FIRST AID MEASURES

# Description of first aid measures

General advice:

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air and keep comfortable for breathing; consult a physician.

Skin contact: Wash off with plenty of water.

Eye contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

Ingestion: No emergency medical treatment necessary.

# Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### 5. FIREFIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media: Water spray. Alcohol-resistant foam. Carbon dioxide (CO2), Dry chemical.

Unsuitable extinguishing media: None known..

### Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon oxides. Silicon oxides.

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health.. Fire burns more vigorously than would be expected..

### Advice for firefighters

Fire Fighting Procedures: Use water spray to cool unopened containers.. Evacuate area.. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations..

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so.

and the comment of the problem of th j valgetinge it gladet for note the court (Pist of the many of the and agreement the common of the common of the companies of a common following the M and the control of th and the property of the state of the state of the second ं राष्ट्रामेर्डे वे पर प्राप्त । इस १ , १५ व स्वरूप विशेष प्रत्येष्ठमें अनेतर में विद्यानिक विद्यानिक विद्यानिक ्रा १५ क्षेत्रहास्त्रिक निवार के ताल विकास स्वतः । विकास का विकास के विवार के कि विवार के कि विवार के कि विवार and the same of the control of the state of the same o त्तर विकास के जिल्ला है। अपने कार्य के अपने के अपने के लिए हैं। इस के किस के किस के किस के किस के किस के किस क विकास से किस के किस किस किस के कि and the second for the control of th and the second ्यक्ति । स्टब्स्स्यक्रिक् १ ए. १ ए. १ वर्ष १ वर्ष १ ए. १ ए. १ वर्ष १ ए. १ ए. १ ए. १ वर्ष १ क्रिक्ट १ वर्ष १ वर् ्राच्या क्षेत्र के अने के के के किस का कार्य के किया है। जो किस के कि Therefore a restrict a confliction to distinct the first being the distinct the state of the sta the state of the contraction of oscijem galikimoristal on a local extinction will be bidenal. · [2] 《《金属美籍·翻译的《新》(《1) [2] [2] [4] [4] [5] disagness ex-ः । १ वर्षानेस्तिका भागाः अनेसी अस्ति · 1987年,1987年,1987年,1987年,1987年,1988年,1987年,198 gaige problem in come and his contraction of the Hollyn Tariff. re assentare prepare preferencia. テレース - Compute Secretary - Computer September 1995年 (2015年) Comparison of the territories াৰিক আন্তৰ্ভাৱনি ক্ৰিয়াৰ বিভাগৰ কৰে। তেওঁ বিভাগৰ বিভাগৰ প্ৰতিভাগৰ কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে বিভাগৰ বিভাগৰ graph in their act of the first section is Control of the section of the file of the section of Leave to St. Hybrid Land Co. or ាននេះ ប្រកាសន៍ សម្រេចម៉ូតាម<mark>ែល អូម៉ូកិន្ទិស្តិត្</mark> នៃមានទៅក เราะ เดอสารแบบ และเดิมที่สาย **ยายาลัก**สาย สาย<mark>สมาร์การ</mark>

. Springle of the light of the

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.. Use personal protective equipment..

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Remove all sources of ignition. Follow safe handling advice and personal protective equipment recommendations.

**Environmental precautions:** Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up: Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. See sections: 7, 8, 11, 12 and 13.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all (M)SDS and label warnings even after container is emptied.

Use only with adequate ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

**Conditions for safe storage:** Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents.

Unsuitable materials for containers: None known.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

### **Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain alrborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

The state of the s

Applies the content of the content of

and the second of the second o

The second secon

t man na nask arvas aljan still av de se kotik kistjer. Organ april skapen kilonis li klasikatikali Akkali segur sajaksi rilikatikasa

> हैं के किया प्राथम के में स्थाप के स्थित कर के लिए हैं है। उस है के किया के किया है के किया है के किया है के क स्थानिक स्थापित के स्थापित के किया है के किया है किया है कि किया है के लिए के किया है के किया है के किया है के

्रा परिवार करात्र । इस स्थापन करात्र का प्राप्त करात्र है जात्र करात्र के अपने का स्थापन करात्र करात्र है। इस इस के प्राप्त के अपने का अपने का अपने का अपने के अपने करात्र के अपने के सम्बद्धित करात्र के अपने के अपने के अप इस समाने के अपने के अप

ముందిని ఉన్నాయి. ముందు కాను ప్రస్తున్నారు. మందు ప్రధాన కుంటు ప్రధానకు ప్రధాన ప్రధాన ప్రధాన కుంటు ప్రధాన కుంటు ప్రధాన కుంటు ప్రత ముందు ప్రధాన కాను ప్రధాన కుంటు ప్ర కాను ప్రధాన కుంటు ప్రధాన కుంటు ప్రధాన కుంటు ప్రధాన కుంటు కుంటు ప్రధాన కుంటు కుంటు ప్రధాన కుంటు కుంటు ప్రధాన క

i sancence continue el la la capación de la capació

**Eye/face protection:** Use safety glasses (with side shields). **Skin protection** 

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Issue Date: 02/24/2022

Other protection: Wear clean, body-covering clothing.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, if material is heated or sprayed, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Physical state liquid Color colourless

**Odor** none

Odor Threshold

pH

No data available

Melting point/range

No data available

Modata available

No data available

Flash point closed cup >101.1 °C (214.0 °F)

Evaporation Rate (Butyl Acetate No data available

= 1)

Flammability (solid, gas) Not applicable

Flammability (liquids) Ignitable (see flash point)

Lower explosion limitNo data availableUpper explosion limitNo data availableVapor PressureNo data availableRelative Vapor Density (air = 1)No data available

Relative Density (water = 1) 0.915

Water solubility

Partition coefficient: n
No data available

No data available

octanol/water

1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、	

**Auto-ignition temperature** 

> 400 °C (> 752 °F)

**Decomposition temperature** 

No data available

**Kinematic Viscosity** 

5 cSt at 25 °C (77 °F)

**Explosive properties** 

Not explosive

**Oxidizing properties** 

The substance or mixture is not classified as oxidizing.

Issue Date: 02/24/2022

Molecular weight

No data available

Particle size

Not applicable

NOTE: The physical data presented above are typical values and should not be construed as a specification.

### 10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: Stable under normal conditions.

**Possibility of hazardous reactions:** Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, trace quantities of formaldehyde may be released. Adequate ventilation is required.

Conditions to avoid: None known.

Incompatible materials: Oxidizing agents

### Hazardous decomposition products:

Decomposition products can include and are not limited to: Formaldehyde.

### 11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

# Information on likely routes of exposure

Inhalation, Eye contact, Skin contact, Ingestion.

Acute toxicity (represents short term exposures with immediate effects - no chronic/delayed effects known unless otherwise noted)

### **Acute Toxicity Endpoints:**

Not classified based on available information.

### Acute oral toxicity

#### Information for the Product:

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

For this family of materials:

LD50, Rat, male and female, > 48,500 mg/kg

oming a contest and branches Saute of week works on the safe Page 47 (2004) Short Walter Land religional ericulto i ្តែក្រុងស្នាប់ ខេត្តក្នុងស្ថិតប៉ុន្តែ in the property of the second second state statement Selvano in calle ignori is Briefburst Additional to the on opravnjaka je premovanskog krije alika je krije i krije i krije i promovnima i krije i krije i krije i krij romania dell'indice di jurise in a separation that the terminates is Control from Contract of Later State of the finish of a control ารสาราบารคลาย เปลี่ยน เปลี่ยน เลือน ค.ศ.เพราะ เราะสาย เกลาทางเลสาราบสี่ยนสาย หรือ ประสัติเหลือนได้ ्रकार के कार्य के कार्यांक्र स्थान के किया है कि एक कार्य कार्य कार्य कार्य के किया के क्षेत्रकार के कार्य की की की The reality of the transfer of the file of the contraction ละละเรา คริโนโรยซีสเล ลงรถเราได้ลากได้ Section of the sectio and the same and the companies of the contract करे हर राम कर सेक्स रेक्स रहिता है। इस स्थान है के स्थान है कि साम है างเรียก การการเหมียน (1) ข้ามาที่ทั้ง คราวการเกมา และเพลาะ หลากเมื่องเลย and a consequence for the light for the ing the company of the control of th the trace of the property of the contractions of and the control of th i pri a le proper i la colo del prema prima i relebe alla polizione poli. at gadinales kate jakatat tibaak (10) edili าวสาร์ดอยู่ที่นั้น เป็นได้รับประเดี and and an ordalized policy of the lasts of their ्रा प्रकारिकार कर सम्बंध the about oil to be throughout ราบ รายการ เลย เป็น เดิม เดิม การทำการ เรื่อง เสมัยและโดยเสียติดตั้งและได้ เสียติดตั้งและได้

. Alauti Lv

ं स्टेस्ट्रिक्ट्रिक्ट के स्थापन स्टेस्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट अंद्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट्रिक्ट

Section of the section of the

The first the second of the se

### Acute dermal toxicity

#### Information for the Product:

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

For this family of materials:

LD50, Rabbit, > 2,000 mg/kg No deaths occurred at this concentration.

### Acute inhalation toxicity

#### Information for the Product:

At room temperature, exposure to vapor is minimal due to low volatility. Vapor from heated material or mist may cause respiratory irritation.

As product: The LC50 has not been determined.

#### Skin corrosion/irritation

Not classified based on available information.

### Information for the Product:

For this family of materials:

Brief contact is essentially nonirritating to skin.

### Serious eye damage/eye irritation

Not classified based on available information.

### Information for the Product:

For this family of materials: May cause slight temporary eye irritation. Corneal injury is unlikely. May cause mild eye discomfort.

# Sensitization

### For skin sensitization:

Not classified based on available information.

### For respiratory sensitization:

Not classified based on available information.

### Information for the Product:

For skin sensitization:

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

and the first think on the decreasing alternative that त्रक्ष, एक विश्वविद्यास्त्रीयोजी Part Control of the four To the Particular and the state of the state of the state of And had be the commenced by THE REPORT OF THE PARTY OF THE the entransación to entransacion o en objectiva de objectiva de la companya de la c The state of the s . A. Tani in the state of a state to be a significant หลุดการและการ จีลุ่ยให้สหระดำไป ne and in a supported by Lateral of the publication र वर कर है। इस सिंह की सहस्र रहते ાત હોલોના ખેતા કિલ્લોને કહેવામાં છે જ Messis of such assist But the world the said of the said was a state of the said of the **经工程的基础建设的** างการการสายสุดที่สุดที่จะสายสิทธิ์ and the state of the second section of the an ann an Lain Iair an Lain an Tallag an gaire Martin et all the halfstones of a galagida da kancar a concern entre una Presidente de Carolina

> ેલા પ્રાપ્ય પ્રાપ્ય કર્યું કર્યું છે. ત્રિકામીલા કર્યું કર્યા છે. કર્યા ત્રિકાર સમય્યાનો સ્થાપ પ્રાપ્ય છે.

# **Specific Target Organ Systemic Toxicity (Single Exposure)**

Not classified based on available information.

#### Information for the Product:

Available data are inadequate to determine single exposure specific target organ toxicity.

### **Aspiration Hazard**

Not classified based on available information.

### Information for the Product:

Based on physical properties, not likely to be an aspiration hazard.

Chronic toxicity (represents longer term exposures with repeated dose resulting in chronic/delayed effects - no immediate effects known unless otherwise noted)

# Specific Target Organ Systemic Toxicity (Repeated Exposure)

Not classified based on available information.

### Information for the Product:

For this family of materials:

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

# Carcinogenicity

Not classified based on available information.

# Information for the Product:

For this family of materials: Did not cause cancer in long-term animal studies which used routes of exposure considered relevant to industrial handling.

# **Teratogenicity**

Not classified based on available information.

### Information for the Product:

For this family of materials: Did not cause birth defects or any other fetal effects in laboratory animals.

### Reproductive toxicity

Not classified based on available information.

### Information for the Product:

For this family of materials: In animal studies, did not interfere with reproduction.

Part Control of the Thirth Control of the Control o

केर कार कर कर है। असे अपने देश के से में किस के में में किस की

the allegen articles to the second and the second and the

Long with all weigestlates sig to

Both the control of the control of the control

delote il teritorità della colore

justing State of the State of the at configuration

ដោយស្រាប់មី ១៩៨២១៩ មហើយរប់ប្រើស្រីនៅ

केन्द्राक्रिक र १ । १८ १८ १५ वर्ष वर्ष प्रकार का अस्त्रे स्वद्धारम् स्वर्धीयविद्वे विवयक्षेत्रम् ।

र्योक्षेत्रे स्वयं पूर्वतीय हिल्लाहर्यक स्वयं स्वयं १००० कार १००५ स्वयं १००० । कार्यव्यक्त स्वयं स्वयं १००५ । स्वयं स्वयं सिन्ने स्वयं सिन्ने से स्वयं से समस्यात अस्तिवेदीय स्वयं स्वयं स्वयं स्वयं स्वयं स्वयं स्वयं स्वयं

s la graphy consideration of the

orași santo de profesiore de la constitution de la

and a real or statements and appeal the Henrice took

Company of Post and accomme

经的现在分词 经国际基础部 地名

करून सहस्रकार्य के अपने का कार्य के निर्माण है। यह निर्माण स्वाप्त कार्य के अधिक के समाविक के स्वाप्त की है।

ericinage grissbidg

general and the specific entry of the first the section of the sec

. (เมษาย์) ครั้ง (หน้าสมัยเมื่อเมาการนี้)

and the firm of the property to the property of the first of the first first of the first of the

ger skaper familier i in it i markatur leder i efter blygt ske pår læt

ngapagagagagaga

- A. Land Letter to the figure of the first because the 数键。

दर्भ प्रकार के अपने स्थानिक के अपने हैं।

ं न एक्टरीन एक के अनुष्ठ के ए एक एक्टर एक विकास के हैं। इस किया के कि क्षेत्रियों दूरिस्ट्रिक्टी क

discional s

ल्डान्स्राह है के डिट प्रदेश रहे स्राह्में

का एक **ार्कि** में अधिकार एक सबसूचे मुक्तियोक्तांक देखें

and the country and the country of t

nality of the second of the case of the ca

and the second process of the second second

# Mutagenicity

Not classified based on available information.

#### Information for the Product:

For this family of materials: In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

# 12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

### **Toxicity**

No data available.

# Persistence and degradability

No data available.

# Bioaccumulative potential

No data available.

### Mobility in soil

No data available.

# 13. DISPOSAL CONSIDERATIONS

Disposal methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device. For additional information, refer to: Handling & Storage Information, MSDS Section 7 Stability & Reactivity Information, MSDS Section 10 Regulatory Information, MSDS Section 15

Treatment and disposal methods of used packaging: Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. Do not re-use containers for any purpose.

# 14. TRANSPORT INFORMATION

DOT

Issue Date: 02/24/2022

A CONTROL OF THE CONT

D. Spilling bring

二十分數學學的 经最后接款 机邻硫酸镁

and the second of the second o

Configuration (Alberta

en allegades en la companya de la c

्रिक्ष कर्म कर्म कर्म क्षेत्र कर्म क्षेत्रकार क्षेत्र कर्मा क्षेत्रकार

gildan saga kanabanda Marakan kanabanda

e bede elemberation de la cession e Proposition avail des

gradus in de la proprio de la servició de la servició de la completa de la servició de la completa de la compl La completa de la completa del completa de la completa del completa de la completa del completa del completa del completa del completa de la completa de la completa del completa de la completa del completa de la completa del completa

A control of the contr

e no como se o como so como monero de escolo emiser que mespera que la ejembra de esta en esta mesque Esta esta esta esta esta esta en en en esta en esta en esta en esta en en esta en en en esta en entre en esta e

Not regulated for transport

# Classification for SEA transport (IMO-IMDG):

Not regulated for transport

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code

Consult IMO regulations before transporting ocean bulk

# Classification for AIR transport (IATA/ICAO):

Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

# 15. REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312
No SARA Hazards

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Pennsylvania Right To Know

The following chemicals are listed because of the additional requirements of Pennsylvania law:

Components
Siloxanes and silicones, dimethyl
Dodecamethylpentasiloxane

CASRN 63148-62-9 141-63-9

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

and the second of the second o

ำไหญ่ของโลยสกับในขณะแก้เปลี่ยน และกัก อะไม่ การและ ค่องกระการสูง และ (คำผู้สุดของคุณ และสกุน) ผู้ในนักเสยของสำนักของได้สัมผลเลง พระการที่ โดยสามพาการที่ การเกิดกระทาง ผู้สุดสามาให้สุดของสที่ผู้

្នាក់ ប្រជាពលប្រជាពលរដ្ឋមានប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពល ស្ថិត្ត ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រ ស្ថិត្ត ស្ថិត្ត ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រ ស្ថិត្ត ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រ

. The first of the second of the control of the con

্রার্থিকের ক্রান্ত্রিক ক্রান্ত্রেক ক্রান্ত্রিক ক্রান্ত্রেক ক্রান্ত্রিক ক্রান্ত্রেক ক্রান্ত্রিক ক্রান্ত্রেক ক্রানেক ক্রান্ত্রেক ক্রান্ত্রেক ক্রান্ত্রেক ক্রান্ত্রেক ক্রান্ত্রে

জিলিকী কৰি কৰি জন্ম কৰিছে। ইয়াই কৰি বাবে কোনো কৰিছে কৰিছে কোনো কৰিছে কৰিছে বাবে বিষয়ে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে ক ইয়াই কিছিল কৰিছে কৰিছে কৰেছে কৰিছে কৰি

# 16. OTHER INFORMATION

# **Hazard Rating System**

**NFPA** 

	Health	Flammability	Instability
	0	1	0
ΗŅ	IIS		<u>-</u> -
	Health	Flammability	Physical Hazard
L	0/	1	0

### Revision

Identification Number: 99107123 / A001 / Issue Date: 02/24/2022 / Version: 10.0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA -Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Information Source and References

Contaction with the stable the

But the state of t রুইস্কুলেজ নার বু أجالها والمواجع الأحاجات

THE STATE OF THE CONTROL OF THE PARTY OF THE and the second street in the contract of the c ે *જીવનાનુ* ભાગો છે.

30.健康的物质与产品的19.5%。

the contract of the second of the contract of The control of the co रिक्षा है। स्वर्ध है कि विकास के जिल्ला करिया है है है है जिल्ला के लाग है। जो कर रहे के कि कि कि कि कि कि कि Bull 1994 AND THE CONTROL OF THE SECOND PROPERTY OF THE SECOND SECOND PROPERTY OF THE SECOND कि अने केहर है जो ने के प्राप्त करा जा पहिल्ला है। उन्हों के अपने कार्य के स्थान के स्थान के स्थान के स्थान के कि अने केहर है जो के कि प्राप्त करा जा कि से किस के स्थान के समान के समान के समान के समान के समान की समान की स नत्त्र के के विकास कार्य करेंद्रिया के अपने के के किसी के करिया के स्वाहत के किसी किसी किसी है। The control of the first of the control of the William Andrews the Control of the ાં તાલું કર્યા કર્યા કર્યા છે. તેના કાર્યા કરવાના કરાયા કર્યા કર્યા છે. તેના મોલા મોલા કર્યા કર્યા કર્યા કર્યા તુમાલા કર્યા છે. જે કરાય કર્યા કર્યા કર્યા કર્યા ક androka katikat, mengagi acasi at kacamitata katalih digenek ketira mengelekih takka at a તી પ્રાપ્તિક કર્યા કરવા છે. તે કે પાંચ કરવા કરવા માટે તે કરવા કરવા કરવા છે. જે તે માટે જો માટે જે જેવા છે. જે તે તે તે ક્ષેત્ર જેવા કે કે કે કું કું જે તે કે કે જે જે જે જે જે કે કું કું કું કે જે કું કું કું કું કું કું t - North Highery Structures, we have a superior from the North Walter Structure (Structure) ्र प्राप्तक स्थान । इतिहासिक प्राप्त के के अपने प्राप्त के अपने के स्थान के किस के किस के किस के अपने के अपने and the state of t entrological personal and the first of the control ang ni kalangsasan ang at manggapili na at talah dan pagati da kan kan pagatan ban ban ban ban ban ban balan b

tang jawan

o pro o tio leger mango. A communicative comme princeteries extregely accessed where the book of the cliff

रे के जिल्ला के समान के का कार्य के कार कर कर है। यह के किया क किया कि के समान के समान की जिल्ला के किया के किया किया के किया and the Bandales, in the control of the first of the probability on the state of the control of the า ที่สุด สุดการคุณภัย และ และ การครา สุดการที่ ใช้ที่สิดเหมือนที่สูงคุณที่ผู้สุดให้สุดทุพมหาก

राज्यस्था कार्रेस्ट्रार्के अस्तर रेज्येस्ट्रास्ट्रीड साथे रोजांत करी है

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

THE DOW CHEMICAL COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

Page 11 of 11

Issue Date: 02/24/2022