

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

SECTION 1. IDENTIFICATION**1.1 Product identifier**

Trade name : PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Identification of the article : 2035746

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Waterbased paint**1.3 Details of the supplier of the safety data sheet****Supplier**

Company	: Dysol Inc. Socomore 5475 E State Hwy 114 US - 76078 Rhome
Telephone	: +118173351826
Telefax	:
E-mail address of person responsible for the SDS	: techsupport-na@socomore.com
Website	: www.socomore.com/store.socomore.com

Manufacturer

Company	: MÄDER AERO Rue Jean Baptiste Réveillon 2 FR – 61300 L'AIGLE
Telephone	: +33320127950
E-mail address of person responsible for the SDS	: products-safety.mader-france@mader-group.com

1.4 Emergency telephone numberEmergency telephone
number : CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Eye irritation : Category 2A

Skin sensitisation : Category 1

Carcinogenicity : Category 2

GHS label elements

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H351 Suspected of causing cancer.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

:

Waterbased paint

Components

Chemical name	CAS-No.	Concentration (% w/w)
2,2-bis[4-(oxiran-2-	1675-54-3	>= 5 - < 10

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

ylmethoxy)phenyl]propane		
silicate hydrated aluminium	1332-58-7	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5
2-Propoxyethanol	2807-30-9	>= 1 - < 5
bisphenol-F-epoxy resin	9003-36-5	>= 1 - < 5
Zinc oxide	1314-13-2	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| General advice | : | Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : | If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : | If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of causing cancer. |
| Notes to physician | : | No information available. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | None |
| Further information | : | Collect contaminated fire extinguishing water separately. This |

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
No conditions to be specially mentioned.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect against freezing.

Further information on storage stability : No decomposition if stored and applied as directed.

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silicate hydrated aluminium	1332-58-7	TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA (respirable dust fraction)	5 mg/m ³	OSHA P0
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA	10 mg/m ³ (Titanium dioxide)	ACGIH
		TWA (Total dust)	10 mg/m ³	OSHA P0
Zinc oxide	1314-13-2	TWA (Fumes)	5 mg/m ³	OSHA Z-1
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		STEL (Respirable particulate matter)	10 mg/m ³	ACGIH
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA (respirable dust fraction)	5 mg/m ³	OSHA P0
		TWA (Fumes)	5 mg/m ³	OSHA P0
		STEL	10 mg/m ³	OSHA P0

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version 1.6 Revision Date: 02/23/2021 SDS Number: 102000076239 Date of last issue: 01/15/2021
 Date of first issue: 06/04/2019

		(Fumes)		
		TWA (Dust)	5 mg/m3	NIOSH REL
		TWA (Fumes)	5 mg/m3	NIOSH REL
		ST (Fumes)	10 mg/m3	NIOSH REL
		C (Dust)	15 mg/m3	NIOSH REL

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
 Tightly fitting safety goggles
 Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
 When using do not smoke.
 Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : beige

Odour : odourless

pH : ca. 7

Melting point/range : Not applicable

Boiling point/boiling range : > 97 °F / > 36 °C

Flash point : > 201 °F / > 94 °C

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 1,000 hPa (122 °F / 50 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.18 g/cm ³ (73 °F / 23 °C)
Solubility(ies)	:	
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Not applicable
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.6 mm ² /s (104 °F / 40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use. No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**2-Propoxyethanol:**

Acute oral toxicity : LD50 (Rat): 4,450 mg/kg
LD50 (Mouse): 2,400 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2000 ppm
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): 870 mg/kg

Zinc oxide:

Acute oral toxicity : LD50 (Rat): > 15,000 mg/kg
LD50 Oral (Mouse): 7,950 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:**2-Propoxyethanol:**

Species : Rabbit
Exposure time : 24 h
Result : Mild skin irritation

Species : Guinea pig
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

Components:**2-Propoxyethanol:**

Species	:	Rabbit
Result	:	Irritating to eyes.

Species	:	Rabbit
Result	:	Eye irritation
Exposure time	:	24 h

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks	:	Causes sensitisation.
---------	---	-----------------------

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

IARC	Group 2B: Possibly carcinogenic to humans	
	Titanium dioxide	13463-67-7

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	Known to be human carcinogen	
	silicate hydrated aluminium	1332-58-7

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks	:	No data available
---------	---	-------------------

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (,)
Class	: 9

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

Packing group : III
 Labels : 9

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (trizinc bis(orthophosphate), zinc oxide)

Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (trizinc bis(orthophosphate), zinc oxide)

Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (trizinc bis(orthophosphate), zinc oxide)

Class : 9
 Packing group : III
 Labels : CLASS 9
 ERG Code : 171
 Marine pollutant : yes(trizinc bis(orthophosphate), zinc oxide)
 Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Isobenzofuran-1,3-dione	85-44-9	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitisation
 Carcinogenicity
 Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc phosphate	7779-90-0	>= 5 - < 10 %
2-Propoxyethanol	2807-30-9	>= 1 - < 5 %
Zinc oxide	1314-13-2	>= 1 - < 5 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

2-Propoxyethanol	2807-30-9	>= 1 - < 5 %
------------------	-----------	--------------

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

2-Propoxyethanol	2807-30-9	>= 1 - < 5 %
------------------	-----------	--------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Zinc phosphate	7779-90-0	>= 5 - < 10 %
Zinc oxide	1314-13-2	>= 1 - < 5 %

This product does not contain any priority pollutants related to the U.S. Clean Water Act

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

US State Regulations**Massachusetts Right To Know**

silicate hydrated aluminium	1332-58-7
Titanium dioxide	13463-67-7
Zinc oxide	1314-13-2

Pennsylvania Right To Know

water	7732-18-5
Epoxy resin, non hazardous	Not Assigned
2,2-bis[4-(oxiran-2-ylmethoxy)phenyl]propane	1675-54-3
Zinc phosphate	7779-90-0
resin, non hazardous	Not Assigned
silicate hydrated aluminium	1332-58-7
Titanium dioxide	13463-67-7
2-Propoxyethanol	2807-30-9
Zinc oxide	1314-13-2
Isobenzofuran-1,3-dione	85-44-9
Molybdenum trioxide	1313-27-5

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Isobenzofuran-1,3-dione	85-44-9
Molybdenum trioxide	1313-27-5

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including silicate hydrated aluminium, Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Zinc phosphate	7779-90-0
Zinc oxide	1314-13-2

California Permissible Exposure Limits for Chemical Contaminants

silicate hydrated aluminium	1332-58-7
Titanium dioxide	13463-67-7
Zinc oxide	1314-13-2

California Regulated Carcinogens

silicate hydrated aluminium	1332-58-7
-----------------------------	-----------

The components of this product are reported in the following inventories:

TSCA : Listed on TSCA

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Epoxy resin, non hazardous

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

resin, non hazardous

polysiloxane, non hazardous

Acryl copolymer, non hazardous


COV pour calcul COV ECOLABEL (sans code CAS)

Titanium dioxide (anatase)

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded

PCEH 100 V2 BEIGE 1907 SAT P.A./0.400 KG

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
1.6	02/23/2021	102000076239	Date of first issue: 06/04/2019

	at any time during a workday
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / STEL	: Short-term exposure limit
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/23/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN