# Safety Data Sheet



**Revision Number: 002.3** Issue date: 05/26/2021

# PRODUCT AND COMPANY IDENTIFICATION

Product name: **BONDERITE M-NT 600SW** IDH number: Product type/use: Product for the conversion treatment of Item number:

metals

Restriction of Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

1920947 1920947

Region: **United States** 

**Contact information:** Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

### 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW	
WARNING:	CONTAINS FLUORIDES. MAY CAUSE DELAYED BURNS (NOT	
	IMMEDIATELY PAINFUL OR VISIBLE)! LONG TERM EXPOSURE TO	
	FLUORIDES OVER YEARS MAY CAUSE FLUOROSIS!	
	CAUSES SKIN IRRITATION.	
	CAUSES SERIOUS EYE IRRITATION.	

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A

#### PICTOGRAM(S)



#### **Precautionary Statements**

Prevention: Wash affected area thoroughly after handling. Wear protective gloves, eye protection, and face

protection.

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation

occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off

contaminated clothing.

Not prescribed

Storage: Disposal: Not prescribed

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Ammonium nitrate	6484-52-2	1 - 5
Surfactant	Proprietary	1 - 5
Nitric acid	7697-37-2	0.1 - 1
Hexafluorozirconic acid	12021-95-3	0.1 - 1

IDH number: 1920947 Product name: BONDERITE M-NT 600SW \* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove the affected person to fresh air. If symptoms

develop and persist, get medical attention.

Skin contact: Remove contaminated clothing and footwear. Rinse with large amounts of

running water. For large burns (greater than 25 square inches), continually massage 2.5% calcium gluconate gel into the burn area until the pain is

relieved. Get medical attention.

Eye contact: Immediately flush affected eye with large amounts of gently flowing water or

0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during

transportation to a doctor.

Ingestion: Get immediate medical attention. Do not induce vomiting. Attempt immediate

administration of a fluoride binding substance: milk, chewable calcium carbonate tablets or 4-8 ounces (120-240 ml) of milk of magnesia or a liquid antacid. Avoid large amounts of liquid as it may induce vomiting. Never give

anything by mouth to an unconscious person.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

### 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Avoid breathing vapors or mists of this product. For industrial use only. Do not

take internally.

**Storage:** For safe storage, store at or below 40 °C (104°F)

Keep the container tightly closed and in a cool, well-ventilated place. Thaw

and mix thoroughly if frozen.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Ammonium nitrate	None	None	None	None
Surfactant	None	None	None	None
Nitric acid	2 ppm TWA 4 ppm STEL	2 ppm (5 mg/m3) PEL	None	None
Hexafluorozirconic acid	5 mg/m3 TWA (as Zr) 5 mg/m3 P 10 mg/m3 STEL (as Zr) 2.5 mg/m3 P Zr) 2.5 mg/m3 TWA (as 2.5 mg/m F) Dus		None	None

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Wear impervious gloves for prolonged contact. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Pale yellow Odor: Acidic Odor threshold: Not available. :Ha < 20

Vapor pressure: Not applicable

> 100 °C (> 212°F)calculated Boiling point/range:

Melting point/ range: Not determined Specific gravity: 1.015 - 1.035 Vapor density: Not determined Flash point: > 100 °C (> 212°F) Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available. Autoignition temperature: Not applicable Flammability: Not applicable Not determined Evaporation rate: Solubility in water: Complete Partition coefficient (n-octanol/water): Not determined **VOC** content: < 0.01 % Not available. Viscosity: **Decomposition temperature:** Not available.

# STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing.

Hazardous decomposition products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials: This product may react with strong acids or oxidizing agents.

Reactivity: Not available.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

IDH number: 1920947 Product name: BONDERITE M-NT 600SW

# 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

**Potential Health Effects/Symptoms** 

**Inhalation:** May cause respiratory tract irritation.

Skin contact: This product is irritating to the skin. Liquid or vapor can cause fluoride-type irritation or burns

which may not be immediately painful or visible.

**Eye contact:** Causes serious eye irritation.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Ammonium nitrate	Oral LD50 (Rat) = 2,217 mg/kg Oral LD50 (Rat) = 4,500 mg/kg Oral LD50 (Rat) = 2,800 mg/kg Inhalation LC50 (Rat, 4 h) = > 88.8 mg/l	Irritant, Kidney	
Surfactant	None	Irritant	
Nitric acid	Inhalation LC50 (Rat, 4 h) = > 80 mg/m3	Irritant, Corrosive, Lung, Teeth	
Hexafluorozirconic acid	None	No Records	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Ammonium nitrate	No	Group 2A	No
Surfactant	No	No	No
Nitric acid	No	Group 1	No
Hexafluorozirconic acid	No	No	No

### 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Do not empty into drains / surface water / ground water.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:**Dispose of according to Federal, State and local governmental regulations.

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:Not regulatedHazard class or division:NoneIdentification number:NonePacking group:None

#### International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

### Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

IDH number: 1920947 Product name: BONDERITE M-NT 600SW

### 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:

None above reporting de minimis.

CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: Immediate Health

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Ammonium nitrate (CAS# 6484-52-2).

**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: This Safety Data Sheet contains changes from the previous version in Section(s): 4, 11

Prepared by: Product Safety and Regulatory Affairs

Issue date: 05/26/2021

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 1920947 Product name: BONDERITE M-NT 600SW