

## Revision Number: 004.0

PRODUCT AND COMPANY IDENTIFICATION 1.

Product name:

Product type/use: **Restriction of Use:** Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

AQUENCE AV 452A known as DORUS IDH number: PL 452A Water based adhesive None identified

1218380

Region: **United States Contact information:** Telephone: +1 (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

#### **HAZARDS IDENTIFICATION** 2.

## **EMERGENCY OVERVIEW** NOT CLASSIFIED. READ ENTIRE SAFETY DATA SHEET.

HAZARD CATEGORY

None

PICTOGRAM(S) None

**Precautionary Statements** 

None

Prevention: Response: Storage: Disposal:

Not prescribed Not prescribed Not prescribed Not prescribed

HAZARD CLASS

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### **COMPOSITION / INFORMATION ON INGREDIENTS** 3.

Hazardous Component(s)	CAS Number	Percentage*
None	None	None

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. **FIRST AID MEASURES** Inhalation: Move to fresh air. If not breathing, give artificial respiration. Get immediate medical attention. Skin contact: Immediately wash skin thoroughly with soap and water. Remove contaminated clothing and footwear. Get immediate medical attention. Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.

Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Symptoms:	See Section 11.
5. F	FIRE FIGHTING MEASURES
Extinguishing media:	Use extinguishing measures appropriate to local circumstances and the surrounding environment.
Special firefighting procedures:	Keep unnecessary personnel away. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).
Unusual fire or explosion hazards:	This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a slight fire hazard.
Hazardous combustion products:	Oxides of carbon.
6. ACCI	DENTAL RELEASE MEASURES
personal protection recommended in Secti otected personnel.	ion 8, isolate the hazard area and deny entry to unnecessary and
Environmental precautions:	Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system.

**Clean-up methods:** 

Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Dispose of contaminated material as waste according to Section 13.

#### HANDLING AND STORAGE 7.

Handling:

Storage:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

For safe storage, store between 4.5 °C (40.1 °F) and 37 °C (98.6 °F) Below temperature limit the product will be irreversibly damaged and no longer usable. Above temperature limit the product properties change.

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION** 8.

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None
Engineering controls:	Work should be done in an adequately ventilated area (i.e., ventilation sufficient to maintain concentrations below one half of the PEL and other relevant standards). Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.			
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).			
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection shou be used if the potential for splashing or spraying of product exists.			
Skin protection:		permeable gloves and pl . Wear suitable protectiv		essary to prevent skin

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: IDH number: 1218380

Liquid White Acrylic Not available. 3 - 3.5 17.5 mm hg (20 °C (68°F)) > 100 °C (> 212°F) Product name: AQUENCE AV 452A known as DORUS PL 452A

Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate:	0 °C (32°F) (Freezing point) 1.06 Heavier than air. > 100 °C (> 212°F) Not available. Not available. Not determined Not applicable Same as water.
Evaporation rate: Solubility in water:	
Partition coefficient (n-octanol/water): VOC content: Viscosity: Decomposition temperature:	0.84 g/l (minus exempt solvents and water). 500 - 2,000 cp Not available.

# **10. STABILITY AND REACTIVITY**

Stability:	Stable under normal conditions of storage and use.	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products:	Oxides of carbon.	
Incompatible materials:	Strong acids and strong bases.	
Reactivity:	Not available.	
Conditions to avoid:	Do not freeze.	

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

## Potential Health Effects/Symptoms

Inhalation:	Inhalation of vapors or mists of the product may be irritating to the respiratory system.
Skin contact:	May cause skin irritation.
Eye contact:	May cause irritation.
Ingestion:	Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

Hazardous Component(s)	LD50s and LC50	LD50s and LC50s Immedia		ate and Delayed Health Effects	
None	None	None		None	
Hazardous Component(s)	NTP Carcinogen	IARC Card	cinogen	OSHA Carcinogen (Specifically Regulated)	
None	None	Non	e	None	

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

# **13. DISPOSAL CONSIDERATIONS**

## Information provided is for unused product only.

Recommended method of disposal:

Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

#### **TRANSPORT INFORMATION** 14.

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

## U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

### International Air Transportation (ICAO/IATA)

Proper shipping name: Hazard class or division: Identification number: Packing group:

Not regulated None None None

## Water Transportation (IMO/IMDG)

Proper shipping name: Hazard class or division: Identification number: Packing group:

Not regulated None None None

#### 15. **REGULATORY INFORMATION**

### **United States Regulatory Information**

TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. This product contains one or more components with a Polymer Exemption in accordance with 40 CFR 723.250.
TSCA 12 (b) Export Notification:	None above reporting de minimis
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. None None above reporting de minimis.
California Proposition 65:	This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. This product contains a chemical known in the State of California to cause cancer.
Canada Regulatory Information	

**CEPA DSL/NDSL Status:** 

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

# **16. OTHER INFORMATION**

## This safety data sheet contains changes from the previous version in sections: 15

Prepared by:	Product Safety and Regulatory Affairs
Issue date:	04/07/2021

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.