

SAFETY DATA SHEET

1. Identification

Product identifier Sta-Plex™ Extreme Pressure Premium Red Grease - (can) - 14 oz

Other means of identification

Product Code No. SL3191 (Item# 1007892)

Recommended use Lubricating grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

Telephone

Website

 General Information
 215-674-4300

 Technical Assistance
 800-521-3168

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC)

www.crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Use only outdoors or in a well-ventilated area. Open doors and windows or use other means to

ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear

eye protection/face protection. Wear protective gloves.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 70
antimony diamyldithiocarbamate		15890-25-2	1 - 10
lithium hydroxide		1310-66-3	1 - 10
residual oils (petroleum),		64742-01-4	1 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Eye contact

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

If inhaled, remove to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Do not induce vomiting without advice from poison control center. Rinse mouth. Never give Ingestion

anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if

symptoms occur.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. In the event of injection in underlying tissue, immediate treatment should include extensive incision, debridement and saline irrigation.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Not established.

Specific hazards arising from the chemical

Addition of water or foam to the fire may cause frothing. Molten material can form flaming droplets if ignited. Use of water on product above 100 °C (212 °F) can cause product to expand with

explosive force. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk, Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

If this product is stored or applied in high-pressure systems such as grease guns or hydraulic lines, there is the potential for accidental injection into the skin and underlying tissues. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	PEL	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
residual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	
lithium hydroxide (CAS 1310-66-3)	Ceiling	1 mg/m3	
ogical limit values	No biological exposure limits noted for the ingredient(s).		
osure guidelines	Occupational Exposure Limits are not	relevant to the current physic	al form of the product.
Good general ventilation should be used. Ventilation rates should be matched to applicable, use process enclosures, local exhaust ventilation, or other engineerin maintain airborne levels below recommended exposure limits. If exposure limits is established, maintain airborne levels to an acceptable level. Provide eyewash states			ner engineering controls to posure limits have not beer

shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Latex gloves. Rubber gloves.

Other Wear appropriate chemical resistant clothing

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

> NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material General hygiene

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

considerations

Solid. Physical state Grease. **Form** Color Red.

Mild petroleum. Odor **Odor threshold** Not available. Not available. Ha Melting point/freezing point Not available.

Initial boiling point and boiling

range

680 °F (360 °C) estimated

Flash point 302.0 °F (150.0 °C) Open Cup

Evaporation rate Slow.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

< 0.01 mm Hg Vapor pressure Vapor density > 10 (air = 1)

0.93 Relative density

Solubility(ies)

Negligible. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature 500 °F (260 °C) estimated

Decomposition temperature Not available. Not available. **Viscosity** Percent volatile Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents. Hazardous decomposition products

Carbon oxides. Smoke. Fumes. Sulfur oxides. Phosphorus compounds. Nitrogen compounds.

Zinc.

11. Toxicological information

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

antimony diamyldithiocarbamate (CAS 15890-25-2)

Acute Dermal

LD50 Rabbit

> 16000 mg/kg

Oral

LD50 Rat

> 16400 mg/kg

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

<u>Acute</u>

Dermal

LD50 Rabbit

> 2000 mg/kg

Oral

LD50 Rat

> 5000 mg/kg

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

Acute

Dermal

LD50 Rabbit

> 2000 mg/kg

Inhalation

LC50 Rat

2.18 mg/l, 4 hours

Oral

LD50

> 5000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Causes skin irritation.

Rat

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Material name: Sta-Plex™ Extreme Pressure Premium Red Grease - (can) - 14 oz No. SL3191 (Item# 1007892) Version #: 01 Issue date: 11-29-2021

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

antimony diamyldithiocarbamate (CAS 15890-25-2)

Aquatic *Chronic*

Crustacea NOEC

Water flea (Daphnia magna) 0.02 mg/l, 21 days

No data is available on the degradability of any ingredients in the mixture.

Persistence and degradability

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

Not regulated.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

antimony diamyldithiocarbamate (CAS 15890-25-2)

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

antimony diamyldithiocarbamate (CAS 15890-25-2)

Material name: Sta-Plex™ Extreme Pressure Premium Red Grease - (can) - 14 oz

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

Food and Drug Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Skin corrosion or irritation Serious eye damage or eye irritation categories

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Classified hazard

Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
antimony diamyldithiocarbamate	15890-25-2	1 - 10	

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

antimony diamyldithiocarbamate (CAS 15890-25-2)

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

US. New Jersey Worker and Community Right-to-Know Act

antimony diamyldithiocarbamate (CAS 15890-25-2)

lithium hydroxide (CAS 1310-66-3)

US. Massachusetts RTK - Substance List

US. Pennsylvania Worker and Community Right-to-Know Law

antimony diamyldithiocarbamate (CAS 15890-25-2)

US. Rhode Island RTK

antimony diamyldithiocarbamate (CAS 15890-25-2)

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR

Not determined

51.100(s))

Consumer products (40 CFR 59, Subpt. C) Not regulated

State

Not regulated Consumer products

VOC content (CA) 0 % 0 % VOC content (OTC)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or region Inventory name On inventory (yes/no)*

Japan Inventory of Existing and New Chemical Substances (ENCS) No
Korea Existing Chemicals List (ECL) Yes

New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue date 11-29-2021
Prepared by Allison Yoon

Version # 01

List of abbreviations AICIS: Australian Inventory of Industrial Chemicals.

DisclaimerThe information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is

accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

Revision information This document has undergone significant changes and should be reviewed in its entirety.

8/8

SDS US

Yes