



Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

1 Identification

- · Product identifier
- · Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)
- · Relevant identified uses of the substance or mixture. Industrial Use Only.
- · Application of the substance / the mixture Epoxy resin adhesive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744

(310) 830-9904

- · Information department: Global Regulatory Department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

(Contd. of page 1)

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

1 Fire = 1

PHYSICAL HAZARD $\boxed{0}$ Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

· Hazardous components:			
28064-14-4	epoxy novolac	50-100%	
25068-38-6	Bisphenol A Epoxy Resin	5-20%	
68460-21-9	trimethylol ethane triglycidyl ether polymer	5-20%	

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid contact with skin and eyes.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Keep away from open flames and high temperatures.
- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

9 Physical and chemical properties				
· Information on basic physical and c · General Information · Appearance:	hemical properties			
Form:	Liquid			
Color:	Clear			
· Odor:	Characteristic			
· Odor threshold:	Not Available.			
· pH-value:	Not Available			
· Change in condition Melting point: Boiling point:	Undetermined. Not Available			
· Flash point:	191 °C (375.8 °F)			
· Flammability (solid, gaseous):	Not Applicable.			
· Decomposition temperature:	Not Available.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Flammable limits: Lower: Upper:	Not Available Not Available			
· Vapor pressure:	Not Available			
· Specific gravity at 20 °C (68 °F): · Relative density	1.19 g/cm³ (9.93055 lbs/gal) Not Available.			

(Contd. on page 5)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

		(Contd. of page 4
· Vapor density	Not Available.	
· Evaporation rate	Not Available.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/w	ater): Not Available	
· Viscosity:		
Dynamic:	Not Available	
Kinematic:	Not Available	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (Per EPA 24)	5.04 GMS/L	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity Not reactive as supplied
- · Chemical stability Stable under recommended storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Aldehydes

Acids

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

28064-14-4 epoxy novolac

Oral LD50 >4,000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Comply with current regulations.
- · Uncleaned packagings:
- · Recommendation: Comply with current regulations.

14 Transport information

 UN-N 	umber
--------------------------	-------

· DOT not regulated · IMDG, IATA UN3082

· UN proper shipping name

 \cdot **DOT** not regulated

· IMDG
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (Bisphenol A Epoxy Resin), MARINE POLLUTANT
 · IATA
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Bisphenol A Epoxy Resin)

- · Transport hazard class(es)
- $\cdot DOT$

· Class not regulated

· IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles

(Contd. on page 7)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

	(Contd. of pag
· Label	9
Packing group	
DOT	not regulated
· IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
EMS Number:	F-A,S-F
Transport in bulk according to Annex II of	•
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product packaging conforms to 49 CFR 173.4 - Requirements for "Small Quantity Exceptions"
UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Bisphenol A Epoxy Resin), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 8)

Printing Date 06/01/2021 Revision Number 8 Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Extra Fast Setting Red Pkg. Part A (04001)

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Global Regulatory Department.
- Creation Date: 06/01/2021
- · Contact:
- · Date of preparation / last revision 06/01/2021 / 7
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

 $STOT\,SE\,3\colon Specific\,\,target\,\,organ\,\,toxicity\,\,(single\,\,exposure)-Category\,\,3$

USA