



FM-BVX250

99.97% Effective HEPA/Gas Filter for BVX-250 Fume Extraction Systems

FM-BVX250 HEPA/Gas Filter Data Sheet



SPECIFICATIONS

Outside Diameter	156 mm
Inside Diameter	102.5 mm
Height	165 ± 0.5 mm
Filterable Particles	0.3μm2.5μm

PART NAME	MATERIAL	TECHNICAL DATA
НЕРА	PET+PP	Pleat Height: 18 ± 0.5 mm Pressure Drop: 28 ± 2 Pa Effectiveness: 99.97%
Hot Melt Adhesive	EVA	Color: White
Primary Effect Filter	PET	Density: 40 g/cm ³
Bottom Cover	ABS	Diameter: 156 mm
Photocatalyst + Activated Carbon Sponge	Filter sponge + Photocatalyst + Activated Carbon	Density: 35 PPI
Sealed Sponge	PU	Color: Gray Thickness: 2 ± 0.5 mm

STORAGE REQUIREMENTS

Avoid contact with dust and pollutants. Keep sealed in a dry location, -10°C - 60°C ($50^{\circ}F^{-140^{\circ}F}$).

BVX-250 FILTER PART NUMBERS

FM-BVX250	Main Filter, HEPA 99.97% / Carbon
FP-BVX250	Pre-Filter (Pack of 5)
FG-BVX250	Main Filter, Deep Bed Gas Filter (Carbon)
FN-BVX	Replacement Nozzle Filter for BVX-NOZR and BVX-NOZC Nozzles (Pack of 5)

For Sales and Support:

Metcal Corporate Headquarters 10800 Valley View Street, Cypress, California, 90630, USA

Tel: 1-714-799-9910 Fax: 1-714-828-2001

E-mail: eorders@okinternational.com

Visit our website for more information and to contact the Metcal office nearest you.

