

# BLUESIL™ ESA 7203 A

<b>Description</b>	<b>Bluesil™ ESA 7203 A</b> is a low viscosity gel that can be used as a “flush fluid” for Bluesil™ RT Foam 3250 A.	
<b>Examples of applications</b>	<ul style="list-style-type: none"> <li>• Mixing tanks</li> <li>• Recirculation lines</li> <li>• Dispense heads</li> </ul>	
<b>Key benefits</b>	<ul style="list-style-type: none"> <li>• Easy cleanup</li> <li>• No cross-contamination</li> </ul>	
<b>Typical properties</b>	<b>Typical Properties <sup>(1)</sup> – non-cured product</b> <ul style="list-style-type: none"> <li>• Appearance</li> <li>• Color</li> <li>• Density, approx. (g/cm<sup>3</sup>) at 23°C</li> </ul> <b>Property</b> <ul style="list-style-type: none"> <li>• Viscosity, approx. (mPa.s) at 23°C</li> </ul>	<b>Value</b> Low viscosity liquid Transparent to light straw 0.97  80
<b>Instruction of use</b>	<p><b>NOTE:</b> Contact with certain materials can inhibit the crosslinking. See list below for some common materials:</p> <ul style="list-style-type: none"> <li>• Natural rubbers vulcanized with sulphur,</li> <li>• RTV 2 silicone elastomers catalyzed with metal salts, e.g. tin-compounds,</li> <li>• PVC stabilized with tin salts and additives,</li> <li>• Epoxy resins catalyzed with amines,</li> <li>• Certain organic solvents, e.g. ketones, alcohols, ether etc.</li> </ul> <p>It is recommended to test the substrate by applying a small quantity of the mixed silicone on a limited area of potentially suspicious material.</p>	
<b>Regulation</b>	Please consult your local ELKEM SILICONES sales office.	
<b>Limitations</b>	Please consult your local ELKEM SILICONES sales office.	
<b>Packaging</b>	Available in multiple packages. Please check with your Elkem Silicones representative.	
<b>Storage and shelf life</b>	When stored in its original packaging: <b>BLUESIL™ ESA 7203</b> may be stored at temperatures between -5°C / 23°F and 40°C / 104°F for up to <b>12 months</b> from its date of manufacturing.  Comply with the storage instructions and expiration date marked on the packaging. Beyond this date, Elkem Silicones no longer guarantees that the product meets the sales specifications.	
<b>Safety</b>	Please read the container labels or consult the Safety Data Sheet (SDS) before handling for safe use, physical and health hazard information. The SDS is not included with the product packaging, it can be obtained by contacting Elkem Silicones at 866-474-6342 or consult your Elkem Silicones representative.	

Visit our website [www.elkem.com/silicones/](http://www.elkem.com/silicones/)

#### Warning to the users

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding, particularly as regards infringement of or prejudice to third party rights through the use of our products. ELKEM SILICONES guarantees that its products comply with its sales specifications. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for given use. Determination of the suitability of product for the uses and applications contemplated by users and others shall be the sole responsibility of users. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of this document and ELKEM SILICONES is at their disposal to supply any additional information.