

ALL-SPEC



Description	Part No.
Wrist Band (without coil cord)	AS-WRISTSTRAP-FAB-BLU
Wrist Band w/ 12 ft. Coil Cord	AS-GROUNDKIT-BLU-12FT
Wrist Band w/ 6 ft. Coil Cord	AS-GROUNDKIT-BLU-6FT

Elastic Adjustable Blue Wrist Strap with Snap and Coil Cord

ALL-SPEC adjustable elastic bands have a non-slip latch and a stretch-woven design that eliminates rolling. The buckle is backed by a stainless-steel contact plate. Conductive fibers are woven continuously through the interior surface of the band. The outer layer is non-conductive. Standard 4mm snap with 1-megohm resistor in the tinsel-wire coil cord. Meets standards: ANSI/ESD S20.20, EIA 625, MIL-STD-1686, and MIL-HDBK-263.

General Specifications

Brand	All-Spec
<u>Adjustable Wrist Band</u>	
Surface Inside:	80 threads Acrylonitril-Copper Sulfide dye composition fiber for inner conductive material
Surface Outside:	"Light blue" color polyester fiber
Band Resistance:	100 - 120 ohms/inch
Plastic Plate:	Polycarbonate
Latch:	Polycarbonate
Metal Base:	#304 stainless steel
Snap:	1/8" male stud #304 stainless steel
Color:	Blue

Coil Cord (6ft & 12ft)

Jacket Insulation:	90 shore A polyurethane
Conductor:	7 strands mini-double tinsel wire
Cable Diameter:	0.09 inches
Coil Diameter:	0.4 ± 0.02 inches
Electrical Properties:	Current - minimum current carrying capacity 25mA resistance - end-to-end resistance < 50 ohms, excluding resistor.
Resistor:	1 megohm, 1/4 watt
Connector:	4mm (1/8") snap on one end and standard banana plug on the other end