

Revision Number: 004.2 Issue date: 09/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE C-AK ALUM ETCH 3 IDH number: 628186

AERO ALKALINE CLEANER known as

TURCO ALUMINETCH 3

Product type: Etch Cleaners

Restriction of Use: None identified Region: United States
Company address: Contact information:

Henkel Corporation Telephone: +1 (860) 571-5100

One Henkel Way MEDICAL EMERGÉNCY Phone: Poison Control Center

Rocky Hill, Connecticut 06067

1-877-671-4608 (toll free) or 1-303-592-1711
TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

| | EMERGENCY OVERVIEW | |
|---------|------------------------------------------|--|
| DANGER: | MAY BE CORROSIVE TO METALS. | |
| | CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. | |

| HAZARD CLASS | HAZARD CATEGORY |
|---------------------|-----------------|
| CORROSIVE TO METALS | 1 |
| SKIN CORROSION | 1B |
| SERIOUS EYE DAMAGE | 1 |

PICTOGRAM(S)



Precautionary Statements

Prevention: Keep only in original container. Do not breathe dust or fumes. Wash thoroughly after handling.

Wear protective gloves, eye protection, and face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material

damage.

Storage: Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|--------------------------|------------|-------------|
| Sodium carbonate | 497-19-8 | 60 - 100 |
| Sodium hydroxide | 1310-73-2 | 10 - 30 |
| Natriumaluminat (NaAlO2) | 1302-42-7 | 5 - 10 |
| Trisodium orthophosphate | 7601-54-9 | 1 - 5 |

^{*} Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: If symptoms are experienced, remove source of contamination or move victim

to fresh air. If not breathing, give artificial respiration. Get medical attention.

Skin contact: In case of contact, immediately remove contaminated clothing and flush skin

with copious amounts of water. If irritation persists, repeat flushing and get medical attention. Discard any shoes or clothing items that cannot be

decontaminated.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting. Give one to two

glasses of water or milk. Never give anything by mouth to a victim who is

unconscious or is having convulsions.

Symptoms: See Section 11.

Notes to physician: If the product is ingested, probable mucosal damage may contraindicate the

use of gastric lavage. Treat the affected person appropriately.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: Not a fire hazard. May react with metals to form flammable hydrogen gas.

Hazardous combustion products: None identified.

IDH number: 628186

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Contain spill. Block any potential routes to water systems. Wear appropriate

personal protective equipment.

Clean-up methods: Avoid the generation of dusts during clean-up. Sweep up or gather material

and place in appropriate container for disposal. Flush area with water to remove trace residue. Dispose of according to Federal, State and local

governmental regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing dust. Provide

adequate ventilation. Wash thoroughly after handling. Keep container closed. Do not reuse the empty container. Considerable heat is generated when water or acid is added, therefore when making solutions always add the caustic to the water or acid with constant stirring. If caustic substance or solution becomes concentrated in one area, or if added too rapidly or if added to hot or cold water a rapid temperature increase can result in dangerous boiling water

and/or splashing or may cause immediate violent eruption.

Storage: For safe storage, store at or below 120 °F (48.9 °C)

Store in a cool, dry, well-ventilated area. Guard against dust accumulation of

this material.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|--------------------------|-------------------------------------|-------------|--------------|-------|
| Sodium carbonate | None | None | None | None |
| Sodium hydroxide | 2 mg/m3 Ceiling | 2 mg/m3 PEL | None | None |
| Natriumaluminat (NaAlO2) | 1 mg/m3 TWA Respirable fraction. | None | None | None |
| Trisodium orthophosphate | None | None | 5 mg/m3 STEL | None |

Engineering controls: Ventilation should effectively remove and prevent buildup of any dust

generated from the handling of this product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of dust, appropriate

NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles.

Skin protection: Chemical resistant, impermeable gloves. Use of impervious apron and boots

are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid Physical state: White Color: Odor: Odorless Not available. Odor threshold: > 12.0 (2% solution) pH: Vapor pressure: Not available. Boiling point/range: Not applicable Melting point/ range: Not determined Specific gravity: Not available. Vapor density: Not determined Flash point: Not applicable Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits - upper: Not applicable Autoignition temperature: Not applicable **Evaporation rate:** Not applicable Solubility in water: Complete Partition coefficient (n-octanol/water): Not determined **VOC** content: Not available. Viscosity: Not available. **Decomposition temperature:** Not available.

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur. Hazardous decomposition

products:

None identified.

Incompatible materials:

Reaction with strong acids. This product REACTS VIOLENTLY WITH WATER. Adding water

to this product may cause localized overheating and splattering.

Reactivity: Not available.

Conditions to avoid: Avoid dust formation.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Inhalation: Mists, vapors or liquid may cause severe irritation or burns.

Skin contact: Dust or powder may irritate the skin. Corrosive to the skin. Contact with the skin or mucous

membranes may cause severe irritation and burns.

Eye contact: Dust or powder may irritate eye tissue. Rubbing may cause abrasion of cornea. This product is

severely irritating to the eyes and may cause irreversible damage including burns and

blindness.

Ingestion: May be harmful if swallowed. This product may produce corrosive damage to the

gastrointestinal tract if it is swallowed.

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|--------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Sodium carbonate | Oral LD50 (RAT) = 4,090 mg/kg Inhalation LC50 (RAT, 2 h) = 2.3 mg/l | Irritant, Sensory |
| Sodium hydroxide | None | Irritant, Corrosive, Eyes |
| Natriumaluminat (NaAlO2) | None | Corrosive, Eyes, Irritant, Lung, Nervous System |
| Trisodium orthophosphate | Oral LD50 (RAT) = 4.8 mg/kg Oral LD50 (RAT) = > 2,000 mg/kg Dermal LD50 (RABBIT) = >= 2 mg/kg | Corrosive, Eyes, Irritant, Metabolic, Muscle, Vascular |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--------------------------|----------------|-----------------|------------------------------------------|
| Sodium carbonate | No | No | No |
| Sodium hydroxide | No | No | No |
| Natriumaluminat (NaAlO2) | No | No | No |
| Trisodium orthophosphate | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

IDH number: 628186

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:Dispose of according to Federal, State and local governmental regulations.

This chemical contains phosphates.

Hazardous waste number: Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Corrosive solid, basic, inorganic, n.o.s. (Sodium aluminate, Sodium hydroxide)

Hazard class or division: 8

Identification number: UN 3262

Packing group:

DOT Hazardous Substance(s): Sodium hydroxide

International Air Transportation (ICAO/IATA)

Proper shipping name: Corrosive solid, basic, inorganic, n.o.s. (Sodium aluminate, Sodium hydroxide)

Hazard class or division: 8
Identification number: UN 3262

Packing group:

Water Transportation (IMO/IMDG)

Proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium aluminate, Sodium

hydroxide)

Hazard class or division: 8
Identification number: UN 3262
Packing group: II

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:
None above reporting de minimis
Immediate Health, Reactive
None above reporting de minimis

CERCLA Reportable quantity: Sodium hydroxide (CAS# 1310-73-2) 1,000 lbs. (454 kg)

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: Updated Contact Information in Section 1.

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

Issue date: 09/09/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.