

Issue Date: 15-Jan-2015

Revision Date: 18-Oct-2022

Version 3

1. IDENTIFICATION

Product Identifier

Product Name GlobalTech® Lead-Free Paste Remover Saturated Wipes/Refills

Other means of identification

SDS # JNJ-003-WIPES

Product Code LFPR
UN/ID No UN3175

Recommended use of the chemical and restrictions on use

Recommended Use Paste remover.

Details of the supplier of the safety data sheet

Supplier Address

High-Tech Conversions
1699 King Street
Enfield, CT 06082

Emergency Telephone Number

Company Phone Number Phone: 860-265-2633
Fax: 860-265-2774
Emergency Telephone (24 hr) Poison Control Center (Medical):
800-222-1222

2. HAZARDS IDENTIFICATION

Appearance Liquid saturated on wipe.

Physical State Solid

Odor Mild

Classification

The classification below is for the liquid which is absorbed onto the wipe.

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 3

Signal Word

Warning

Hazard Statements

Causes serious eye irritation
May cause respiratory irritation. May cause drowsiness or dizziness
Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection
Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a poison center or doctor/physician if you feel unwell
IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown Acute Toxicity

6.65% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	>30
DI Water	7732-18-5	>30
Aliphatic Glycol Ether	Proprietary	>30
Aliphatic ether alcohol	Proprietary	<5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Flush eyes with water for 20 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Take off contaminated clothing. Wash skin thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician if you feel unwell.
Ingestion	Do not induce vomiting. If drowsy or unconscious, do not give anything by mouth; place individual on the left side with head down. If symptoms persist, call a physician.

Most important symptoms and effects**Symptoms**

Contact will cause irritation and redness to exposed areas. May cause irritation to the mucous membranes and upper respiratory tract. Inhalation may cause drowsiness or dizziness. Prolonged or repeated exposure to mists/vapor may damage peripheral nerves. Nausea.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO₂). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapors may travel to source of ignition and flash back. Heat may cause the containers to explode.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Stay upwind. Ventilate affected area. Remove all sources of ignition.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up**Methods for Containment**

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Place in an appropriate container for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on Safe Handling**

Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials

Strong acids. Strong bases. Strong oxidizers. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Aliphatic Glycol Ether	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear goggles or chemical safety glasses.

Skin and Body Protection Wear suitable gloves.

Respiratory Protection If airborne concentrations exceed exposure limits, use a respirator or gas mask with appropriate cartridges and canisters (NIOSH approved), or a mask with an air supply.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	Mild
Appearance	Liquid saturated on wipe	Odor Threshold	Not determined
Color	Clear		

<u>Property</u>	<u>The information below is for liquid absorbed in a wipe</u>	<u>Remarks • Method</u>
pH	Not available	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	94 °C / 202 °F	(approximate)
Flash Point	24 °C / 75 °F	Estimated
Evaporation Rate	0.94	(butyl acetate = 1)
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not available	
Lower Flammability Limit	Not available	
Vapor Pressure	<20 mm Hg	
Vapor Density	Not determined	
Specific Gravity	0.88 (7.36 lb/gal)	(1=Water)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content	4.86 lb/gal	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Strong bases. Strong oxidizers. Amines.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes serious eye irritation.

Skin Contact

Avoid contact with skin.

Inhalation

Avoid breathing vapors or mists.

Ingestion

Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
DI Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Aliphatic Glycol Ether	= 5200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h
Aliphatic ether alcohol	= 2504 mg/kg (Rat)	= 3550 mg/kg (Rabbit)	-
Aliphatic Glycol Ether	= 13300 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
Aliphatic Glycol Ether	= 1620 µL/kg (Rat)	= 5660 µL/kg (Rabbit)	-
Aliphatic Glycol Ether	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

Legend*IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***STOT - single exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity

6.65% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Aliphatic Glycol Ether		20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static		23300: 48 h Daphnia magna mg/L EC50
Aliphatic Glycol Ether		5000: 24 h Carassius auratus mg/L LC50 static		
Aliphatic Glycol Ether	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50		10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Aliphatic Glycol Ether	-0.437

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION**Note**

The shipping description is specific to the container and mode of shipment. Please refer to the shipping papers for the most up to date shipping information.

NOTE: packages with inner packagings not over 1 liter/1 kg may be reclassified as a Limited Quantity/Consumer Commodity ORM-D.

NOTE: ORM-D Designation (Shipments by highway, rail and vessel only valid until December 31, 2020).

NOTE: Consumer Commodity (ORM-D) classification is for domestic surface/ground shipments only. Air shipments remain regulated.

DOT

UN/ID No UN3175
 Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol, 1-Propoxy-2-propanol)
 Hazard Class 4.1
 Packing Group II

IATA

UN/ID No UN3175
 Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol, 1-Propoxy-2-propanol)
 Hazard Class 4.1
 Packing Group II

IMDG

UN/ID No UN3175
 Proper Shipping Name Solids containing flammable liquid, n.o.s. (Isopropanol, 1-Propoxy-2-propanol)
 Hazard Class 4.1
 Packing Group II

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl alcohol	Present	X		Present		Present	X	Present	X	X
DI Water	Present	X		Present			X	Present	X	X
Aliphatic Glycol Ether	Present	X		Present		Present	X	Present	X	X
Aliphatic ether alcohol	Present	X		Present		Present	X	Present	X	X

Legend:*TSCA* - United States Toxic Substances Control Act Section 8(b) Inventory*DSL/NDL* - Canadian Domestic Substances List/Non-Domestic Substances List*EINECS/ELINCS* - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*ENCS* - Japan Existing and New Chemical Substances*IECSC* - China Inventory of Existing Chemical Substances*KECL* - Korean Existing and Evaluated Chemical Substances*PICCS* - Philippines Inventory of Chemicals and Chemical Substances*AICS* - Australian Inventory of Chemical Substances**US Federal Regulations****SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	>30	1.0

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
DI Water 7732-18-5			X
Aliphatic Glycol Ether	X	X	X
Aliphatic Glycol Ether			X
Aliphatic Glycol Ether	X		X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

1

3

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

3

0

B

Issue Date:

15-Jan-2015

Revision Date:

18-Oct-2022

Revision Note:

Updated Contact Information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet