Safety Data Sheet



Revision Number: 005.0 Issue date: 09/21/2021

PRODUCT AND COMPANY IDENTIFICATION

BONDERITE M-AD A PRETREATMENT IDH number: Product name: 772136

ADDITIVE known as ADDITIVE A

Product type/use: Additive

Restriction of Use: None identified Region: **United States**

Company address: Contact information: Henkel Corporation Telephone: +1 (860) 571-5100

One Henkel Way MEDICAL EMERGENCY Phone: Poison Control Center Rocky Hill, Connecticut 06067

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW HARMFUL IF SWALLOWED. DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1

PICTOGRAM(S)

Precautionary Statements

IDH number: 772136

Prevention: Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this

product. Wear protective gloves, clothing, eye and face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do Response:

NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash

contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Ammonium bifluoride	1341-49-7	20 - 30
Ammonium fluoride	12125-01-8	1 - 5

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

Product name: BONDERITE M-AD A PRETREATMENT ADDITIVE known as ADDITIVE A

Page 1 of 6

4. FIRST AID MEASURES

Inhalation:If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. If breathing is

difficult, give oxygen. Trained personnel should administer 2.5% calcium

gluconate through a nebulizer for 20 minutes.

Skin contact: Remove contaminated clothing and footwear while rinsing the affected area

with large amounts of running water for at least 15 minutes. GET IMMEDIATE MEDICAL ATTENTION. If iced solution of 0.13% aqueous Benzalkonium Chloride (Zephiran) or 2.5% calcium gluconate gel is available, rinsing may be limited to 5 minutes, with the soak solution or gel applied as soon as the rinsing is stopped. Gloves should be worn when applying the gel to prevent transfer of HF and secondary burns. If using calcium gluconate gel, it should be continuously re-applied and massaged into the affected area until pain has been relieved for at least 30 minutes. If Benzalkonium Chloride (Zephiran) or calcium gluconate gel is not available, rinsing must continue until medical

treatment is provided.

Eye contact: Immediately flush affected eye with large amounts of gently flowing water or

0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during

transportation to a doctor.

Ingestion: Get immediate medical attention. DO NOT induce vomiting unless directed to

do so by medical personnel. Attempt immediate administration of a fluoride binding substance: milk, chewable calcium carbonate tablets or 4-8 ounces (120-240 ml) of milk of magnesia or a liquid antacid. Avoid large amounts of liquid as it may induce vomiting. Never give anything by mouth to a victim who

is unconscious or is having convulsions.

Symptoms: See Section 11.

IDH number: 772136

Notes to physician: Treatment of hypocalcemia associated with corrosive fluoride compounds

exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous magnesium sulfate. Ocular exposure to corrosive fluoride compounds has been treated with isotonic sodium chloride or magnesium chloride. Dermal exposure to corrosive fluoride compounds has been treated with calcium gluconate or calcium carbonate gel applied topically to the affected areas to

relieve pain at the site of exposure.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: This product is an aqueous mixture which will not burn.

Hazardous combustion products: Irritating and toxic gases or fumes may be released during a fire. Ammonia.

Hydrogen fluoride.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

7. HANDLING AND STORAGE

Handling: Avoid breathing vapors or mists of this product. Avoid contact with eyes, skin

and clothing. Wear protective equipment. Do not take internally. For industrial

use only.

Storage: For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C)

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials. Thaw and mix thoroughly if frozen.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Ammonium bifluoride	2.5 mg/m3 TWA (as F)	2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None
Ammonium fluoride	2.5 mg/m3 TWA (as F)	2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None

Engineering controls: Use general ventilation and use local exhaust, where possible, in confined or

enclosed spaces.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Chemical resistant, impermeable gloves. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

 Physical state:
 Liquid

 Color:
 Colorless

 Odor:
 Sharp

 Odor threshold:
 Not available.

 pH:
 3.2

 Vapor pressure:
 Not determined

 Boiling point/range:
 > 100 °C (> 212

Boiling point/range: > 100 °C (> 212°F)

Melting point/ range: 30 °F (-1.1 °C) Approximately

Specific gravity: 1.07 - 1.10 Vapor density: Not determined Flash point: Not applicable Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits - upper: Not applicable Autoignition temperature: Not applicable Flammability: Not applicable **Evaporation rate:** Not determined Solubility in water: Complete Not determined Partition coefficient (n-octanol/water): **VOC** content: Not applicable Viscosity: Not available. **Decomposition temperature:** Not available.

IDH number: 772136

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur.

Hazardous decomposition

products:

IDH number: 772136

May liberate hydrogen fluoride. Ammonia.

Incompatible materials:

This material will react with glass, concrete, certain metals, silica containing materials, rubber,

leather, and many organics. This product may react with strong acids, bases and oxidizing

agents.

Reactivity: This product may react with strong alkalies.

Conditions to avoid: Store away from incompatible materials.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Mists, vapors or liquid may cause severe irritation or burns. Inhalation of mists or vapors may

produce upper airway edema, wheezing, pulmonary edema, pneumonitis and respiratory

failure. Contains fluorides. Exposure to fluorides over years may cause fluorosis.

Skin contact: Corrosive to the skin. Contact with the skin or mucous membranes may cause severe irritation

and burns. Liquid or vapor can cause fluoride-type irritation or burns which may not be immediately painful or visible. Hydrofluoric acid will penetrate the skin and attack underlying tissue and bone. Large burns (over 25 square inches) may also cause hypocalcemia and other

systemic effects which may be fatal.

Eye contact: This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

Ingestion: Ingestion of small amounts of this product may result in potentially fatal hypocalcemia and

systemic toxicity. Ingestion of large amounts of this product may result in fluoride poisoning including symptoms of calcification of the ligaments and severe bone changes making normal movements painful, mottling of the teeth, pulmonary fibrosis, anemia, anorexia, dental effects, and possibly death. This product may produce corrosive damage to the gastrointestinal tract if it is swallowed. Contains fluorides. Exposure to fluorides over years may cause fluorosis.

Hazardous Component(s)	Component(s) LD50s and LC50s Immediate and Delayed Health Ef	
Ammonium bifluoride	Oral LD50 (Rat) +/- 130 mg/kg	Cardiac, Corrosive, Gastrointestinal tract, Irritant, Kidney, Lung, Metabolic, Nervous System, Respiratory, Teeth
Ammonium fluoride	Inhalation LC50 (Rat, 4 h) = 1 mg/l	Cardiac, Corrosive, Irritant, Kidney, Metabolic, Muscle, Nervous System, Respiratory

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Ammonium bifluoride	No	No	No
Ammonium fluoride	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Ammonium hydrogendifluoride, solution

Hazard class or division: 8 (6.1)
Identification number: UN 2817
Packing group: II

DOT Hazardous Substance(s): Ammonium bifluoride, Ammonium fluoride

International Air Transportation (ICAO/IATA)

Proper shipping name: Ammonium hydrogendifluoride solution

Hazard class or division: 8 (6.1)
Identification number: UN 2817
Packing group: II

Water Transportation (IMO/IMDG)

Proper shipping name: AMMONIUM HYDROGENDIFLUORIDE SOLUTION

Hazard class or division: 8 (6.1)
Identification number: UN 2817
Packing group: II

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:

None above reporting de minimis.
None above reporting de minimis.

CERCLA Reportable quantity: Ammonium bifluoride (CAS# 1341-49-7) 100 lbs. (45.4 kg) Ammonium fluoride (CAS# 12125-01-8) 100 lbs. (45.4 kg)

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

IDH number: 772136

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Regulatory Affairs

Issue date: 09/21/2021

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 772136