

Revision Date: 09/24/2019

SS4120

SAFETY DATA SHEET

1. Identification

Product identifier: SS4120

Other means of identification

Synonyms: Primer solution

Recommended use and restriction on use

Recommended use: Primer

Restrictions on use: For industrial use only.

Manufacturer/Importer/Distr

ibutor Information

Momentive Performance Materials USA LLC

2750 Balltown Road, Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Acute toxicity (Oral)

Acute toxicity (Dermal)

Acute toxicity (Inhalation - vapor)

Serious Eye Damage/Eye Irritation

Specific Target Organ Toxicity
Category 3

Category 3

Category 2

Category 1

Single Exposure

Label Elements

Hazard Symbol:

SDS_US 1/15



Revision Date: 09/24/2019

SS4120



Signal Word: Danger

Hazard Statement: H225; Highly flammable liquid and vapor.

H301+H311+H331; Toxic if swallowed, in contact with skin or if inhaled.

H319; Causes serious eye irritation. H370; Causes damage to organs.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke

when using this product. Do not breathe dust or mists.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. Call a POISON CENTER/doctor. If exposed: Call a poison

center/doctor Specific treatment (see on this label). Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. In case of

fire: Use alcohol resistant foam for extinction.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Keep container

tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

SDS_US 2/15



Revision Date: 09/24/2019

SS4120

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Ethanol	64-17-5	50 - <100%	# This substance has workplace exposure limit(s).
Methanol	67-56-1	25 - <50%	# This substance has workplace exposure limit(s).
Silicic acid, ethyl ester	11099-06-2	5 - <10%	No data available.

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth with water. Do not induce vomiting. Seek medical attention.

Never give liquid to an unconscious person.

Inhalation: Move into fresh air and keep at rest. If breathing has stopped, trained

personnel should begin artificial respiration immediately and if the heart has stopped, trained personnel should begin cardiopulmonary resuscitation

immediately.

Get medical attention.

Skin Contact: Flush contaminated area with plenty of water. Remove contaminated

clothing and shoes. Continue to rinse for at least 15 minutes. Get medical

attention. Wash contaminated clothing before reuse.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any

contact lenses and open eyes wide apart. Continue to rinse for at least 15

minutes. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Symptoms: Itching Redness

Hazards: This product is not expected to produce adverse effects under normal

conditions of use and appropriate personal hygiene.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Do not use water jet as an extinguisher, as this will spread the fire. Use

water spray to keep fire-exposed containers cool.

SDS_US 3/15



Revision Date: 09/24/2019

SS4120

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

water jet

Specific hazards arising from

the chemical:

Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger. Ground container and transfer equipment to eliminate static electric sparks.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Product may charge electrostatically during pouring or filling. All equipment used when handling the product

must be grounded.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Attention: Not for injection into humans.

Methods and material for containment and cleaning

up:

Warn other workers of spill. Wear proper protective equipment as specified in the protective equipment section. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for

disposal.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area).

Environmental Precautions: Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static dischar

Sensitivity to static discharge is expected; material has a flash point below 200 F. Do not breathe vapor/spray. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. See Section 8 of the SDS for Personal Protective Equipment. Wash hands after handling. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.

SDS_US 4/15



Revision Date: 09/24/2019

SS4120

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks and open flame. Keep container closed. Store in original container.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lir	nit Values	Source
Ethanol	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2015)
	REL	1,000 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1,000 ppm	1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL		1,880 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		10,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		18,800 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	1,000 ppm	1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	IDLH	3,300 ppm		US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)
	LEL		3.3 %	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)
Methanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm	325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	200 ppm	260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	200 ppm	260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm	325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm	260 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	250 ppm	325 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL		2,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		1,600 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		3,900 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11

SDS_US 5/15



Revision Date: 09/24/2019

SS4120

			2016)
ST ESL		3,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
TWA PEL	200 ppm	260 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
Ceiling	1,000 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
STEL	250 ppm	325 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
IDLH	6,000 ppm		US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Methanol (methanol:	15 mg/l (Urine)	ACGIH BEI (03 2015)
Sampling time: End of shift.)		

Appropriate Engineering Controls

Provide eyewash station and safety shower. General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or

in covered equipment.

Individual protection measures, such as personal protective equipment

General information: General (mechanical) room ventilation is expected to be satisfactory if

handled at low temperatures or in covered equipment.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: Good personal hygiene is necessary. Wash hands and contaminated areas

with water and soap before leaving the work site. Avoid contact with eyes, skin, and clothing. Do not eat, drink or smoke when using the product.

9. Physical and chemical properties

Appearance

Physical state: liquid Form: liquid

SDS_US 6/15



Revision Date: 09/24/2019

SS4120

Colorless Colorless

Odor: No data available.
Odor threshold: No data available.
pH: No data available.

Melting point/freezing point: -81.00 °C

Initial boiling point and boiling range:

Flash Point:

Evaporation rate:

Flammability (solid, gas):

estimated 65 °C

11 °C (calculated)

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 19.00 %(V)
Flammability limit - lower (%): 3.30 %(V)

Explosive limit - upper (%):

Explosive limit - lower (%):

Heat of combustion:

No data available.

No data available.

Vapor pressure: Not applicable

Vapor density:No data available.Density:ca. 0.82 g/cm3

Relative density: 0.82

Solubility(ies)

Solubility in water: Soluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

Pow

Auto-ignition temperature: 185.00 °C

Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

VOC: 794 g/l ;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Keep away from heat, sparks and open flame.

SDS_US 7/15



Revision Date: 09/24/2019

SS4120

Incompatible Materials: Oxidizing agents.

Hazardous Decomposition

Products:

Carbon dioxide

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 221.24 mg/kg

Dermal

Product: ATEmix: 681.82 mg/kg

Inhalation

Product: ATEmix: 6.82 mg/l

Specified substance(s):

Ethanol LC50 (Mouse): 39 mg/l

LC50 (Rat): 38.3 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

SDS_US 8/15



Revision Date: 09/24/2019

SS4120

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Ethanol OECD Test Guideline 405 (Rabbit): Slightly irritating.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

SDS_US 9/15



Revision Date: 09/24/2019

SS4120

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethanol LC50 (No data available., 96 h): 15,400 mg/l

LC50 (Pimephales promelas, 96 h): 14,200 mg/l

Methanol LC50 (Pimephales promelas, 96 h): 28,100 mg/l

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

SDS_US 10/15



Revision Date: 09/24/2019

SS4120

Known or predicted distribution to environmental compartments

Ethanol No data available.

Methanol No data available.

Silicic acid, ethyl ester No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

UN Number: UN 1992

UN Proper Shipping Name: Flammable liquids, toxic, n.o.s. (METHANOL, Ethanol)

Transport Hazard Class(es)

Class: 3
Label(s): 3, 6.1
Packing Group: II
Marine Pollutant: No

IMDG

UN Number: UN 1992

UN Proper Shipping Name: FLAMMABLE LIQUID, TOXIC, N.O.S.(METHANOL, Ethanol)

Transport Hazard Class(es)

 Class:
 3

 Label(s):
 3, 6.1

 EmS No.:
 F-E, S-D

Packing Group: II
Marine Pollutant: No
Limited quantity 1.00L

Excepted quantity E2

IATA

UN Number: UN 1992

Proper Shipping Name: Flammable liquid, toxic, n.o.s. (METHANOL, Ethanol)

Transport Hazard Class(es):

Class: 3
Label(s): 3, 6.1
Packing Group: II

SDS_US 11/15



Revision Date: 09/24/2019

SS4120

Cargo aircraft only Packing 364

Instructions:

Passenger and cargo aircraft 364

Packing Instructions:

Limited quantity: Y341

Packing Instructions:

Excepted quantity E2

Environmental Hazards: Not regulated.

Marine Pollutant: No

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Ethanol 100 lbs. Methanol 5,000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Hazards Not Otherwise Classified (HNOC)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

Ethanol 100 lbs. Methanol 5,000 lbs.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Ethanol 10000 lbs Methanol 10000 lbs Silicic acid, ethyl ester 10000 lbs

SARA 313 (TRI Reporting)

Reporting Reporting threshold for

threshold for manufacturing and

<u>Chemical Identity</u> <u>other users</u> <u>processing</u>

Methanol

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

SDS_US 12/15



Revision Date: 09/24/2019

SS4120

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING

Reproductive Harm - www.P65Warnings.ca.gov

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethanol

Methanol

Silicic acid, ethyl ester

US. Massachusetts RTK - Substance List

Chemical Identity

Ethanol

Methanol

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethanol

Methanol

Silicic acid, ethyl ester

US. Rhode Island RTK

Chemical Identity

Ethanol

Methanol

SDS_US 13/15



Revision Date: 09/24/2019

SS4120

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing	y (positive listing)	Remarks: None.
Chemical Substances:		
Korea Existing Chemicals Inv.	y (positive listing)	Remarks: None.
(KECI):		
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
New Zealand Inventory of	y (positive listing)	Remarks: None.
Chemicals:		
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
Taiwan Chemical Substance	y (positive listing)	Remarks: None.
Inventory:		

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	4
Flammability	3
Physical Hazards	0
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 09/24/2019

Revision Date: No data available.

Version #: 3.0

Further Information: No data available.

SDS_US 14/15



Revision Date: 09/24/2019

SS4120

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 15/15