

Version 1.15

Revision Date: 12/06/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: ISOPROPANOL 99%

Recommended use of the chemical and restrictions on use

Recommended use	: Alcohol solvent
Manufacturer or supplier's details	6
Company	: Univar Solutions USA
Address	3075 Highland Pkwy Suite 200
	Downers Grove, IL 60515
	United States of America (USA)
Emergency telephone numbe	er:
Transport North America: CHE	MTREC (1-800-424-9300)
CHEMTREC INTERNATIONAL	_ Tel # 703-527-3887
Additional Information:	: Responsible Party: Product Compliance Department
	E-mail: SDSNA@univarsolutions.com
	SDS Requests: 1-855-429-2661
	Website: www.univarsolutions.com

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 2
Eye irritation	: Category 2A
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)
GHS label elements	

:

$\mathbf{\nabla}$	

Signal word	: Danger
Hazard statements	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.</li> </ul>

Hazard pictograms



Version 1.15	Revision Date: 12/06/2024	
	<ul> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>	
Other hererde		

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components		
CAS-No.	Chemical name	

CAS-No.	Chemical name	Weight percent
67-63-0	Isopropyl alcohol	90 - 100

Any Concentration shown as a range is due to batch variation.

Synonyms : 2-PROPANOL; ISOPROPYL ALCOHOL; IPA ; propan-2-ol,

### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>Consult a physician after significant exposure.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> </ul>
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>



Version 1.15	Revision Date: 12/06/2024
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>Do not induce vomiting without medical advice.</li> </ul>

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during fire- fighting	Do not allow run-off from fire fighting to enter drains or wate courses.	∍r
Hazardous combustion prod- ucts	Carbon oxides formaldehyde corrosive vapors Nitrogen oxides (NOx)	
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. The must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water mube disposed of in accordance with local regulations.</li> <li>For safety reasons in case of fire, cans should be stored serately in closed containments.</li> <li>Use a water spray to cool fully closed containers.</li> </ul>	ıst
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if ne essary. Use personal protective equipment.	ec-

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE



rsion 1.15	Revision Date: 12/06/2024
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	<ul> <li>Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood.</li> <li>Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national</li> </ul>
Conditions for safe storage	<ul> <li>regulations.</li> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
67-63-0	Isopropyl alcohol	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
		PEL	400 ppm 980 mg/m3	CAL PEL
		STEL	500 ppm 1,225 mg/m3	CAL PEL

### Personal protective equipment



Version 1.15		Revision Date: 12/06/2024
Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respi- rator if there is any potential for uncontrolled release, expo- sure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection Material	:	Nitrile (Not the single use kind) or Neoprene Gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

1	S Number: 10000002859		5/11	I
	Vapour pressure	:	No data available	
	Lower explosion limit	:	2 %(V)	
	Evaporation rate Flammability (solid, gas) Upper explosion limit	:	< 3.9 (Butyl Acetate = 1) No data available 13 %(V)	
	Flash point	:	12 °C (54 °F) Method: Tag closed cup	
	Freezing Point (Melting point/freezing point) Boiling Point (Boiling point/boiling range)		-88 °C (-126 °F) 82 - 83 °C (180 - 181 °F) (1013 hPa)	
	рН	:	neutral	
	Appearance Colour Odour Odour Threshold	:	liquid Clear, colorless alcohol-like, characteristic 200 ppm	



Version	1	15
10131011		

Revision Date: 12/06/2024

Relative vapour density	: < 2.1 @ 15 - 20 °C (59 - 68 °F) (Air = 1.0)
Relative density	: 0.785 - 0.787 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 0.785 - 0.787 g/cm3 @ 20 °C (68 °F)
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Thermal decomposition Viscosity Viscosity, dynamic	: log Pow: 0.05 @ 25 °C (77 °F) : 399 - 425 °C
Viscosity, kinematic	: 2.66 mm2/s @ 25 °C (77 °F)
Surface tension	: 22.7 mN/m, 20 °C

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	<ul> <li>No dangerous reaction known under conditions of normal use.</li> <li>Stable under normal conditions.</li> <li>Vapours may form explosive mixture with air.</li> </ul>
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	<ul> <li>Strong acids</li> <li>Aldehydes</li> <li>Oxidizing agents</li> <li>Rubber</li> <li>Oils</li> <li>Plastics</li> <li>Amines</li> <li>Halogenated compounds</li> <li>Peroxides</li> <li>Bases</li> </ul>
Hazardous decomposition products	: Carbon oxides Sulphur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

### Serious eye damage/eye irritation

## Components:

### 67-63-0:



Version 1.15

Revision Date: 12/06/2024

Species: Rabbit Result: Irritating to eyes.

Carcinogenicity		
IARC	No component of this product present at levels greater t equal to 0.1% is identified as probable, possible or confi human carcinogen by IARC.	
OSHA	No component of this product present at levels greater t equal to 0.1% is on OSHA's list of regulated carcinogene	
NTP	No component of this product present at levels greater t equal to 0.1% is identified as a known or anticipated car by NTP.	
ACGIH	Confirmed animal carcinogen with unknown relevance to mans	o hu-
	64-17-5	Ethanol

#### STOT - single exposure

#### **Components:**

#### 67-63-0:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### **Further information**

### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil No data available



Version 1.15	Revision Date: 12/06/2024

## Other adverse effects

## Product:

Ozone-Depletion Potential	<ul> <li>Regulation: 40 CFR Protection of Environment; Part 82 Pro- tection of Stratospheric Ozone - CAA Section 602 Class I Substances</li> </ul>
	Remarks: This product neither contains, nor was manufac- tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with all applicable local, state and federal regulations.</li> <li>For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni- var Solutions ChemCare: 1-800-637-7922</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

## DOT (Department of Transportation):

UN1219, ISOPROPANOL, 3, II

#### IATA (International Air Transport Association): UN1219, ISOPROPANOL, 3, II

IMDG (International Maritime Dangerous Goods): UN1219, ISOPROPANOL, 3, II, Flash Point:12 °C(54 °F)

## SECTION 15. REGULATORY INFORMATION

WHMIS Classification

: B2: Flammable liquid D2B: Toxic Material Causing Other Toxic Effects

## EPCRA - Emergency Planning and Community Right-to-Know Act

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard



Version 1.15		Revision Date: 12/06/2024
SARA 302		als in this material are subject to the reporting re- of SARA Title III, Section 302.
SARA 313	: The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:	
	67-63-0	Isopropyl alcohol
Clean Air Act		

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

67-63-0 Isopropyl alcohol

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

Massachusetts Right To Know					
	67-63-0	Isopropyl alcohol	90 - 100 %		
Pennsylvania	Right To Know				
	67-63-0	Isopropyl alcohol	90 - 100 %		
New Jersey Ri	ght To Know				
	67-63-0	Isopropyl alcohol	90 - 100 %		
	64-17-5	Ethanol	0.1 - 1 %		
California Prop	<b>5 65</b> :	This product does not contain any chemicals kr of California to cause cancer, birth defects, or a productive harm.			
The componer	nts of this produ	ct are reported in the following inventories:			
TSCA	:	On TSCA Inventory			
DSL	:	All components of this product are on the Cana	dian DSL		
AICS	:	On the inventory, or in compliance with the inve	entory		
NZIoC	:	On the inventory, or in compliance with the inve	entory		
ENCS	:	On the inventory, or in compliance with the inve	entory		
KECI	:	On the inventory, or in compliance with the inve	entory		
PHIL	:	On the inventory, or in compliance with the inve	entory		




#### Version 1.15

Revision Date: 12/06/2024

IECSC

: On the inventory, or in compliance with the inventory

### **SECTION16. OTHER INFORMATION**



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date	: 12/06/2024		
Legacy SDS: : R0001444, 100000027693, 100000061297			
Material number:			
16222306, 16219953, 16219414	, 16218876, 16218811, 16218810, 16217828, 16216473,		
16216471, 16215800, 16212669	, 16156198, 16209525, 16207322, 16207529, 16207396,		
16205633, 16185017, 16204322	, 16203651, 16141730, 16187819, 16141123, 16185016,		
16187197, 16185038, 16185039	, 16184473, 16184512, 16184020, 16184810, 16184408,		
16184314, 16185097, 16186271	, 16183109, 16182974, 16178967, 16182648, 16175816,		
16176549, 16175656, 16176457	, 16176751, 16175879, 16174714, 16176870, 16175445,		
16174727, 16174726, 16175555	, 16180539, 16163494, 16151614, 16169230, 16169779,		
	, 16168234, 16173689, 16172502, 16145669, 16149765,		
, , ,	, 16147074, 16147313, 16148783, 16148704, 16144452,		
	, 16143652, 16167327, 16166321, 16165964, 16161591,		
	, 16138602, 16137598, 16143917, 16140147, 16138087,		
16137628, 16137534, 16137389	, 16137356, 16156747, 16145782, 16160060, 16154121,		

Key or legend to abbreviations and acronyms used in the safety data sheetACGIHAmerican Conference of Govern-LD50Lethal Dose 50%

16159435, 16144176, 16152980, 16144004



Version 1.15

Revision Date: 12/06/2024

		1	
	ment Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect
	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substanc-	NIOSH	National Institute for Occupational
	es List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemi-
			cals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenar-	OSHA	Occupational Safety & Health
	io Tool		Administration
EOSCA	European Oilfield Specialty Chem-	PEL	Permissible Exposure Limit
	icals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of Commer-
	Chemical Substances		cial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composi-
			tion, Complex Reaction Products,
			and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		