

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING


Trade name	Isopropyl Alcohol	
Synonyms	Dimethyl carbinol, IPA, Isopropanol	
Use	Fuel additive, Hard-surface cleaner, Industrial & Institutional cleaning, Industrial use, Intermediate, Paint and Coatings, Personal care, Pharmaceutical, Process material, Process/Extraction Solvent, Raw material for chemical processes, Raw material for cosmetic products, Raw material for industry, Solvent	
Company		
	(an affiliate of Sasol Chemicals North America LLC)	
Address	12120 Wickchester Lane, Houston, TX 77079	
Telephone	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424 9300
	CHEMTREC World Wide	(703) 527-3887
	Other Emergencies (24-hr)	(337) 494 5142
	SDS and Product Information (8:00am-4:30pm CST) (281) 588 34	
	Health and Safety Information (7:30am-4:00pm CST) (281) 588 3492	
E-mail address	SasolElectronicSDS@us.sasol.com	

## SECTION 2 HAZARDS IDENTIFICATION

## OSHA/GHS Flammable liquids Hazards Eve irritation

ards	Eye irritation	С
	Specific target organ toxicity -	С
	single exposure	

Category 2 Category 2A Category 3 (Narcotic effects)



#### **Precautionary statements**

Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Distributed by: Producers Chemical 1960 Bucktail Lane Sugar Grove, IL 60554

## SAFETY DATA SHEET



## **Isopropyl Alcohol**

- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P280 Wear protective gloves/ eye protection/ face protection.
- P264 Wash skin thoroughly after handling.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P271 Use only outdoors or in a well-ventilated area.
- Response P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
  P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
  P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  P337 + P313 If eye irritation persists: Get medical advice/ attention.
  P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  P312 Call a POISON CENTER/doctor if you feel unwell.
  - Storage P403 + P405 + P235 Store locked up in a well-ventilated place. Keep cool.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

## Components

2-Propanol

 CAS-No.
 Weight percent

 67-63-0
 100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

## SECTION 4 FIRST AID MEASURES

- **Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- **Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
  - **Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.
  - **Ingestion** If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.



## SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPER Fire/explosion	<b>FIES</b> Vapours may form explosive mixture with air. Flash back possible over considerable distance. Use water spray to disperse the vapors. NFPA Class 1B flammable liquid.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Protective equipment and precautions for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Keep containers and surroundings cool with water spray. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and<br/>materials for<br/>containment and<br/>cleaning upEvacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and<br/>then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous<br/>earth, vermiculite) and place in container for disposal according to local / national<br/>regulations (see section 13). Do not flush into surface water or sanitary sewer system.

#### SECTION 7 HANDLING AND STORAGE

**Safe handling advice** Ensure all equipment is electrically grounded before beginning transfer operations. Keep away from heat and sources of ignition.

Storage/Transport Ambient pressure

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines). Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment.

#### PERSONAL PROTECTIVE EQUIPMENT

Eyes Chemical resistant goggles must be worn. Face-shield.

Skin Wear suitable protective clothing, gloves and eye/face protection.



Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

#### **EXPOSURE GUIDELINES**

Components Exposure limit(s)

**2-Propanol** OSHA PEL (Permissible Exposure Limit) 400 ppm 980 mg/m3 ACGIH TLV (8-hour) 200 ppm ACGIH STEL (Short Term Exposure Limit) 400 ppm

PEL=	Permissible Exposure Limits	TWA=	Time Weighted Average (8 hr.)
TLV=	Threshold Limit Value	STEL=	Short Term Exposure Limit (15 min.)
EL=	Excursion Limit	WEEL=	Workplace Environmental Exposure Level

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid
Colour	clear
Form	liquid
Odour	alcohol-like
Odour Threshold	No data available
Flash point	12 °C, 53.6 °F;
Flammability	Upper explosion limit: 12 %(V)
	Lower explosion limit: 2 %(V)
Boiling point/boiling range	82.4 °C, 180.3 °F;
Melting point/range	-88.5 °C, -127.3 °F;
Auto-ignition temperature	398.9 °C, 750 °F;
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	33 mm Hg @ 20 °C, 68 °F;
Vapour density	No data available



Density	0.785 g/cm3 @ 20 °C, 68 °F;
Relative density	0.7855 - 0.7879 ASTM D 1298;
Water solubility	miscible
Viscosity	0.1 mm2/s
Viscosity, dynamic	2.4 mPa.s
рН	7
Evaporation rate	No data available
Partition coefficient: n- octanol/water	No data available
Volatile organic compounds (VOC) content	100 %

## SECTION 10 STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as directed.	
Chemical stability	Stable under recommended storage conditions.	
Conditions to avoid	Heat, flames and sparks. Avoid temperatures above 35°C, direct sunlight and contact with sources of heat.	
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.	
Materials to avoid	Strong acids and oxidizing agents. Acid anhydrides. Aluminium. Halogenated compounds.	
Hazardous polymerisation	Vapours may form explosive mixture with air.	

## SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity	LD50 Rabbit: > 2,000 mg/kg (literature value)
	LC50 Rat (8 hours): > 20 mg/l (literature value)



Acute oral toxicity	LD50 Rat: > 2,000 mg/kg (literature value)
Skin corrosion/irritation	(Rabbit) Not irritating (literature value)
Serious eye damage/eye irritation	(Rabbit) irritating (literature value)
Respiratory or skin sensitisation	Guinea pig: not sensitizing; Buehler Test (literature value)
Germ cell mutagenicity	Genotoxicity in vitro: Type: Ames test System: Salmonella typhimurium; with and without metabolic activation Result: In vitro tests did not show mutagenic effects (literature value)
	<b>Genotoxicity in vivo</b> : No data available
	Assessment Mutagenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity	Reproductive toxicity: No data available
	Assessment Reproductive toxicity: No data available
	Teratogenicity: No data available
	Assessment teratogenicity: No data available
STOT - single exposure	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
STOT - repeated exposure	Rat; Oral; 90-day; NOAEL: 1,730 mg/kg LOAEL: 3,160 mg/kg Based on available data, the classification criteria are not met.
Aspiration toxicity	No data available
Carcinogenicity	Assessment carcinogenicity: Contains no ingredient listed as a carcinogen



SECTION 12	ECOLOGICAL INFORMATION
Toxicity to fish	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 100 mg/l; flow-through test (literature value)
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 24 hours: > 100 mg/l; static test (literature value)
Toxicity to algae	EC50 (Scenedesmus quadricauda (Green algae)) 7 d: > 100 mg/l; static test (literature value)
Chronic toxicity to fish	No data available
Chronic toxicity to aquatic invertebrates	No data available
Biodegradation	Readily biodegradable. BOD5 (5 d): 53 % aerobic (literature value)
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).
Mobility in soil	No data available
Other adverse effects	This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

## SECTION 13 DISPOSAL CONSIDERATIONS

D001 - Ignitability (RQ 100 LB). This product has the RCRA characteristic of ignitability.		
Re-evaluation of the product may be required by the user at the time of disposal, since		
he product uses, transformations, mixtures, contamination, and spillage may change the lassification.		
ł		

- **Disposal methods** Dispose of only in accordance with local, state, and federal regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.
- **Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

## SECTION 14 TRANSPORT INFORMATION



DOT UN 1219, Isopropanol, 3, II UN 1219, Isopropanol, 3, II IATA UN 1219, Isopropanol, 3, II IMDG

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

#### **SECTION 15 REGULATORY INFORMATION**

#### **U.S. FEDERAL REGULATIONS**

#### **TSCA Inventory Listing** Components

2-Propanol 67-63-0 All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

#### SARA 302 Status

**Components** Weight percent No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Classification

Should this product meet EPCRA 311/312 Tier reporting criteria of 40 CFR 370, refer to Section 2 of this SDS for appropriate classification and Section 3 for components that meet the hazardous classification.

SAR	A 313	Chemical
	Comp	onents

2-Propanol

## US. EPA CERCLA Hazardous Substances (40 CFR 302)

Comp	onents
none	

**Reportable Quantity** 

CAS-No.

67-63-0

Weight percent

Weight percent

100 %

CAS-No.

INTERNATIONAL REGULATIONS

WHMIS Classification Flammable liquids Category 2 Eye irritation Category 2A Specific target organ toxicity -Category 3 (Narcotic effects) single exposure

Revision Date 11/20/2023



CAS-No.



European Union Classification according to Regulation (EU) 1272/2008.	
Flammable liquids, Category 2 Eye irritation, Category 2 Specific target organ toxicity - single exposure, Category 3 (Narcotic effects)	
Australia. Inventory of Chemical Substances (AICS)	Listed
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL)	Not listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Listed
New Zealand. Inventory of Chemical Substances (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

## **STATE REGULATIONS**

California Prop. 65 Components none

CAS-No.

## SECTION 16 OTHER INFORMATION

#### HAZARD RATINGS

	HMIS® NFPA	Health Flam	mability 3	Physical Hazard/ Instability 0 0		
Revision Date 11/20/2023		ersion 1.4	Print Date	01/12/2024	110000000932	Page 9 of 10



THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.