



Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

#### 1 Identification

- · Product identifier
- · Trade name: WS-8032 B-1/2 Base
- · Relevant identified uses of the substance or mixture. Sealant
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1
FIRE 1

PHYSICAL HAZARD [0] Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

-USA

Printing Date 09/04/2015 Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

Hazardous d	components:	
68611-50-7	Polysulphide Elastomer	50-100%
68611-50-7	Polysulphide Polymer	5-20%
13463-67-7	titanium dioxide	≤2.5%

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters Use water spray in a fire condition.
- · Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 2)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 13463-67-7 titanium dioxide

PEL Long-term value: 15\* mg/m3

\*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m³

withdrawn from NIC

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses with side shields.

(Contd. on page 4)

Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

· Body protection: Protective work clothing

(Contd. of page 3)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Paste	
Color:	Whitish	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point:	Undetermined.	
Boiling point: Flash point:	> 96 °C (> 205 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not Determined	
Upper:	Not Determined	
Vapor pressure:	Not determined.	
Specific gravity:	Not Determined	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	not available	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogen	ic categories	
· IARC (Inter	rnational Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2B
50-00-0	formaldehyde	1
· NTP (Natio	nal Toxicology Program)	
50-00-0 for	maldehyde	K
· OSHA-Ca (	Occupational Safety & Health Administration)	
50-00-0 for	maldehyde	

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

(Contd. on page 6)

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

50-00-0 formaldehyde

· Section 313 (Specific toxic chemical listings):

50-00-0 formaldehyde

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 titanium dioxide

50-00-0 formaldehyde

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

50-00-0 formaldehyde

B1

(Contd. on page 7)

Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

		(Contd. of page 6
TLV (Thres.	hold Limit Value established by ACGIH)	
13463-67-7	titanium dioxide	A4
50-00-0	formaldehyde	A2
MAK (Germ	nan Maximum Workplace Concentration)	
13463-67-7	titanium dioxide	3A
50-00-0	formaldehyde	4
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
50-00-0	formaldehyde	

- · National regulations:
- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 04/15/2013
- · Date of preparation / last revision 09/04/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

-USA





Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

#### 1 Identification

- · Product identifier
- · Trade name: WS-8032 B-1/2 CA
- · Relevant identified uses of the substance or mixture. Activator
- · Application of the substance / the mixture Activator
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 21 Fire = I

PHYSICAL HAZARD  $\boxed{0}$  Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

Dangerous (	components:	
1313-13-9	manganese dioxide	50-100%
61788-32-7	Hydrogenated Terphenyl	25-50%
	Accelerator	2.5-10%
26140-60-3	Terphenyl	≤2.5%
	Zinc Compounds	≤2.5%
67762-90-7	Synthetic Amorphous Silica	≤2.5%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Immediately call a doctor.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

(Contd. of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters Use water spray in a fire condition.
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect product from freezing.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

26140-60-3 Terphenyl

STEL Short-term value: C 5 mg/m3

(Contd. on page 4)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

		(Contd. of page 3
Zinc (	Compounds	
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV	Long-term value: 10 mg/m³	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Paste
Color:	Black
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point:	Undetermined.
- Flash point:	> 150 °C (> 302 °F)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	373 °C (703 °F)
· Decomposition temperature:	Not determined.

(Contd. on page 5)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

	(Contd. of	page 4
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Flammable limits:		
Lower:	Not Determined	
Upper:	Not Determined	
· Vapor pressure:	Not determined.	
· Specific gravity:	Not Determined	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octano	Water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (Per EPA 24)	Not Available GMS/L	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Exposure to high temperatures.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Hydrogen chloride (HCl)

Hydrocarbons

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

1313-13	-9 mangane:	se dioxide	
Oral	LD50	40 mg/kg (mouse)	
		=>1490 mg/kg (rat)	
61788-3	2-7 Hydroge	nated Terphenyl	
Oral	LD50	>12500 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalati	e LC50/4 h	>4.7 mg/l (rat)	

(Contd. on page 6)

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

· Primary irritant effect:

- on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA not regulated

(Contd. on page 7)

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

	(Contd. of	page
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	-	

Regulate	ory information
Safety, hed Sara	alth and environmental regulations/legislation specific for the substance or mixture
Section 35	55 (extremely hazardous substances):
None of th	e ingredients is listed.
Section 31	3 (Specific toxic chemical listings):
Zinc Comp	pounds
TSCA (To.	xic Substances Control Act):
All compo	nents of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements
Propositio	
Chemicals	known to cause cancer:
None of the	e ingredients is listed.
Chemicals	known to cause reproductive toxicity:
None of the	e ingredients is listed.
All compor	nada Dosmestic Substance List nents of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL nts. enity categories
	ironmental Protection Agency)
	manganese dioxide
	Zinc Compounds
TLV (Thre	eshold Limit Value established by ACGIH)
	e ingredients listed.
MAK (Ger	man Maximum Workplace Concentration)
	e ingredients is listed.

(Contd. on page 8)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

(Contd. of page 7)

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 04/19/2013
- · Date of preparation / last revision 03/25/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3





Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

#### 1 Identification

- · Product identifier
- · Trade name: WS-8032 B-1/2 Base
- · Relevant identified uses of the substance or mixture. Sealant
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1
FIRE 1

PHYSICAL HAZARD [0] Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

-USA

Printing Date 09/04/2015 Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

Hazardous d	components:	
68611-50-7	Polysulphide Elastomer	50-100%
68611-50-7	Polysulphide Polymer	5-20%
13463-67-7	titanium dioxide	≤2.5%

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters Use water spray in a fire condition.
- · Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 2)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 13463-67-7 titanium dioxide

PEL Long-term value: 15\* mg/m3

\*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m<sup>3</sup>

withdrawn from NIC

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses with side shields.

(Contd. on page 4)

Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

· Body protection: Protective work clothing

(Contd. of page 3)

Information on basic physical and	alternical properties	
General Information	chemical properties	
Appearance:		
Form:	Paste	
Color:	Whitish	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition	32 13 - 1 12	
Melting point:	Undetermined.	
Boiling point: Flash point:	> 96 °C (> 205 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not Determined	
Upper:	Not Determined	
Vapor pressure:	Not determined.	
Specific gravity:	Not Determined	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:	102 T 10 10 10	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	not available	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogen	ic categories	
· IARC (Inter	rnational Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2B
50-00-0	formaldehyde	1
· NTP (Natio	nal Toxicology Program)	
50-00-0 for	maldehyde	K
· OSHA-Ca (	Occupational Safety & Health Administration)	
50-00-0 for	maldehyde	

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

(Contd. on page 6)

Printing Date 09/04/2015 Revision Number 1 Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

(Contd. of page 5)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

50-00-0 formaldehyde

· Section 313 (Specific toxic chemical listings):

50-00-0 formaldehyde

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 titanium dioxide

50-00-0 formaldehyde

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

50-00-0 formaldehyde

B1

(Contd. on page 7)

Printing Date 09/04/2015

Revision Number 1

Revision Date 09/04/2015

Trade name: WS-8032 B-1/2 Base

		(Contd. of page 6
TLV (Thresi	hold Limit Value established by ACGIH)	
13463-67-7	titanium dioxide	A4
50-00-0	formaldehyde	A2
MAK (Germ	an Maximum Workplace Concentration)	
13463-67-7	titanium dioxide	3A
50-00-0	formaldehyde	4
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
50-00-0	formaldehyde	

- · National regulations:
- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 04/15/2013
- · Date of preparation / last revision 09/04/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

-USA





Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

#### 1 Identification

- · Product identifier
- · Trade name: WS-8032 B-1/2 CA
- · Relevant identified uses of the substance or mixture. Activator
- · Application of the substance / the mixture Activator
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 21 Fire = I

PHYSICAL HAZARD  $\boxed{0}$  Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

Dangerous (	components:	
1313-13-9	manganese dioxide	50-100%
61788-32-7	Hydrogenated Terphenyl	25-50%
	Accelerator	2.5-10%
26140-60-3	Terphenyl	≤2.5%
	Zinc Compounds	≤2.5%
67762-90-7	Synthetic Amorphous Silica	≤2.5%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Immediately call a doctor.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

(Contd. of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters Use water spray in a fire condition.
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect product from freezing.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

26140-60-3 Terphenyl

STEL Short-term value: C 5 mg/m3

(Contd. on page 4)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

		(Contd. of page 3
Zinc (	Compounds	
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV	Long-term value: 10 mg/m³	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Paste
Color:	Black
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point:	Undetermined.
- Flash point:	> 150 °C (> 302 °F)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	373 °C (703 °F)
· Decomposition temperature:	Not determined.

(Contd. on page 5)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

	(Contd. of	page 4
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Flammable limits:		
Lower:	Not Determined	
Upper:	Not Determined	
· Vapor pressure:	Not determined.	
· Specific gravity:	Not Determined	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octano	Water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (Per EPA 24)	Not Available GMS/L	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Exposure to high temperatures.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Hydrogen chloride (HCl)

Hydrocarbons

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

1313-13	-9 mangane:	se dioxide	
Oral	LD50	40 mg/kg (mouse)	
		=>1490 mg/kg (rat)	
61788-3	2-7 Hydroge	nated Terphenyl	
Oral	LD50	>12500 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalati	e LC50/4 h	>4.7 mg/l (rat)	

(Contd. on page 6)

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

· Primary irritant effect:

- on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA not regulated

(Contd. on page 7)

Printing Date 03/25/2015 Revision Number 1 Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

	(Contd. of	page
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	-	

Regulate	ory information
Safety, hed Sara	alth and environmental regulations/legislation specific for the substance or mixture
Section 35	55 (extremely hazardous substances):
None of th	e ingredients is listed.
Section 31	3 (Specific toxic chemical listings):
Zinc Comp	pounds
TSCA (To.	xic Substances Control Act):
All compo	nents of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements
Propositio	
Chemicals	known to cause cancer:
None of the	e ingredients is listed.
Chemicals	known to cause reproductive toxicity:
None of the	e ingredients is listed.
All compor	nada Dosmestic Substance List nents of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL nts. enity categories
	ironmental Protection Agency)
	manganese dioxide
	Zinc Compounds
TLV (Thre	eshold Limit Value established by ACGIH)
	e ingredients listed.
MAK (Ger	man Maximum Workplace Concentration)
	e ingredients is listed.

(Contd. on page 8)

Printing Date 03/25/2015

Revision Number 1

Revision Date 03/25/2015

Trade name: WS-8032 B-1/2 CA

(Contd. of page 7)

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 04/19/2013
- · Date of preparation / last revision 03/25/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3