# **SAFETY DATA SHEET**



#### 1. Identification

Product identifier Liqui-Form 3500

Other means of identification

Product code LF3500

**Recommended use** Electrical insulation and heat conduction.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Compan

Anufacturer/Supplier The Bergquist Company
Address: 18930 West 78th Street

Chanhassen, MN. 55317

**Non-Emergency calls:** 1-800-347-4572

Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal wordNot applicable.Hazard statementNot applicable.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash thoroughly after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

## 3. Composition/information on ingredients

#### **Mixtures**

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Get medical attention if symptoms occur.

**Skin contact** Wash skin with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Liqui-Form 3500 SDS US

904717 Version #: 04 Revision date: 11-September-2015 Issue date: 03-October-2014

Most important

symptoms/effects, acute and

delayed

Under normal conditions of intended use, this material does not pose a risk to health.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see Section 13 of the SDS.

**Environmental precautions** 

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene

practices. Wear appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values			

Components	Туре	Value	Form
Aluminum oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1)			

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Exposure guidelines** Follow standard monitoring procedures.

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the Hand protection

glove supplier.

If prolonged or repeated contact is likely, chemical resistant clothing is recommended. Other

In case of inadequate ventilation, use respiratory protection. Respiratory protection

Liqui-Form 3500 SDS US 904717 Version #: 04 

Thermal hazards Wear app

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be

cleaned.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Gray.

Odor Odorless.

Odor threshold Not relevant.
PH Not relevant.
Melting point/freezing point Not relevant.
Initial boiling point and boiling Not relevant.

range

Flash point Not relevant.

Evaporation rate Not relevant.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

ver

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Vapor pressure Not relevant.
Vapor density Not relevant.

Relative density 3.1 - 3.2 g/cc (25 °C)

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient

(n-octanol/water)

Not relevant.

Auto-ignition temperature Not relevant.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

VOC (Weight %) Not available.

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.Incompatible materialsStrong oxidizing agents. Acids. Bases.

Hazardous decomposition None.

products

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Vapors may irritate throat and respiratory system and cause coughing.

**Skin contact** Prolonged skin contact may cause temporary irritation.

Liqui-Form 3500 SDS US

Eye contact May cause eye irritation on direct contact.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Under normal conditions of intended use, this material does not pose a risk to health.

### Information on toxicological effects

Acute toxicity Under normal conditions of intended use, this material does not pose a risk to health.

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.
Skin sensitization Not classified.
Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### **NTP Report on Carcinogens**

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified. single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Further information None known.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous.

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

**Mobility in soil** The product is insoluble in water.

Other adverse effects None known.

#### 13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations. **Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Liqui-Form 3500 SDS US

## 15. Regulatory information

#### **US** federal regulations

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Aluminum oxide	1344-28-1	80-95	

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations**This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

### **US. Massachusetts RTK - Substance List**

Aluminum oxide (CAS 1344-28-1)

### US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

### US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

## **US. Rhode Island RTK**

Aluminum oxide (CAS 1344-28-1)

### **US. California Proposition 65**

Not Listed.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Liqui-Form 3500 SDS US

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date 03-October-2014
Revision date 11-September-2015

Version # 04

**NFPA** ratings



**References** ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

**Disclaimer**The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Liqui-Form 3500 SDS US

904717 Version #: 04 Revision date: 11-September-2015 Issue date: 03-October-2014