



DS81x8

HOW TO SPEC GUIDE

Version: 1.3
North America



CORDED



	Description	SKU
DS8108-SR 2D Area Imager	Standard Range Twilight Black Can Read off of LCD Displays	DS8108-SR00007ZZWW
DS8108-DL 2D Area Imager, Drivers License Parsing	Drivers License Parsing Twilight Black Can Read off of LCD Displays	DS8108-DL00007ZZWW
DS8108-SR 2D Area Imager, Checkpoint EAS	Standard-Range Twilight Black Can Read off of LCD Displays	DS8108-SR00007ZCWW



	Description	SKU
DS8108-SR 2D Area Imager	Standard Range Nova White Can Read off of LCD Displays	DS8108-SR00006ZZWW
DS8108-DL 2D Area Imager, Drivers License Parsing	Drivers License Parsing Nova White Can Read off of LCD Displays	DS8108-DL00006ZZWW



CORDED BUNDLES

DS8108-SR6U2100SGW

Scanner – DS8108-SR (White)
Stand – 20-71043-04R
USB Cable – CBA-U21-S07ZBR

DS8108-DL6U2100SGW

Scanner – DS8108-DL (White)
Stand – 20-71043-04R
USB Cable – CBA-U21-S07ZBR

DS8108-SR7U2100SGW

Scanner – DS8108-SR (Black)
Stand – 20-71043-04R
USB Cable – CBA-U21-S07ZBR

DS8108-DL7U2100SGW

Scanner – DS8108-DL (Black)
Stand – 20-71043-04R
USB Cable – CBA-U21-S07ZBR

DS8108-SR6U2100AZW

Scanner – DS8108-SR (White)
NO Stand
USB Cable – CBA-U21-S07ZBR

DS8108-DL6U2100AZW

Scanner – DS8178-DL (White)
NO Stand
USB Cable – CBA-U21-S07ZBR

DS8108-SR7U2100AZW

Scanner – DS8108-SR (Black)
NO Stand
USB Cable – CBA-U21-S07ZBR

DS8108-DL7U2100AZW

Scanner – DS8108-DL (Black)
NO Stand
USB Cable – CBA-U21-S07ZBR

DS8108-SR600000SGW

Scanner – DS8108-SR (White)
Stand – 20-71043-04R
NO Cable in Bundle - Order Separate

DS8108-DL600000SGW

Scanner – DS8178-DL (White)
Stand – 20-71043-04R
NO Cable in Bundle - Order Separate

DS8108-SR700000SGW

Scanner – DS8108-SR (Black)
Stand – 20-71043-04R
NO Cable in Bundle - Order Separate

DS8108-DL700000SGW

Scanner – DS8108-DL (Black)
Stand – 20-71043-04R
NO Cable in Bundle - Order Separate

CORDLESS



	Description	SKU
DS8178-SR 2D Area Imager	Standard Range Twilight Black Can Read off of LCD Displays	DS8178-SR0F007ZZWW
DS8178-DL 2D Area Imager, Drivers License Parsing	Drivers License Parsing Twilight Black Can Read off of LCD Displays	DS8178-DL0F007ZZWW



	Description	SKU
DS8178-SR 2D Area Imager	Standard Range Nova White Can Read off of LCD Displays	DS8178-SR0F006ZMWW
DS8178-DL 2D Area Imager, Drivers License Parsing	Drivers License Parsing Nova White Can Read off of LCD Displays	DS8178-DL0F006ZMWW



CORDLESS CRADLES



	Description	SKU
Standard Cradle	Charger, Bluetooth, FIPS, Midnight Black	CR8178-SC100F4WW



	Description	SKU
Presentation Cradle	Charger, Bluetooth, FIPS, Midnight Black	CR8178-PC100F4WW



CORDLESS BUNDLES

DS8178-SR6U2100S2W

Scanner – DS8178-SR (White)
Standard Cradle – CR8178-SC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-SR6U2100P2W

Scanner – DS8178-SR (White)
Presentation Cradle – CR8178-PC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-SR7U2100SFW

Scanner – DS8178-SR (Black)
Standard Cradle – CR8178-SC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-SR7U2100PFW

Scanner – DS8178-SR (Black)
Presentation Cradle – CR8178-PC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-DL6U2100S2W

Scanner – DS8178-DL (White)
Standard Cradle – CR8178-SC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-DL6U2100P2W

Scanner – DS8178-DL (White)
Presentation Cradle – CR8178-PC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-DL7U2100SFW

Scanner – DS8178-DL (Black)
Standard Cradle – CR8178-SC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-DL7U2100PFW

Scanner – DS8178-DL (Black)
Presentation Cradle – CR8178-PC100F4WW
USB Cable – CBA-U21-S07ZBR

DS8178-SR600000S2W

Scanner – DS8178-SR (White)
Standard Cradle – CR8178-SC100F4WW
NO Cable in Bundle - Order Separate

DS8178-SR600000P2W

Scanner – DS8178-SR (White)
Presentation Cradle – CR8178-PC100F4WW
NO Cable in Bundle - Order Separate

DS8178-SR700000SFW

Scanner – DS8178-SR (Black)
Standard Cradle – CR8178-SC100F4WW
NO Cable in Bundle - Order Separate

DS8178-SR7U0000PFW

Scanner – DS8178-SR (Black)
Presentation Cradle – CR8178-PC100F4WW
NO Cable in Bundle - Order Separate



USB-A

CBA-U21-S07ZBR

Cable - Shielded USB: Series A Connector, 7ft. (2.1m), Straight,
BC1.2 – [BC1.2 Host Spec Support – Faster Charge Time]

CBA-U30-S15ZBR

Cable - Shielded USB: Series A Connector, 15ft. (2.1m), Straight
BC1.2 – [BC1.2 Host Spec Support – Faster Charge Time]





USB-A

With External Power Supply

[Note: Only compatible with Cordless DS8178 Cradles
– Faster Charge time with 12v Power Supply]



CBA-U42-S07PAR

Cable - Shielded USB: Series A Connector, 7ft. (2.1m), Straight
[Requires External 12v Power Supply]

CBA-U44-S15PAR

Cable - Shielded USB: Series A Connector, 15ft. (4.6m), Straight
[Requires External 12v Power Supply]



+



+



+



PWR-BGA12V50W0WW
Power Supply
12v, 4.16A

CBL-DC-375A1-01
DC Line Cord

23844-00-00R
AC Line Cord



USB-POWER PLUS

[Note: Only compatible with Cordless DS8178 Cradles]




CBA-U23-S07ZBR

Cable - Shielded USB: Power Plus Connector, 7ft. (2.1m), Straight 12v

CBA-U35-S15ZBR

Cable - Shielded USB: Power Plus Connector, 15ft. (4.6m), Straight 12v



[Note: Receptacle used for Power Plus Connection]



RS232

[Note: Only compatible with Cordless DS8178 Cradles]



CBA-R71-C09ZAR

Cable – RS232: DB9 Female Connector, 9ft (2.8m) Coiled
Power on Pin 9 from Host



[Note: 5v Power must come on Pin 9 from Host]




RS232

With External Power Supply



CBA-R01-S07PBR

Cable – RS232: DB9 Female Connector, 7ft. (2m), Straight
[Requires External 5v Power Supply]



+



PWR-WUA5V4W0US

Power Supply
5.2v, 1.1A



RS232

With External Power Supply

[Note: Only compatible with Cordless DS8178 Cradles
– Faster Charge time with 12v Power Supply]



CBA-R07-S07PAR

Cable – RS232: DB9 Female Connector, 7ft. (2m), Straight
[Requires External 12v Power Supply]

CBA-R21-S15PAR

Cable – RS232: DB9 Female Connector, 15ft. (4.6m), Straight
[Requires External 12v Power Supply]



+



+



+



PWR-BGA12V50W0WW
Power Supply
12v, 4.16A

CBL-DC-375A1-01
DC Line Cord

23844-00-00R
AC Line Cord




FIX MOUNT AND ACCESSORIES




20-71043-04R

Gooseneck Intellistand (Black)
Not compatible with DS8178



STND-DC0081W-04

Document Capture Stand for
DS8178 in Presentation Mode



21-71043-04R

Cup Holder (Black)



BTRY-DS81EAB0E-00

Spare Battery for DS8178