# **Safety Data Sheet**



Revision Number: 007.1 Issue date: 06/04/2025

## 1. IDENTIFICATION

Product name: LOCTITE STYCAST HD 0242 known as IDH number:

HYSOL HD0242 GAL

Product type/ Epoxy Hardener Item number: HD0242-B50

Recommended use:

Restriction of Use: None identified Region: United States

Company address: Henkel Corporation

enkel Corporation Telephone: +1 (860) 571-5100

One Henkel Way

MEDICAL EMERGENCY Phone: Poison Control Center
Rocky Hill, Connecticut 06067

1-877-671-4608 (toll free) or 1-303-592-1711

1-877-671-4608 (toll free) or 1-303-592-1711
TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887
MEDICAL EMERGENCY Phone: Poison Control Center

498887

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

Contact information:

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER: H302 - HARMFUL IF SWALLOWED.

H311 - TOXIC IN CONTACT WITH SKIN.

H314 - CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.

H334 - MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

H361 - SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY DERMAL	3
SKIN CORROSION	1
SERIOUS EYE DAMAGE	1
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1
REPRODUCTIVE TOXICITY	2





#### **Precautionary Statements**

**Prevention:** P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing mist/vapours.

P264 - Wash affected area thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, clothing, eye and face protection. P284 - [In case of inadequate ventilation] wear respiratory protection.

Response: P301+P312+P330 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell. Rinse mouth.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IDH number: 498887 Product name: LOCTITE STYCAST HD 0242 known as HYSOL HD0242 GAL Page 1 of 6

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. P304+P340+P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical attention. P333+P313 - If skin irritation or rash occurs: Get medical attention.

P342+P311 - If experiencing respiratory symptoms: Call a poison center or physician. P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

Storage: P405 - Store locked up.

Disposal: P501 - Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*	
diethylmethylbenzenediamine	68479-98-1	30 - 60	
3,6-diazaoctanethylenediamine	112-24-3	30 - 60	
1,2-Ethanediamine, N1,N1-bis(2-aminoethyl)-	4097-89-6	5 - 10	
Tetraethylene pentamine	112-57-2	0.1 - 1	
Diethylenetriamine	111-40-0	0.1 - 1	

<sup>\*</sup> Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

Inhalation: If not breathing, give artificial respiration. If breathing is difficult, oxygen

should be administered by qualified personnel. Move to fresh air. If symptoms

persist, seek medical advice.

**Skin contact:** Rinse with running water and soap. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse. Discard any shoes or clothing items that cannot be decontaminated. If symptoms develop and persist, get medical attention.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Seek medical attention immediately.

Ingestion: Seek immediate medical attention. Do not induce vomiting. Never give

anything by mouth to an unconscious person.

Most important symptoms and effects (acute

and delayed):

The most important known symptoms and effects, both acute and delayed, are

described in Section 11: Toxicological Information.

Indication of any immediate medical attention /

special treatment needed:

Not available.

#### 5. FIRE FIGHTING MEASURES

**Extinguishing media:** Water spray (fog), foam, dry chemical or carbon dioxide.

Improper extinguishing agents: Not available.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. Keep unnecessary personnel away.

IDH number: 498887 Product name: LOCTITE STYCAST HD 0242 known as HYSOL HD0242 GAL

Page 2 of 6

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat. In case of fire, keep containers cool with water spray. Do not

allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Toxic fumes. Irritating vapors.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not allow product to enter sewer or waterways.

Clean-up methods: Ensure adequate ventilation. Wear appropriate personal protective equipment.

Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed

container for disposal.

# 7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist.

Wash thoroughly after handling. Use only with adequate ventilation. Keep container closed. See Section 8 of the SDS for Personal Protective

Equipment.

Storage: Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials. Keep away from heat, spark and flame. Store in original container until ready to use. Store away from incompatible materials

identified in section 10.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
3,6-diazaoctanethylenediamine	None	None	1 ppm (6 mg/m3) TWA (SKIN)	None
Tetraethylene pentamine	None	None	1 ppm (5 mg/m3) TWA Aerosol. (SKIN) Aerosol. (Skin sensitizer.)	None
Diethylenetriamine	1 ppm TWA (SKIN)	None	None	None

**Engineering controls:** Use local ventilation if general ventilation is insufficient to maintain vapor

concentration below established exposure limits. Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

**Eye/face protection:** Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

**Skin protection:**Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: Amber
Odor: Ammoniacal
Odor threshold: Not available.
pH: > 7.00

IDH number: 498887 Product name: LOCTITE STYCAST HD 0242 known as HYSOL HD0242 GAL

Page 3 of 6

Vapor pressure: 0.3 hPa (20 °C (68°F))

Boiling point/range: Not applicable, Decomposes before boiling point is reached

Melting point/ range: Not applicable, Product is a liquid

Density/Relative density: 1.1
Relative vapor density: 3.6 20 °C

Flash point: > 100 °C (> 212°F) Closed cup

Flammable/Explosive limits - lower:

Flammable/Explosive limits - upper:

Autoignition temperature:

Flammability:

Evaporation rate:

Solubility:

Not available.

Not determined

Not applicable

< 0.1

Solubility:

Soluble Water

Solubility: Soluble Water Partition coefficient n-octanol/water Not available.

(logarithmic value):
VOC content:
0 %

**Dynamic viscosity:** Not available. **Kinematic viscosity:** > 20 mm2/s

Particle characteristics: Not applicable, Product is a liquid

**Decomposition temperature:** Not available.

### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use. Stable under normal conditions of storage

and use.

Hazardous reactions: None under normal processing. None under normal processing.

Hazardous decomposition

products:

IDH number: 498887

Oxides of carbon. Oxides of nitrogen. Toxic fumes. Irritating vapors. Oxides of carbon. Oxides

of nitrogen. Ammonia.

Incompatible materials: Oxidizing agents. Acids and bases. Strong acids and oxidizing agents. Peroxides. Nitrous acid

and other nitrosating agents. This product slowly corrodes copper, aluminum, zinc and

galvanized surfaces.

Reactivity: Not available.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials. Protect from direct sunlight.

High temperatures. Store away from incompatible materials. Heat, flames, sparks and other

sources of ignition. Direct sunlight. Exposure to air.

# 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure: Skin, Inhalation, Eyes, Ingestion

### **Potential Health Effects/Symptoms**

Inhalation: Mists, vapors or liquid may cause severe irritation or burns. Skin contact: Causes skin burns. May cause allergic skin reaction.

**Eye contact:** Causes serious eye damage.

Ingestion: If ingested, severe burns of the mouth and throat may occur, as well as perforation of the

esophagus and the stomach.

Hazardous Component(s)	LD50s and LC50s	
diethylmethylbenzenediamine	None	
3,6-diazaoctanethylenediamine	None	
1,2-Ethanediamine, N1,N1-bis(2-aminoethyl)-	None	
Tetraethylene pentamine	Oral LD50 (Rat) = 3.99 g/kg Oral LD50 (Rat) = 2.1 g/kg Dermal LD50 (Rabbit) = 0.66 g/kg	
Diethylenetriamine	Oral LD50 (Rat) Approximate 1,140 mg/kg Oral LD50 (Rat) = 1,080 mg/kg Oral LD50 (Rat) = 2.33 g/kg	

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
diethylmethylbenzenediamine			Pancreas Adrenals Eyes
3,6-diazaoctanethylenediamine	Corrosive Irritant	Allergen	Developmental Mutagen
1,2-Ethanediamine, N1,N1-bis(2-aminoethyl)-			
Tetraethylene pentamine	Irritant	Allergen	Mutagen
Diethylenetriamine	Irritant	Allergen	Eyes

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
diethylmethylbenzenediamine	No	No	No
3,6-diazaoctanethylenediamine	No	No	No
1,2-Ethanediamine, N1,N1-bis(2-aminoethyl)-	No	No	No
Tetraethylene pentamine	No	No	No
Diethylenetriamine	No	No	No

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

# 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (Triethylenetetramine, Diethyltoluene

diamine)

Hazard class or division: 8
Identification number: UN 3267
Packing group: II

## International Air Transportation (ICAO/IATA)

Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (Triethylenetetramine, Diethyltoluene

diamine)

Hazard class or division: 8 Identification number: UN 3267 Packing group: II

IDH number: 498887 Product name: LOCTITE STYCAST HD 0242 known as HYSOL HD0242 GAL Page 5 of 6

Water Transportation (IMO/IMDG)

Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Triethylenetetramine,

Diethyltoluene diamine)

Hazard class or division:

Identification number: UN 3267 Packing group:

Marine pollutant: Diethyltoluene diamine

## 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

**CERCLA/SARA Section 302 EHS:** None above reporting de minimis.

CERCLA/SARA Section 311/312: Please refer to the GHS classification in Section 2

CERCLA/SARA Section 313: None above reporting de minimis.

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information** 

IDH number: 498887

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: First issue. 3,8,11,16

Prepared by: Product Safety and Regulatory Affairs

**Issue date:** 06/04/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.