

Issue Date: 01-Jan-2012

Revision Date: 18-Oct-2022

Version 4

## 1. IDENTIFICATION

### Product identifier

**Product Name** GlobalTech Isopropyl Alcohol w/DI Water, 70-30%

### Other means of identification

**SDS #** JNJ-004

**Product Code** IPA/DI  
**UN/ID No** UN1219

### Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaning agent.

### Details of the supplier of the safety data sheet

#### Supplier Address

High-Tech Conversions  
1699 King Street  
Enfield, CT 06082

### Emergency telephone number

**Company Phone Number** Phone: 860-265-2633  
Fax: 860-265-2774  
**Emergency Telephone** **Poison Control Center (Medical):**  
**800-222-1222**

## 2. HAZARDS IDENTIFICATION

**Appearance** Water clear liquid **Physical state** Liquid **Odor** Characteristic

### Classification

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

### Signal Word

**Danger**

### Hazard statements

Causes serious eye irritation  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Use explosion-proof equipment  
Keep cool

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a poison center or doctor/physician if you feel unwell  
In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	70
DI Water	7732-18-5	30

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. Call a physician.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Call a poison center or doctor/physician if you feel unwell.
<b>Ingestion</b>	Immediately drink 1-2 glasses of milk or water. Get medical attention.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause severe eye irritation with reddening and watering. Repeated exposure may cause skin dryness or cracking. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause irritation of the gastrointestinal tract, cramps, vomiting or diarrhea. Drowsiness.
-----------------	--

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**Alcohol resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray (fog).**Unsuitable Extinguishing Media** Not determined.**Specific Hazards Arising from the Chemical**

Vapors are heavier than air and may travel along ground to ignition sources and flash back.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be ineffective on direct flame, but it can be used to flush spills from ignition or to disperse vapors.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Remove all sources of ignition. Use personal protective equipment as required. Use non-sparking tools. Suppress vapors with water fog.

**Environmental precautions****Environmental precautions**

See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up**

Contain and collect with an inert absorbent and place into an appropriate container for disposal. Do not use combustible materials, such as saw dust.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on Safe Handling**

Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Avoid contact with skin and eyes.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children.

**Incompatible Materials**

Concentrated nitric and sulfuric acids. Oxidizers. Aldehydes. Halogens. Halogen compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses.

**Skin and Body Protection** Chemical resistant protective gloves. Vinyl not recommended.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Characteristic
<b>Appearance</b>	Water clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	7		
Melting point / freezing point	-88.5 °C / -127.3 °F		
Boiling point / boiling range	82 °C / 179 °F		
Flash point	18 °C / 64 °F	Tag Closed Cup	
Evaporation Rate	2.88	N-butyl acetate	
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limit in Air			
Upper flammability or explosive limits	Not available		
Lower flammability or explosive limits	Not available		
Vapor Pressure	33 mm Hg		
Vapor Density	2.0	(Air=1)	
Relative Density	0.88	@ 60°F (ASTM D 1298)	
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Will not occur		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Heat, flames and sparks. Ignition sources.

### Incompatible materials

Concentrated nitric and sulfuric acids. Oxidizers. Aldehydes. Halogens. Halogen compounds.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

#### **Eye Contact**

Avoid contact with eyes.

#### **Skin Contact**

Avoid contact with skin.

#### **Inhalation**

Do not inhale.

#### **Ingestion**

May be harmful if swallowed.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

### Symptoms related to the physical, chemical and toxicological characteristics

#### **Symptoms**

Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Carcinogenicity**

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

**Legend***IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***STOT - single exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Numerical measures of toxicity****The following values are calculated based on chapter 3.1 of the GHS document****Oral LD50** 2,876.90 mg/kg**Dermal LD50** 6,244.60 mg/kg**Gas** 38,461.50 mg/L**ATEmix (inhalation-dust/mist)** 111.70 mg/L**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Component Information**

<b>Chemical name</b>	<b>Algae/aquatic plants</b>	<b>Fish</b>	<b>Crustacea</b>
Isopropyl alcohol 67-63-0	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

There is no data for this product.

**Mobility**

<b>Chemical name</b>	<b>Partition coefficient</b>
Isopropyl alcohol 67-63-0	0.05

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION****Note**

The shipping description is specific to the container and mode of shipment. Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

Packages with inner packagings not over 1 liter/1kg may be reclassified as a Limited Quantity

UN/ID No UN1219  
 Proper Shipping Name Isopropyl alcohol solution  
 Hazard class 3  
 Packing Group II

**IATA**

Please refer to the IATA DGR for additional information regarding air shipments.

UN number UN1219  
 Proper Shipping Name Isopropyl alcohol solution  
 Transport hazard class(es) 3  
 Packing Group II

**IMDG**

Packages with inner packagings not over 1 liter/1kg may be reclassified as a Limited Quantity

UN number UN1219  
 Proper Shipping Name Isopropyl alcohol solution  
 Transport hazard class(es) 3  
 Packing Group II

**15. REGULATORY INFORMATION****International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl alcohol	X	ACTIVE	X	X	X	X	X	X	X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No

**SARA 313**

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	70	1.0

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	1	3	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical hazards</b>	<b>Personal Protection</b>
	1	3	0	B

Issue Date: 01-Jan-2012  
Revision Date: 18-Oct-2022  
Revision Note: Update Contact Information

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**