

Safety Data Sheet

Issue Date: 15-Jan-2015 Revision Date: 18-Oct-2022 Version 3

1. IDENTIFICATION

Product Identifier

Product Name GlobalTech® Ink & Screen Cleaner Saturated Wipes/Refills

Other means of identification

SDS # JNJ-011-WIPES

Product Code IKS-Wipes UN/ID No UN3175

Recommended use of the chemical and restrictions on use Recommended Use Ink and screen cleaner.

Details of the supplier of the safety data sheet

Supplier Address High- Tech Conversions 1699 King Street Enfield, CT 06082

Emergency Telephone Number

Company Phone Number Phone: 860-265-2633

Fax: 860-265-2774

Emergency Telephone (24 hr) Poison Control Center (Medical):

800-222-1222

2. HAZARDS IDENTIFICATION

Appearance Liquid saturated on wipe Physical State Solid Odor Mild

Classification

The classification below is for the liquid which is absorbed onto the wipe.

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful in contact with skin

Signal Word Warning

Hazard Statements

Causes serious eye irritation Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Date: 18-Oct-2022

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Aliphatic Glycol Ethers	Proprietary	>90
Aliphatic ether alcohol	Proprietary	<10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse. Call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration.

Ingestion If large amount is swallowed, give lukewarm water (pint, 1/2 liter). Do not induce vomiting.

Seek medical attention immediately.

Most important symptoms and effects

Symptoms May cause skin and eye irritation. May cause irritation to the mucous membranes and

upper respiratory tract. Prolonged or repeated exposure by inhalation may cause headaches and palpitations. Ingestion may cause nausea, vomiting, dizziness, and

headache. May cause diarrhea.

JNJ-011-WIPES - GlobalTech® Ink & Screen Cleaner Saturated Wipes/Refills

Date: 18-Oct-2022

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

This material may produce a floating fire hazard in extreme fire conditions.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Do not release into sewers or waterways.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Place in an appropriate container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Keep

away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing.

Use with adequate ventilation. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

Incompatible Materials Strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Date: 18-Oct-2022

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aliphatic ether alcohol	STEL: 150 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
·	TWA: 100 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³

Appropriate engineering controls

Engineering Controls Ventilation systems. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Chemical resistant protective gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Tag Closed Cup

@20°C

(Air=1)

(1=Water)

(butyl acetate = 1)

Information on basic physical and chemical properties

Physical State Solid

AppearanceLiquid saturated on wipeOdorMild

Color Clear Odor Threshold Not determined

Property The information below is for the liquid absorbed onto the wipe Remarks • Method

Not determined

Melting Point/Freezing Point

-70 °C / -94 °F

Boiling Point/Boiling Range

-70 °C / -94 °F

150 °C / 302 °F

Flash Point 48 °C / 302 °F

Evaporation Rate 0.22
Flammability (Solid, Gas) Not determined

Upper Flammability LimitsNot availableLower Flammability LimitNot availableVapor Pressure1.7 mm Hg

Vapor Density 4.0
Specific Gravity 0.88
Water Solubility Completely soluble

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Will not occur **Decomposition Temperature** Not determined **Kinematic Viscosity** Not available **Dynamic Viscosity** Not available **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

JNJ-011-WIPES - GlobalTech® Ink & Screen Cleaner Saturated Wipes/Refills

Date: 18-Oct-2022

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizers.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact May be harmful in contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aliphatic Glycol Ethers	= 2504 mg/kg (Rat)	= 3550 mg/kg (Rabbit)	-
Aliphatic ether alcohol	= 5200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Date: 18-Oct-2022

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Aliphatic ether alcohol		20.8: 96 h Pimephales		23300: 48 h Daphnia magna
		promelas g/L LC50 static		mg/L EC50
		4600 - 10000: 96 h		
		Leuciscus idus mg/L LC50		
		static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient	
Aliphatic ether alcohol	-0.437	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note The shipping description is specific to the container and mode of shipment. Please refer to

the shipping papers for most up to date shipping information.

NOTE: packages with inner packagings not over 1 liter/1 kg may be reclassified as a

Limited Quantity/Consumer Commodity ORM-D.

NOTE: ORM-D Designation (Shipments by highway, rail and vessel only valid until

December 31, 2020).

NOTE: Consumer Commodity (ORM-D) classification is for domestic surface/ground

shipments only. Air shipments remain regulated.

DOT

UN/ID No UN3175

Proper Shipping Name

Solids containing flammable liquid, n.o.s. (PNP glycol ether, 1-methoxy-2-propanol)

Hazard Class 4.1 Packing Group II

IATA

UN/ID No UN3175

Proper Shipping Name

Solids containing flammable liquid, n.o.s. (PNP glycol ether, 1-methoxy-2-propanol)

Hazard Class 4.1 Packing Group

JNJ-011-WIPES - GlobalTech® Ink & Screen Cleaner Saturated Wipes/Refills

Date: 18-Oct-2022

IMDG

UN/ID No UN3175

Proper Shipping Name Solids containing flammable liquid, n.o.s. (PNP glycol ether, 1-methoxy-2-propanol)

Hazard Class 4.
Packing Group II

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Aliphatic Glycol Ethers	Present	Х		Present		Present	Х	Present	Χ	Χ
Aliphatic ether alcohol	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aliphatic ether alcohol	X	X	X

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	1	2	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	2	0	В

Issue Date: 15-Jan-2015 **Revision Date:** 18-Oct-2022

Revision Note: Updated Contact Information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet