

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : Glycol Ether EB Acetate

#### Recommended use of the chemical and restrictions on use

Recommended use : Solvent.

#### Manufacturer or supplier's details

**Company** : Univar Solutions USA  
**Address** : 3075 Highland Pkwy Suite 200  
 Downers Grove, IL 60515  
 United States of America (USA)

#### Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** : Responsible Party: Product Compliance Department  
 E-mail: SDSNA@univarsolutions.com  
 SDS Requests: 1-855-429-2661  
 Website: www.univarsolutions.com

#### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.  
 H302 + H312 Harmful if swallowed or in contact with skin.

Precautionary statements : **Prevention:**  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
 No smoking.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P363 Wash contaminated clothing before reuse.

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

**Hazardous components**

CAS-No.	Chemical name	Weight percent
112-07-2	Ethylene glycol monobutyl ether acetate	90 - 100

Any Concentration shown as a range is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Do not induce vomiting without medical advice.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO2)  
Foam  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

Hazardous combustion products	: Carbon oxides
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
112-07-2	Ethylene glycol monobutyl ether acetate	TWA	20 ppm	ACGIH
		TWA	5 ppm 33 mg/m3	NIOSH REL

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Clear, colorless

Odour : mild, fruity

Odour Threshold : No data available

pH : No data available

Freezing Point (Freezing Point) : -64.6 °C (-84.3 °F)

Boiling Point (Boiling point/boiling range) : 186 - 192 °C (367 - 378 °F)

Flash point : 71 - 78 °C (160 - 172 °F)

Evaporation rate : 0.03 - 0.04  
(Butyl Acetate = 1)

Flammability (solid, gas) : No data available

Upper explosion limit : 8.54 %(V)

Lower explosion limit : 0.5 %(V)

Vapour pressure : 0.2250 - 0.37 mmHg @ 20 °C (68 °F)

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

Relative vapour density	: < 6 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	: 0.94 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 0.94 g/cm <sup>3</sup> @ 20 °C (68 °F)
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: 1.51
Auto-ignition temperature	: 280 - 340 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 1.81 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic	: 1.91 mm <sup>2</sup> /s @ 20 °C (68 °F)

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. Stable, however, forms peroxides of unknown stability.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Bases Oxidizing agents Acids
Hazardous decomposition products	: Carbon oxides Aldehydes Ketones Organic acids

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: 1,818 mg/kg

Acute dermal toxicity : Acute toxicity estimate: 1,515 mg/kg

##### Components:

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

#### 112-07-2:

Acute oral toxicity : LD50 (Rat, male and female): 1,800 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD50 (Rabbit): 1,500 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

#### Carcinogenicity

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Further information

##### Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

#### 112-07-2:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 22 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Daphnia (water flea)): 37 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : (Pseudokirchneriella subcapitata (green algae)): 520 mg/l  
End point: Biomass  
Exposure time: 72 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 30.4 mg/l  
Exposure time: 7 d

Acute aquatic toxicity- Assessment : Harmful to aquatic life.

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

#### Persistence and degradability

##### Components:

###### 112-07-2:

Biodegradability : aerobic  
Inoculum: Activated sludge, domestic, adaption not specified  
Result: Readily biodegradable.  
Biodegradation: 88 %  
Exposure time: 28 d

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

#### DOT (Department of Transportation):

NA1993, Combustible liquid, n.o.s., (2-BUTOXYETHYL ACETATE), CBL, III

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

**IATA (International Air Transport Association):** Not regulated as a dangerous good

**IMDG-Code:** Not regulated as a dangerous good

**Special Notes:** : The flash point for this material is greater than 100 °F (38 °C) and may be re-classified as "Combustible liquid" in accordance with 49 CFR 173.150(f). Therefore, non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

## SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : B3: Combustible Liquid

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2-ethoxyethanol	110-80-5	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

112-07-2 Ethylene glycol mono-butyl ether acetate

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

112-07-2 Ethylene glycol monobutyl ether acetate

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

112-07-2 Ethylene glycol monobutyl ether acetate



## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307


#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

112-07-2	Ethylene glycol monobutyl ether acetate
110-80-5	2-ethoxyethanol

#### California Prop 65

 **WARNING:** This product can expose you to chemicals including 2-ethoxyethanol, Ethanol, 2-ethoxy-, 1-acetate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: The substance is subject to SNAC requirements and is applied when the substance was subject to SNAC requirements prior to its addition to the DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PHIL	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

## Safety Data Sheet


### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

**Revision Date** : 04/09/2025

**Legacy SDS:** : R0003711

##### Material number:

16189636, 16153566, 16148475, 16152747, 16128943, 16128587, 16056078, 16065959, 16062076, 16041611, 16040174, 734540, 588330, 69514, 86684, 70088, 53651, 103126, 168034, 20385, 508587, 85902, 103080, 102276, 506086, 502595, 20388, 20387, 53987

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration

## Safety Data Sheet

### Glycol Ether EB Acetate

Version 1.6

Revision Date: 04/09/2025

EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		