HellermannTyton

Specification Sheet

Part Number: MK9SST



Glass fiber reinforced housing for extra durability.

Ergonomic design protects against repetitive strain injuries.

Calibrated for consistent tensioning and cutting of MBT-series metal ties.

Article Number 110-95000

Type MK9SST

Color Gray (GY)

Quantity Per pack

Product Description With its lightweight, ergonomic design, the MK9SST is an ideal tool for

applying MBT-series stainless steel cable ties. As tough as these ties are, the MK9SST cuts and tensions without operator fatigue or strain. Tensioning is fully adjustable using a quick, two-level control with an additional fine setting. This avoids damage to bundles. Cable ties are cut off automatically flush with the head when the preset tensioning

level has been reached.

Short Description MK9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Gray,

1/pkg

Global I	Part	Name
----------	------	------

MK9SST-PA66GF30-GY

Cable Ties

All MBT Series for both 304 and 316 materials

Tension Setting Tools

Adjustable

Cable Tie Width Max (Imperial)

0.6

Material

Polyamide 6.6, glass fiber reinforced (PA66GF30%)

Material Shortcut

PA66GF30

UV Resistant (Yes/No)

No

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Package Quantity (Imperial)

1

Package Quantity (Metric)

1

Customs Number

8205599000

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions