Specification Sheet

Part Number: 596-00624



Label stock for use with thermal transfer printers.

Strong acrylic adhesive for industrial applications.

Abrasion and chemical resistant top coat for long lasting results.

For use with HellermannTyton thermal transfer printers or most standard brands.

Terminal Block Labels, 0.275" wide, PE, White, 100 ft/roll

Article Number	596-00624
Type	TBL275
Color	White (WH)
Quantity Per	pack
Product Description	To suit different industrial applications, HellermannTyton offers a wide variety of thermal transfer label stocks including polyester, metalized polyester, clear polyester, cloth, polyimide and Durattach high density polyolefin. Thermal transfer labels include a strong acrylic adhesive and abrasion and chemical resistant top coatings for long lasting results. Easily print custom labels and variable information with HellermannTyton TagPrint® Pro labeling software and a thermal transfer printer.
Short Description	Terminal Block Labels, 0.275" wide, PE, White, 100 ft/roll

Global Part Name	TBL275-PET-WH
Length L (Imperial)	100.0
Length L (Metric)	30.48
Width W (Imperial)	0.275
Width W (Metric)	6.98
Thickness T (Metric)	64.0
Material	Polyester (PET)
Material Shortcut	PET
Adhesive	Rubber
Halogen Free	No
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Reach Compliant (Article 33)	Yes

ROHS Compliant	Yes
UL Recognized (US)	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	30.48
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.