

Page 1 of 5 SDS-E-RBR100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 8/3/2023

		1.	PRODUC	T & COM	PANY	IDEN	TIF	ICA	TION						
1.1	Product Name:		EN™ RBR								P/N	RBF	R10	0L)	
1.2	Chemical Name:	NA		.,	(==:	<u> </u>		<u> </u>	<u></u>	-/, \				<u>· –,</u>	
1.3	Synonyms:	CaiKleen™ RBR; P/N RBR100L													
1.4	Trade Names:	CaiKleen™ I Part No. RBF	RBR PART NO: R100PS-6 (150 i R100L-2 (59 mL	s: mL);	art No. RE art No. RE							RBR10 RBR10			
1.5	Product Uses & Restrictions:		ner and Rejuver				, -		,						
1.6	Distributor's Name:	CAIG Labora													
1.7	Distributor's Address:	12200 Thatch	her Court, Powa	y, CA 92064-6	876 USA										
1.8	Emergency Phone:	CHEMTRE	EC: +1 (703)	527-3887 /	+1 (800) 424-9	300	(CCI	N2052	206)					
1.9	Business Phone / Fax:	+1 (800) 224	-4123												
			2 H/	ZARDS I	DENT	IFICΔ'	TIO	N							
2.1	Hazard Identification:	This product	is classified a						as D	ΔNGF	ROUS	s GO	ODS	accor	ding to th
2	Trazara radirandaron.	classification WARNING!	criteria of NOH	SC: 1088 (2004 I RRITATION .	4) and AD	G Code	(Aus	tralia).					ODO	accon	ung to ti
0.0	Label Flamont		: Eye Irrit 2; Ski												
2.2	Label Elements:	Hazard Statements (H): H317 – May cause an allergic skin reaction. H320 – Causes eye irritation. Precautionary Statements (P): P261 – Avoid breathing dust. P264 – Wash thoroughly after handling. P280 – Wear protective gloves. P302+P352 – IF ON SKIN: Wash with plenty of water. P333+P313 – If skin irritation or rash occurs get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment see this container label. P362+P364 – Take off contaminated clothing and was it before reuse. P337+P313 – If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to licenses treatment, storage and													
2.3	Other Warnings:	disposal facil	OF REACH OF	OLIII DDEN											
2.3															
2.3		11.22. 00.	OI REAGII OI	OHILDIKLIN											
2.3	1				PEDI	ENIT II	NE	ODM	1 A T I /) N					
2.3			OMPOSIT		REDI	ENT II	NF	ORM			MITO IN	AID (
2.3					GREDI				EXPOSI				g/m³)		
2.3					GREDI	ENT II ACGIH		N				AIR (mg OSHA ppm	g/m³)	-	
		3. Co	OMPOSIT	ON & INC		ACGIH ppm	ı	N ES-	EXPOSI IOHSC ppm ES-	JRE LI		OSHA ppm			
	ICAL NAME(S)	3. Co	OMPOSITI	ON & INC	%	ACGIH ppm TLV S1	TEL	ES- TWA	EXPOSI IOHSC ppm ES- STEL F	ES- PEAK	PEL	OSHA ppm STEL	IDLH	MICT	OTHER
СНЕМ	ICAL NAME(S) RAL OIL	3. Co	OMPOSIT	ON & INC		ACGIH ppm TLV S1	ı	N ES-	EXPOSI IOHSC ppm ES- STEL F	JRE LI		OSHA ppm	IDLH	MIST	OTHER
CHEM		3. Co	OMPOSITI	ON & INC	%	ACGIH ppm TLV ST	TEL	ES- TWA	EXPOSI IOHSC ppm ES- STEL F	ES- PEAK	PEL	OSHA ppm STEL	IDLH	MIST	OTHER
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER	3. Co	RTECS No. PY8030000	EINECS No. 235-183-3	% 60-100	ACGIH ppm TLV S1 5	TEL	ES- TWA	EXPOSI IOHSC ppm ES- STEL F NF	ES- PEAK NF	PEL 5	osha ppm stel 3	IDLH NA		OTHER RGEN
CHEM MINE CHLC	RAL OIL	3. Co	RTECS No. PY8030000	EINECS No. 235-183-3	% 60-100 10-30	ACGIH ppm TLV S1 5	TEL 10	ES- TWA NF	EXPOSI IOHSC ppm ES- STEL F NF	ES- PEAK NF	PEL 5	OSHA ppm STEL 3	IDLH NA NA		
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER	3. Co	PY8030000 NA GW6360000	EINECS No. 235-183-3 270-448-1 227-813-5	% 60-100 10-30 1-5	ACGIH ppm TLV S1 5 NA N	TEL 10	ES- TWA NF	EXPOSI IOHSC ppm ES- STEL F NF	ES- PEAK NF	PEL 5	OSHA ppm STEL 3	IDLH NA NA		
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER	3. Co	PY8030000 NA GW6360000 If ingested, dimMEDIATELY unconscious pestimate of the	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST All o not induce f. If the patier erson. Contact	% 60-100 10-30 1-5 D MEA vomiting. It is vomiting to the near	ACGIH ppm TLV ST 5 NA N	ITEL 110 NA	NF N	EXPOSITION TO THE PROPERTY OF	ES-PEAK NF NF NF NF Vallow or more local contractions.	PEL 5 NA NA NA ed, drilk. N cal emo	NA NA NA rink pl ever gergence	IDLH NA NA NA lenty give way	ALLE of wa ater o	RGEN Iter or mi r milk to a Provide a
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER NENE	3. Co CAS No. 64742-30-9 68440-29-9 5989-27-5 Ingestion:	RTECS No. PY8030000 NA GW6360000 4. If ingested, di IMMEDIATELY unconscious p estimate of th swallowed. Splashes are water for at lea	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST Allo not induce (/. If the patier erson. Contact e time at which not likely; how ast 15 minutes	% 60-100 10-30 1-5 D MEA vomiting. nt is vomit to the near ch the mean vever, if p	NA N	NA N	NF N	EXPOSITION TO THE PROPERTY WATER CONTROL OF THE PROPERTY WATER CON	ES- EAK NF NF NF NF valiow	PEL 5 NA	NA NA NA rink pl ever gergence of the	NA N	of wa ater o nber. ostano	RGEN Iter or mi r milk to a Provide a te that wa
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER NENE	3. Co CAS No. 64742-30-9 68440-29-9 5989-27-5 Ingestion: Eyes: Skin:	RTECS No. PY8030000 NA GW6360000 If ingested, dimMEDIATELY unconscious pestimate of the swallowed. Splashes are water for at lead Wash thorougleast 15 minute.	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST All o not induce f. If the patier erson. Contact the time at white not likely; how set 15 minutes hely with soap a tes.	% 60-100 10-30 1-5 D MEA vomiting. nt is vomit tt the near ch the m vever, if p lifting upp nd water.	NA N	NA NA SES	NF N	EXPOSI IOHSC ppm ES- STEL F NF NF NF NF Ceen swar water Center d and eyes, fl casiona immedii	ES-EAK NF NF NF NF Vallow or or or or or location are selected as the selected are selected are selected as the selected are s	PEL 5 NA N	NA N	NA N	of wa ater o mber. ostano	RGEN Iter or mi r milk to a Provide a e that wa f lukeward
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER NENE	3. Co CAS No. 64742-30-9 68440-29-9 5989-27-5 Ingestion:	RTECS No. PY8030000 NA GW6360000 If ingested, d. IMMEDIATELY unconscious p estimate of th swallowed. Splashes are water for at lea Wash thorough	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST Allo onot induce (f. If the patier erson. Contact et time at white which wast 15 minutes ally with soap a es. on to fresh air at	% 60-100 10-30 1-5 D MEA vomiting. nt is vomit to the near ch the m vever, if p lifting upp nd water. once. If b	NA N	TEL 110 NA	NF N	EXPOSI IOHSC ppm ES- STEL F NF NF NF NF Ceen swar water Center d and eyes, fl casiona immedi ministe	RELIUMENT NF	PEL 5 NA N	NA N	NA N	of wa ater o mber. ostano	RGEN Iter or mi r milk to a Provide a e that wa f lukeward
CHEM MINE CHLC	RAL OIL PRINATED FATTY ESTER NENE	3. Co CAS No. 64742-30-9 68440-29-9 5989-27-5 Ingestion: Eyes: Skin:	RTECS No. PY8030000 NA GW6360000 If ingested, dimMEDIATELY unconscious pestimate of the swallowed. Splashes are water for at lead Wash thorough least 15 minute Remove victims.	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST Allo not induce of the patier erson. Contact in the patier erson. Contact in the patier erson i	% 60-100 10-30 1-5 D MEA vomiting. It is vomit is vomit the near the many ever, if plifting upp nd water. once. If begins warr cause nations.	NA N	NA NA NA Indicate the state of	NF N	EXPOSI IOHSC ppm ES- F NF	ES-PEAK NF	PEL 5 NA	NA N	NA N	of wa ater o mber. ostano	RGEN Inter or mile to a provide a see that was flukeward water for a give
CHEM MINE CHLC LIMO	RAL OIL PRINATED FATTY ESTER NENE First Aid:	CAS No. 64742-30-9 68440-29-9 5989-27-5 Ingestion: Eyes: Skin: Inhalation: Ingestion:	RTECS No. PY8030000 NA GW6360000 If ingested, dimmediate of the swallowed. Splashes are water for at lead Wash thorough least 15 minute Remove victim artificial respiration of the swallowed. Splashes are water for at lead Wash thorough least 15 minute Remove victim artificial respiration of the swallowed. Splashes are water for at lead Wash thorough least 15 minute Remove victim artificial respiration of the swallowed was a swallowed with the swallowed was a swallowed with the swallowed was a swallowed	EINECS No. 235-183-3 270-448-1 227-813-5 FIRST All o not induce of lifthe patier erson. Contact the time at white the patier erson with soap a test 15 minutes that is not likely; how that 15 minutes tha	% 60-100 10-30 1-5 D MEA vomiting. nt is vomit to the near ch the m vever, if p lifting upp nd water. once. If b erson warr cause nau yes. Sym	NA N	NA N	NF N	EXPOSI IOHSC ppm ES- F NF NF NF NF NF NF NF NF NF N	ES-PEAK NF	PEL 5 NA	NA	NA	of wa ater o nber. sstand unts o	RGEN Inter or mile to a Provide a see that waster for a give



Page 2 of 5 SAFETY DATA SHEET SDS-E-RBR100L Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/3/2023 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Overexposure in eyes may cause redness, itching and watering. Eyes: Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some 4.4 Acute Health Effects Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 4.5 Chronic Health Effects: Non-irritating when used as directed. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. 4.6 Target Organs: Eyes, Skin. 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO,CO_X). 5.2 Extinguishing Methods: Water, Foam, CO2, Dry Chemical, Halon (if permitted). Use water spray to cool unopened containers 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. 7.3 Special Precautions: Clean all spills promptly. Spilled material may present a slipping hazard. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (ma/m³) CHEMICAL NAME(S) TLV STEL **ES-TWA** ES-STEL ES-PEAK STEL IDLH MINERAL OIL 5 10 NF NF NF NA MIST LIMONENE NA NA NF NF NF ALLERGEN 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian

CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or

Australia.



Page 3 of 5 SDS-E-RBR100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 8/3/2023

	8 1	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd						
8.4	Eye Protection:	Avoid eye contact. Wear splash proof goggles or equivalent eye protection (ANSI Z87). Safety glasses need to be used when handling or using this product.						
8.5	Hand Protection:	Impermeable gloves required. May cause skin irritation in some sensitive individuals. When handling wear rubber, nitrile or impervious plastic gloves.						
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.						
	T	9. PHYSICAL & CHEMICAL PROPERTIES						
9.1	Appearance:	Amber liquid						
9.2	Odor:	Citrus odor						
9.3	Odor Threshold: pH:	NA Lua						
9.4	Melting Point/Freezing Point:	NA Lua						
9.6	Initial Boiling Point/Boiling	NA						
9.0	Range:	NA NA						
9.7	Flashpoint:	>93.3 °C (200 °F)						
9.8	Upper/Lower Flammability Limits:	NA NA						
9.9	Vapor Pressure:	0.01 mm Hg @ 20 °C						
9.10	Vapor Density:	NA						
9.11	Relative Density:	0.913						
9.12	Solubility:	Negligible						
9.13	Partition Coefficient (log Pow):	NA NA						
9.14	Autoignition Temperature:	NA NA						
9.15	Decomposition Temperature:	NA NA						
9.16	Viscosity:	NA NA						
9.17	Other Information:	NVC 60-70%						
		10. STABILITY & REACTIVITY						
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.						
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂).						
10.2	Products: Hazardous Polymerization:							
10.3	Conditions to Avoid:	Will not occur.						
10.4	Incompatible Substances:	Open flames, sparks, high heat, incompatible substances and direct sunlight.						
10.0	meompatible oubstances.	Avoid extreme heat and ignition sources. Store away from oxidizers.						
		11. TOXICOLOGICAL INFORMATION						
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES						
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product:						
		Mineral Oil: LD50 (oral, rat) > 5,000 mg/kg						
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.						
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).						
11.5	Suspected Carcinogen:	IARC 3 (not classifiable as to carcinogenicity in humans (for mineral oils, highly refined))						
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.						
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.						
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.						
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.						
11.8	Biological Exposure Indices:	NE NE						
11.9	Physician Recommendations:	Treat symptomatically.						
		12. ECOLOGICAL INFORMATION						
12.1	Environmental Stability:	There is no specific data available for this product.						
12.2	Effects on Plants & Animals:	There are no specific data available for this product.						
12.2								



Page 4 of 5 SDS-E-RBR100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 8/3/2023 SDS Revision: 3.1 13. DISPOSAL CONSIDERATIONS Waste Disposal: Products covered by this SDS, in their original form, when disposed as waste, are considered non hazardous waste 13.1 according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state, federal and provincial regulations. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** IATA (AIR): 14 2 **NOT REGULATED** IMDG (OCN): 14 3 **NOT REGULATED** TDGR (Canadian GND): 14.4 **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** 14 7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Mineral Oil is found on the following state criteria lists: NJ, PA. 15.7 State Regulatory Information: No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings 16. OTHER INFORMATION WARNING! CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Use only as directed. Other Information: 16.1 Keep out of reach of children. Avoid contact with skin. Avoid contact with eyes. Wear suitable protective clothing. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not quaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. CAIG Laboratories, Inc. Prepared for: 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/ 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600

> Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 5 of 5 SDS-E-RBR100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 8/3/2023

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE NAME OF THE PERSON OF THE	
Ε			
F		H.	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	1 2
ALK	Alkaline	
COR	Corrosive	─ / ₹ ₩ ≯
W	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	TSCA U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®	(2)	(\odot	®		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment