

Revision Number: 006.1 Issue date: 09/26/2025

1. IDENTIFICATION

LOCTITE SI 5031 LIGHT CURE Product name:

ADHESIVE known as LOCTITE

5031/300ML

Product type/ Silicone sealant

Recommended use:

Restriction of Use: None identified

Company address:

Henkel Canada Corporation Meadowpine Boulevard 2515 Mississauga, Ontario L5N 6C3 IDH number: 693986

40086 Item number:

Region: Canada

Contact information:

Telephone: +1 (905) 814-6511

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW DANGER: H315 - CAUSES SKIN IRRITATION.

H318 - CAUSES SERIOUS EYE DAMAGE.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1

PICTOGRAM(S)



Precautionary Statements

Prevention: P264 - Wash affected area thoroughly after handling.

P280 - Wear protective gloves, eye protection, and face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water. Response:

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Storage: Not prescribed Disposal: Not prescribed Other hazards Not available.

Classification complies with Canadian Hazardous Products Regulations and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	68909-20-6	1 - 5
3-[tris(acetoxy)silyl]propyl methacrylate	51772-85-1	1 - 5
Diacetoxydi-tert-butoxysilane	13170-23-5	1 - 5
2,2-Diethoxyacetophenone	6175-45-7	1 - 5
Acetic acid	64-19-7	0.1 - 1
Acetic anhydride	108-24-7	0.1 - 1

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

First Aid Measures by likely routes of exposure

Inhalation: Move to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Wipe off paste with paper towel or cloth. Wash with soap and water. If

symptoms develop and persist, get medical attention.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. If symptoms develop and persist, get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. If

symptoms develop and persist, get medical attention.

Most important symptoms and effects (acute

and delayed):

The most important known symptoms and effects, both acute and delayed, are

described in Section 11: Toxicological Information.

Indication of any immediate medical attention /

special treatment needed:

Not available.

5. FIRE FIGHTING MEASURES

Extinguishing media: Foam, dry chemical or carbon dioxide. Do not use high volume water jet.

Improper extinguishing agents: Not available.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Unusual fire or explosion hazards: None

Hazardous combustion products: Oxides of carbon. Oxides of silicon. Formaldehyde Acetic acid. Thermal

decomposition can lead to release of irritating gases and vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:Do not allow material to contaminate ground water system.

Clean-up methods: Scrape up as much material as possible. Spilled material will solidify. Store in

a partly filled, closed container until disposal. Maintain good ventilation for

large spills.

7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist.

Wash thoroughly after handling.

Storage: Store in a dry area below 90° F.

Shelf Life Statement: Not available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	3 mg/m3 TWA Respirable fraction. 10 mg/m3 TWA Inhalable dust.	6 mg/m3 TWA	None	None
Acetic anhydride	1 ppm TWA 3 ppm STEL	5 ppm (20 mg/m3) PEL	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Eye/face protection: Safety goggles or safety glasses with side shields.

Skin protection: Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color:
Odor:
Odor:
Acetic acid
Odor threshold:
Viscous, Liquid
Opaque
Opaque
Acetic acid
Not available.

pH: Not applicable, Product is non-soluble (in water).

Vapor pressure: < 10 mm hg (20 °C (68°F))

Boiling point/range: $> 180 \, ^{\circ}\text{C} \, (> 356 \, ^{\circ}\text{F}) \text{Decomposes} > 140 \, ^{\circ}\text{C} \, (284 \, ^{\circ}\text{F}).$

Melting point/ range: Not applicable, Product is a liquid

Density/Relative density: 1.05
Relative vapor density: > 1.20 °C

Flash point: > 93.3 °C (> 199.94 °F) None

Flammable/Explosive limits - lower: Not available.
Flammable/Explosive limits - upper: Not available.
Autoignition temperature: Not available.

IDH number: 693986 Product name: LOCTITE SI 5031 LIGHT CURE ADHESIVE known as LOCTITE 5031/300ML

Flammability: The product is not flammable.

Evaporation rate: Not available.

Solubility: Reacts with water. Water

Partition coefficient n-octanol/water Not available.

 (logarithmic value):
 5.69 %; 59.7 g/l

 VOC content:
 5.69 %; 59.7 g/l

 Dynamic viscosity:
 4,000 - 7,500 mPa.s

 Kinematic viscosity:
 5,500 mm2/s

Kinematic viscosity: 5,500 mm2/s
Particle characteristics: Not applicable, Product is a liquid

Decomposition temperature: > 140 °C

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: Will not occur.

Hazardous decomposition

products:

IDH number: 693986

Oxides of carbon. Oxides of silicon. Formaldehyde Acetic acid is liberated slowly upon contact

with moisture. Thermal decomposition can lead to release of irritating gases and vapors.

Incompatible materials: Alkalis. Acids. Water. Oxidizing agents. Alcohols. Amines.

Reactivity: Not available.

Conditions to avoid: Product is sensitive to light and moisture.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:

May cause respiratory tract irritation. When heated to temperatures exceeding 300° F (150° C) in the presence of air, silicones may form formaldehyde vapors. Formaldehyde is a potential cancer hazard and a known skin and respiratory sensitizer. Vapors irritate the eyes, nose and

throat. Safe handling conditions may be maintained by keeping formaldehyde vapor

concentrations below the OSHA permissible limit. Can cause moderate to severe skin irritation.

Skin contact: Eye contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal tract irritation if swallowed. Not expected under normal conditions of

Hazardous Component(s)	LD50s and LC50s	
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	None	
3-[tris(acetoxy)silyl]propyl methacrylate	None	
Diacetoxydi-tert-butoxysilane	None	
2,2-Diethoxyacetophenone	None	
Acetic acid	Oral LD50 (Rabbit) = 1,200 mg/kg Oral LD50 (Mouse) = 4,960 mg/kg Oral LD50 (Rat) = 3.53 g/kg Oral LD50 (Rat) = 3.31 g/kg Dermal LD50 (Rabbit) = 1,060 mg/kg Inhalation LC50 (Rat, 4 h) = > 16000 ppm	
Acetic anhydride	Oral LD50 (Rat) = 1,780 mg/kg Dermal LD50 (Rabbit) = 4,000 mg/kg	

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica			
3-[tris(acetoxy)silyl]propyl methacrylate	Irritant	Allergen	
Diacetoxydi-tert-butoxysilane	Irritant	Allergen	
2,2-Diethoxyacetophenone	Irritant		
Acetic acid	Corrosive Irritant	Allergen	Eyes Gastrointestinal Immune system Kidney
Acetic anhydride	Corrosive Irritant	Allergen	Respiratory

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	No	No	No
3-[tris(acetoxy)silyl]propyl methacrylate	No	No	No
Diacetoxydi-tert-butoxysilane	No	No	No
2,2-Diethoxyacetophenone	No	No	No
Acetic acid	No	No	No
Acetic anhydride	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

Canada Transportation of Dangerous Goods - Ground

Proper shipping name: Not regulated

Hazard class or division: None Identification number: None Packing group: None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division:

Identification number:

Packing group:

None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

15. REGULATORY INFORMATION

Canada Regulatory Information

IDH number: 693986

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 3, 4, 8, 9, 11

Prepared by: Product Safety and Regulatory Affairs

Issue date: 09/26/2025

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.