Material Safety Data Sheet





Revision Number: 006.0

Henkel Electronic Materials LLC

Issue date: 09/27/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type:

Company address:

Irvine, CA 92606

14000 Jamboree Road

565 Thread Sealant Controlled Strength PST® Pipe Sealant with PTFE Anaerobic Sealant

IDH number:

234438

Item number:56507Region:United StatesContact information:Telephone:1.888.9.HENKEL (1.888.943.6535)MEDICAL EMERGENCY Phone:Poison Control Center1-877-671-4608 (toll free) or1-303-592-1711TRANSPORT EMERGENCY Phone:CHEMTREC1-800-424-9300 (toll free) or1-703-527-3887Internet:www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW			
Physical state: Color: Odor: WARNING:	-	HMIS: HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection: CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.	*2 1 1 See MSDS Section 8
MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE SKIN IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.			
Relevant routes of exposure:		Skin, Inhalation, Eyes	
Potential Health Effects			
Inhalation: Skin contact: Eye contact: Ingestion:		May cause respiratory tract irritation. May cause allergic skin reaction. May cause skin irritation. Contact with eyes will cause irritation. Not expected to be harmful by ingestion.	
Existing conditions aggravated by exposure:		Eye, skin, and respiratory disorders.	
exposure.			

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Polyglycol dimethacrylate	25852-47-5	30 - 60
Hexanedioic acid, polymer with 1,4-butanediol and 1,2- propanediol, dodecanoate	68186-73-2	10 - 30
Cellulose ester	9004-36-8	10 - 30
Ethene, tetrafluoro-, homopolymer	9002-84-0	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Treated fumed silica	67762-90-7	1 - 5
Saccharin	81-07-2	1 - 5
Cumene hydroperoxide	80-15-9	1 - 5
Ethylene glycol	107-21-1	0.1 - 1
Cumene	98-82-8	0.1 - 1

4. FIRST AID MEASURES

Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop and persist, get medical attention.			
Skin contact:	Remove contaminated clothing and footwear. Wash clothing before reuse. Wash with soap and water. If symptoms develop and persist, get medical attention.			
Eye contact:	Get medical attention. Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time.			
Ingestion:	Keep individual calm. Do not induce vomiting. Get medical attention.			
5. FIRE FIGHTING MEASURES				
Flash point:	> 93.3 ℃ (> 199.94 뚜)			
Autoignition temperature:	Not available.			
Flammable/Explosive limits - lower:	Not available.			
Flammable/Explosive limits - upper:	Not available.			
Extinguishing media:	Foam, dry chemical or carbon dioxide.			
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.			
Unusual fire or explosion hazards:	None			
Hazardous combustion products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Toxic fluorine compounds. Irritating organic vapours.			

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing.

Storage:

For safe storage, store at or below 38 $^{\circ}$ (100.4 $^{\circ}$) Keep in a cool, well ventilated area.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyglycol dimethacrylate	None	None	None	None
Hexanedioic acid, polymer with 1,4-butanediol and 1,2-propanediol, dodecanoate	None	None	None	None
Cellulose ester	None	None	None	None
Ethene, tetrafluoro-, homopolymer	None	None	None	10 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.
Titanium dioxide	10 mg/m3 TWA	15 mg/m3 TWA Total dust.	None	None
Treated fumed silica	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Saccharin	None	None	None	None
Cumene hydroperoxide	None	None	(SKIN) 1 ppm (6 mg/m3) TWA	None
Ethylene glycol	100 mg/m3 Ceiling Aerosol.	None	None	None
Cumene	50 ppm TWA	50 ppm (245 mg/m3) TWA (SKIN)	None	None

Engineering controls:No specific ventilation requirements noted, but forced ventilation may still be
required if concentrations exceed occupational exposure limits.Respiratory protection:Use a NIOSH approved supplied air respirator with an organic cartridge if the
potential to exceed established exposure limits exists.

Safety goggles or safety glasses with side shields.

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene, Butyl-rubber, or nitrile-rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Paste

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower:

Eye/face protection:

Skin protection:

White Mild Not available. Not applicable $< 5 \text{ mm hg} (27 \ C (80.6 \ F))$ $> 149 \ C (> 300.2 \ F)$ Not available. 1.1Not available. $> 93.3 \ C (> 199.94 \ F)$ Not available.

Product name: 565 Thread Sealant Controlled Strength PST® Pipe Sealant with PTFE Page 3 of 6 Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Not available. Not available. Not available. Slight Not available. 0.11 %; 1.06 g/l

10. STABILITY AND REACTIVITY

Stab	silitv∙
otar	/IIILY.

Stable

Hazardous reactions:

Will not occur.

Hazardous decomposition products:

Incompatible materials:

Conditions to avoid:

Strong oxidizing agents.

sulfur. Irritating organic vapours.

See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

Oxides of carbon. Toxic fluorine compounds. Oxides of nitrogen. Oxides of

11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity:

LD50 (rat) > 5,000 mg/kg (Estimated)

Acute dermal product toxicity:

LD50 (rabbit) > 2,000 mg/kg (Estimated)

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Polyglycol dimethacrylate	No	No	No
Hexanedioic acid, polymer with 1,4- butanediol and 1,2-propanediol, dodecanoate	No	No	No
Cellulose ester	No	No	No
Ethene, tetrafluoro-, homopolymer	No	No	No
Titanium dioxide	No	Group 2B	No
Treated fumed silica	No	No	No
Saccharin	No	No	No
Cumene hydroperoxide	No	No	No
Ethylene glycol	No	No	No
Cumene	No	Group 2B	No

Hazardous components	Health Effects/Target Organs		
Polyglycol dimethacrylate	Irritant, Allergen		
Hexanedioic acid, polymer with 1,4-butanediol and 1,2- propanediol, dodecanoate	No Records		
Cellulose ester	No Target Organs		
Ethene, tetrafluoro-, homopolymer	No Target Organs		
Titanium dioxide	Irritant, Respiratory, Some evidence of carcinogenicity		
Treated fumed silica	Irritant		
Saccharin	No Target Organs		
Cumene hydroperoxide	Allergen, Central nervous system, Corrosive, Irritant, Mutagen		
Ethylene glycol	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic		
Cumene	Central nervous system, Irritant, Lung		

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

14. TRANSPORT INFORMATION

Not a RCRA hazardous waste.

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (4	9 CFR)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (ICAO/IATA)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.	
TSCA 12(b) Export Notification:	None above reporting de minimus	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimis Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Cumene hydroperoxide (CAS# 80-15-9).	
California Proposition 65:	This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. This product contains a chemical known in the State of California to cause cancer.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.	
WHMIS hazard class:	D.2.A, D.2.B	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: 1, 3, 8, 11, 15

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.