



Safety Data Sheet

1. IDENTIFICATION

Product Identifier: Sodium Hydroxide Solution, 3-50% w/w, 1-10 N, 10-50% w/v

Product Code(s): \$1009, \$1028, \$1029, \$1030, \$1031, \$1032, \$1035, \$1084, \$1085, \$1086, \$1125,

S1126, S1162, S1171, S1172, S1215, S1218, CF1115, CF1153, CF1154, CF1159,

CF1173, CF1269

Synonyms: Caustic Soda Solution; Soda Lye Solution; White Caustic Solution

Recommended Use: For manufacturing, industrial, and laboratory use only. Use for neutralization of acidic

systems, as a catalyst, as a solvent, or as a laboratory reagent.

Uses Advised Against: Not for food, drug, or household use.

Supplier: Rocky Mountain Reagents, Inc.

4621 Technology Drive, Golden, CO 80403 Phone: (303) 762-0800 Fax: (303) 762-1240

Emergency Phone Number: (800) 255-3924 (VelocityEHS)

2. HAZARDS IDENTIFICATION

Hazard Classifications: Skin Corrosion/Irritation: Category 1A

Serious Eye Damage/Eye Irritation: Category 1

Signal Word: DANGER

Hazard Statements: Causes severe skin burns and serious eye damage.

Pictograms:



Precautionary Statements:

Prevention: Do not breathe fumes, mists, vapors or spray.

Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, and face protection.

Response: Immediately call a poison center or doctor.

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 1/7

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with local, regional, national, and

international regulations.

Hazards Not Otherwise

Classified:

This product is harmful to aquatic life. Avoid release to the environment.

Toxicity Statement: Not applicable.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Component | Common Name / Synonyms | CAS# | Chemical Formula | % by Weight |
|------------------|------------------------|-----------|------------------|-------------|
| Sodium Hydroxide | Caustic Soda; Soda Lye | 1310-73-2 | NaOH | 3.0 – 52.5 |
| Water | - | 7732-18-5 | H ₂ O | 47.5 – 97.0 |

Trade Secret Statement: Not applicable.

4. FIRST AID MEASURES

First Aid Procedures:

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious, or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a poison

center or doctor/physician immediately.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Rinse mouth with

water. If vomiting occurs, keep head low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Call

a poison center or doctor/physician immediately.

Skin Contact: Remove contaminated clothing and shoes immediately. Wash skin with plenty of water for at

least 15 minutes. Wash clothing before reuse. Call a poison center or doctor/physician

immediately.

Eye Contact: Check for and remove contact lenses, if present and easy to do. Immediately flush eyes with

gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids

occasionally. Call a poison center or doctor/physician immediately.

General Advice: Poison information centers in each state can provide additional assistance for scheduled

poisons. Ensure that those providing first aid and medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 2/7

Symptoms and Effects: Inhalation may cause coughing, sneezing, choking sensation, hoarseness, and difficulty

breathing. Ingestion may cause burning, hoarseness, nausea, vomiting, and diarrhea. Skin contact may cause irritation and burning. Eye contact may cause irritation and burning.

Immediate Medical Care/ Special Treatment: Immediate medical attention is required. Call a poison center or doctor/physician

immediately. Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Hazardous Combustion

Products:

Sodium oxides, hydrogen.

Specific Hazards: Highly caustic. Excessive thermal conditions may cause decomposition and yield sodium

oxides. Contact with metals may yield hazardous hydrogen gas.

Special Protective Equipment/
Precautions for Firefighters:

As in any fire, wear MSHA/NIOSH-approved (or equivalent) self-contained, positive-

pressure or pressure-demand breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment:

Ventilate area of leak or spill. Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Keep upwind. Wear appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin, and clothing.

Emergency Procedures: In case of chemical emergency, or if unsure how to address an accidental release, consult a

in case of chemical energeticy, of it unsure flow to address an accidental release, consult a

professional (see Section 1).

Methods for Containment: Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer,

basements, or confined areas. Dike the spilled material, where this is possible. Product should not be released to the environment. Contain and recover liquid when possible.

Methods for Cleanup: Absorb spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece) and

place in a non-combustible container for reclamation or disposal. Do not flush to sewer. Clean contaminated surface thoroughly. Residues from spills can be diluted with water and neutralized with an acidic material. Never return spills in original containers for reuse. Clean

up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Handling: Wear personal protective equipment (see Section 8). Use only in well-ventilated areas.

Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin, eyes, and clothing. Do not breathe vapors or spray mist. Do not ingest. When using, do not eat, drink, or smoke. Keep away from incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues (vapors, liquids). Observe all warnings and precautions listed for this product. As with all bases, never add water directly to this product. Instead, add bases to water to

prevent violent eruption of the solution.

Storage: Store in a dry, ventilated area. Store at 15-25 °C. Store in a segregated and approved area

away from heat and incompatible materials (see section 10). Store in original container. Do not store in metallic containers. Keep containers tightly closed and upright. Keep away from

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 3/7

food, drink, and animal foodstuffs. Keep out of the reach of children. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of this product.

8. **EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Exposure Limits: Sodium Hydroxide: OSHA (PEL): 2 ma/m³

ACGIH (TLV): 2 mg/m³

Engineering Controls: Ensure adequate ventilation. Ventilation rates should be matched to conditions. If

> applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level.

Personal Protective Measures:

Eye/Face Protection: Wear safety glasses with side shields or safety goggles. Wear a face shield. Maintain

approved eye wash station and accessible rinse facilities in work area.

Skin Protection: Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical

resistant gloves.

Respiratory Protection: An air-purifying, NIOSH-approved respirator with appropriate cartridge or canister may be

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or if any other circumstances exist where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective **Equipment:**

Ensure that glove material is compatible with this product. This information is available from glove manufacturers. If respiratory protection is required, use full face protection as well.

9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at 25 °C and standard pressure.

Appearance: Colorless, transparent liquid.

Odor: Odorless.

Odor Threshold: No information found.

Formula Weight: 40.00 (as NaOH)

pH: 14 at 20 °C

≤ 12 °C **Melting/Freezing Point:**

> 100 °C **Boiling Point/Range:**

Decomposition Temperature: No information found.

Flash Point: Not applicable.

Auto-ignition Temperature: Not applicable.

Flammability: Not flammable.

Flammability/Explosive Limits: Not applicable.

Solubility: Miscible with water, alcohol.

13 mmHg at 60 °C Vapor Pressure:

Vapor Density: $\leq 1.38 \text{ (Air} = 1)$

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 4/7 Specific Gravity:≤ 1.53 (Water = 1)Evaporation Rate:No information found.Viscosity:≤ 40 mPa s at 30 °C

Partition Coefficient (n-octanol/water):

No information found.

10. STABILITY AND REACTIVITY

Reactivity Data: Corrosive. See Section 11.

Chemical Stability: Stable under normal conditions. Sensitive to air.

Conditions to Avoid: Excessive heat or cold, excessive ambient moisture, exposure to air, incompatible

materials.

Incompatible Materials: Acids, oxidizers, metals, maleic anhydride, halogens, nitromethane, chlorinated solvents,

organic materials, phosphorous.

Hazardous Decomposition

Products:

Sodium oxides, hydrogen.

Possibility of Hazardous

Reactions:

May react vigorously or violently with the incompatible materials listed above. Excessive thermal conditions may cause decomposition and yield sodium oxides. Contact with metals

may yield hazardous hydrogen gas.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Exposure: Inhalation, ingestion, skin contact, eye contact.

Acute Effects: Causes burns to the eyes, skin, respiratory tract, and gastrointestinal tract. May enter lungs

if swallowed or vomited. Liquid and vapors are corrosive. May cause tissue damage.

Chronic Effects: Prolonged or repeated exposure has a destructive effect on tissue. May affect genetic

material.

Toxicological Data: Sodium Hydroxide: LD₅₀ Dermal, Rabbit: 1350 mg/kg

Corrosive. Causes severe burns to eyes and skin based on

animal data.

Water: No information found.

Symptoms of Exposure: Irritation, burning, coughing, sneezing, choking sensation, hoarseness, difficulty breathing,

shock, nausea, vomiting, diarrhea.

Carcinogenic Effects: This product is not considered to cause cancer by IARC, ACGIH, NTP, or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicological Data: Sodium Hydroxide:

LC₅₀, Western Mosquitofish (Gambusia affinis): 125 mg/L 96 h

EC₅₀, Water Flea (Ceriodaphnia dubia): 34.59 - 47.13 mg/L 48 h

Water: No information found.

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 5/7

Persistence and Degradability: Expected to be readily biodegradable.

Environmental Effects: Harmful to aquatic life. May adversely affect pH of aquatic ecosystems. Avoid exposure to

the environment.

13. DISPOSAL INFORMATION

Disposal Instructions: All wastes must be handled in accordance with local, state, and federal regulations.

Minimize exposure to product waste (see Section 8). Do not dispose unused waste down

drains or into sewers.

Contaminated Packaging:Because emptied containers may retain product residue, follow label warnings even after

container is emptied. Offer rinsed packaging material to local recycling facilities.

Waste Codes: D002: Waste Corrosive Material (pH ≤ 2 or pH ≥12.5 or corrosive to steel)

14. TRANSPORT INFORMATION

DOT:

UN Number: UN1824

Proper Shipping Name: Sodium Hydroxide Solution

Hazard Class: 8

Packing Group: II (solutions >10% w/w)

III (solutions ≤10% w/w)

ERG Number: 154

Environmental Hazard

Regulations:

No information found.

Other Transport Precautions: No information found.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

OSHA: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Inventory: All components of this product are on the U.S. TSCA Inventory.

U.S. EPCRA (SARA Title III):

Section 302: No information found.

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 6/7

Sections 311/312:

| Hazard Category | List (Yes/No) | |
|----------------------------------|---------------|--|
| Section 311 – Hazardous Chemical | Yes | |
| Immediate Hazard | Yes | |
| Delayed Hazard | No | |
| Fire Hazard | No | |
| Pressure Hazard | No | |
| Reactivity Hazard | No | |

Section 313: No information found.

CERCLA Reportable Quantities: Sodium Hydroxide: 1000 lb

International Inventories:

| Country or Region | try or Region Inventory Name | |
|-------------------|--|-----|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

^{*}A "Yes" indicates that the listed components of this product comply with the inventory requirements administered by the governing country or region.

16. OTHER INFORMATION

Disclaimer:

Rocky Mountain Reagents, Inc. provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Rocky Mountain Reagents, Inc. makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Rocky Mountain Reagents, Inc. assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.

Issue Date: January 20, 2025

Reason for Revision: Update of product identification information in Section 1. Supersedes 09/27/2024 version.

Product: Sodium Hydroxide, 3-50% w/w, 1-10 N, 10-50% w/v

Revision Date: 01/20/2025 7/7